



UKAL

LIVESTOCK
CATALOG

2022



UKAL.com



UKKAL

CONTENTS

5	Cattle
67	Sheep and goats
83	Pigs
89	Electric clipping
105	Identification
117	Vaccination and drenching
129	Heating
133	Hygiene and farmer protection
143	Farm equipment
177	Milk and meat processing



THE LEGACY OF PASSION

With more than 55 years' experience, UKAL is the go-to specialist in the world of livestock farming.

Major brand distributors, as well as manufacturers of our own range, we can provide you with a very wide choice of products essential to your livestock farm.

Each year, we select new high-quality, innovative and highly effective products that meet the expectations of livestock farmers.

**55 years of passion,
55 years of quality,
55 years of customer satisfaction, our primary concern.**



Please feel free to contact us for more information and visit our website

UKAL.com





UKAL

THE UKAL WEBSHOP

QUICK AND EASY
PLACE YOUR ORDERS
24 / 7!

More than **6 000** product references

More than **350** spare parts available
from our After Sales Service

Fast ordering simply by uploading an
Excel file

Merchandising tools can be ordered
directly online



CHECK OUT THE EXPLANATORY VIDEO
ON OUR WEBSHOP BY SCANNING
THIS QR CODE

CONTACT US
to get your login code!

UKAL.com




MERCHANDISING TOOLS

Because our relationship with our customer is our primary concern at UKAL, we offer you our merchandising expertise to make your point of sale more dynamic.

As your business partner, we propose a large range of merchandising tools available or only for your inspiration.

Merchandising tools are important to help the development of your distribution network.





UKA



CATTLE

06	Calving
10	Care
11	Feeding
22	Magnets and trocars
24	Dehorning
28	Castration
29	Restraining
35	Leads and halters
36	Halters and collars
39	Hoof Care
48	Dairy
60	Hygiene
62	Cow brushes
64	Bells



MOOCALL HEAT

Moocall HEAT significantly reduce the time spent detecting and tracking heat cycles in your herd.

HOW IS IT WORKS?

Moocall HEAT:

- ✓ Moocall HEAT is a collar that is worn by a stock or a teaser / vasectomised bull. Moocall eartags are attached to all cows and heifers. Delivered with 50 RFID eartags. The collar then uses cow/bull proximity, mounting behaviour and bull activity levels to determine to an extremely high level of accuracy when a cow or a heifer is in heat.
- ✓ Moocall HEAT sensors measure the bull's activity around the cows to determine which cows are in estrus and when. They will then send you an SMS message, an app notification and an email to let you know that they have detected mounting activity. You can then use the AM/PM rule if you are using a teaser bull to AI at the optimum time.

On average, you will need about 1 device per 50 head. Each collar comes with 50 tags. You can put up

Reference	Description	Barcode
M0034724	MOOCALL Heat	5932000117233



MOOCALL HEAT EARTAGS

For Moocall heat collars.

Reference	Description	Barcode
M00347241	Box of 25	5932000117226 



MOOCALL CALVING SENSOR

Moocall's calving sensors measure contractions and predict when your cows will calve. This non-invasive, tail-mounted sensor collects hundreds of pieces of data per second. It can accurately predict when your cow is most likely to calve by measuring tail movements triggered by labour contractions.

When the contractions reach a certain level of intensity, over a period of time, the sensor sends an SMS alert directly to your mobile phone, on average, 1 hour before calving. DOES NOT WORK FOR HORSES.

THE ADVANTAGES OF MOOCALL - CALVING SENSOR:

- ✓ Connects easily with all networks and phones (GSM signal).
- ✓ No need for wifi, stations, router or extra batteries.
- ✓ Notification 1 hour before calving by SMS, email and App notification.
- ✓ Free application.
- ✓ One year warranty.
- ✓ Non-invasive.
- ✓ Cost compensated with about 30 cows.
- ✓ Reduces calf and cow mortality.
- ✓ After-sales service available by various means.

Each sensor includes service and warranty for 12 months from the date of activation. After one year, an annual fee applies to keep the unit active. The annual fee for the second year is payable directly to Moocall HQ. Annual renewal covers 12 months of unlimited calving alerts, software updates, service and support. The customer can also extend the warranty for a second year. Please note that MOOCALL is not geolocatable.

Reference	Description	Barcode
M0034716	Moocall Calving sensor	5392000117204

CALVING JACK BEEF CATTLE

Vink

Pulling power **500 kg** (1'100 lbs). For corpulent suckling-cows. The 1,80 meter (5'4") tube provides an efficient support for calving even for very big calves. It is also suitable for hanging the calf upside down to clear out the respiratory tracts.

Reference	Description	Barcode
101011	Pulling power: 500 kg	8719558133932




CALVING JACK DAIRY CATTLE

Vink

Pulling power **300 kg** (660 lbs). Allows a higher freedom of action as well as a high tension and an alternate motion of the two straps. Made of stainless steel.

Reference	Description	Barcode
101010001	Pulling power: 300 kg	8719558134212



UNIVERSAL CALVING ROPES

Made of nylon. 66 cm (26") long. Adaptable for all types of calving jacks. Supplied in pairs.


Reference	Description	Barcode
101103	White	3338020001019 



VINK CALVING ROPES

Vink

Made of nylon. Diameter of 12 mm (1/2"). Supplied in pairs.

Reference	Description	Barcode
101104	Red and blue / Length: 105 cm	3338020056347 



COTTON CALVING ROPES WITH RING

55 cm (27") long. Diameter 12 mm. Very soft. The cotton avoids shearing. Supplied in pairs.

Reference	Description	Barcode
101105	White	3338020001033 



CATTLE | Calving



NYLON CALVING ROPES WITH RING

Length: 43 cm (17"). Diameter 12 mm. Supplied in pairs.


Reference	Description	Barcode
101106	White	3338020026623



NYLON CALVING STRAPS

Suitable for calving ropes. After placing the rope through the metal ring, the large strap can be fastened on the leg of the cattle. The strap avoids shearing. Supplied in pairs.

Reference	Description	Barcode
101123	Nylon assorted colors	3338020001217



PERLON CALVING CORD 2 M

Diameter of 7 mm. For calving. Available in several colours. Using different colours during the calving makes it possible to identify the legs and to adjust the traction according to the calving need.

Reference	Description	Barcode
101107006	Blue by unit	3338020001064
101107036	One blue and one red	3700393930768
101107003	Red by unit	3338020001057




UKAL

BLANKET FOR CALVES

For optimal strengthening of the calf's immune system in the days after birth. Prevents diarrhoeal diseases. Breathable and moisture-resistant fabric 3 layers of protection with insulation for a better comfort of the calf. Long and adjustable straps. Machine washable at 30°C. Pocket with velcro fastening on the right side for the use of heating pads (not included). Length: 72 cm.

Reference	Description	Barcode
101130	By piece	4014803347312



COW LIFT

KAMER

Suitable model for dairy and beef cattle. The clamps prevent injuries thanks to its rubber foam covering. Double thread and triple tubing for a better resistance. Very simple to adjust. Helps weak cattle to stand up (after a difficult calving, for deficient animals). Maximum weight: 900 kg (1984 lbs).

Reference	Description	Barcode
104453	Maximum weight 900 kg (1984 lbs)	3338020002290

VINK COW LIFT**Vink**

Helps cattle to stand up after a difficult calving and also assists deficient animals. To place on the hip bone.

Reference	Description	Barcode
104455	Maximum weight 900 kg (1984 lbs)	3338020059652

**COW LIFT 1500 KG****horizont**

Cow lift robust and stable for cows up to 1500 kg. A wise investment that pays off quickly and should be a "must" for every dairy farmer. An indispensable apparatus for cows that cannot get up. The clamps are adjustable to the size of every cow. With a pulley or a hoist you can help the cattle to get up.

Reference	Description	Barcode
104456	Maximum weight 1500 kg	4014803346049

**PROLAPSE HARNESS**

It is used to keep the uterus in place in case of a prolapse. In leather.

Reference	Description	Barcode
101110	Leather	3338020001088

**NICKEL - PLATED PROLAPSE NEEDLES**

Used to keep the uterus remain in place in case of a prolapse. Nickel-plated. 13 cm.

Reference	Description	Barcode
101113	Without eyelet, by 5	3338020001101
101113A	With eyelet, by 5	3338020053728

**SEPTICARE LUBRICATING GEL**

Lubricating gel ideal for lubricating the arms and hands for rectal and vaginal examinations.

Reference	Description	Barcode
101212110	1000 mL. Spermicidal	3338020062324 

**SEPTIJECT**

Septiject is a cleaning solution for external use to clean and dry superficial wounds on farm animals. Professional use only.

Reference	Description	Barcode
002007	Spray 500 mL	3338020034703 





ELECTRONIC VETERINARY THERMOMETER WITH SIGNAL

Digital display from 32°C to 43°C. Audible signal to indicate the temperature calculated.

Reference	Description	Barcode
114062	Electronic veterinary thermometer with signal	3338020031610

NEW

LARGE DISPLAY THERMOMETER

UKAL

Digital display. Measuring time approx. 20 seconds. Measuring range: 32,0 °C ~ 43,9 °C. Operates with one 3V lithium button cell battery (CR2032) included. Material ABS + TPE and stainless steel.

Reference	Description	Barcode
114064	Assorted colors	3700393925511

DIGITAL VETERINARY THERMOMETER

UKAL

Measurement from +32°C to +44°C with an accuracy of +/-0.1°C. Automatic shut-off after 15 seconds. With suspension ring and cord. Supplied in blister pack with manual.

Reference	Description	Barcode
114063	Digital veterinary thermometer	3526570020417

STETHOSCOPE

With 22" (56 cm) PVC tubing. Y shape. Eartips made of polyethylene.

Reference	Description	Barcode
114100	Assorted colors	3338020084029

UNIVERSAL SCISSORS MULTI-USE

Very good cut multi-use: hair, bands, umbilical cord...

Reference	Description	Barcode
114025	Multi-use	3338020009503

CURVED SCISSORS WITH OR WITHOUT BALL TIP

Reference	Description	Barcode
109958	Curved scissors without ball tip	3338020008186
109959	Curved scissors with ball tip	3338020008193

ARTERY FORCEPS

Used when suturing.

Reference	Description	Barcode
114080	Artery forceps	3338020067640

Tétibblue

FEEDING BUCKET 8 LITERS

Plastic feeding bucket is graduated. Very resistant. It is equipped with a sloping bottom so that all the milk is consumed. Supplied with handle, teat holder, teat. Food grade plastic, non-toxic. Hygienic, easy to clean. The transparent plastic version allows you to effortlessly check the level of remaining milk. **Supplied without lid and bracket.**

Reference	Description	Barcode
120009630	TETICLEAR - Transparent complete feeding bucket	3700393964459
120009600	TETIBLUE - Blue complete feeding bucket	3700393921957
120009660	Grey complete feeding bucket	3700393926549

Tétibblue

CALF FEEDING BUCKET

Supplied without teat and teat holder. Food safe quality.

Reference	Description	Barcode
120009632	Transparent bucket	3700393964466
120009601	Blue bucket	3700393921889
120009662	Grey bucket	3700393926556

Tétibblue

TEAT HOLDER

Reference	Description	Barcode
120009610	Blue holder with washer	3700393921933
120009612	Grey holder with washer	3700393915222

Tétibblue

COMPATIBLE TEAT

Work for TETIBLUE and TETICLEAR. Length: 10 cm.


Reference	Description	Barcode
120009635	Red by 3	3700393915406
120009636	White by 3	3700393924415
120009500	Sand by 2	3700393921964

Tétibblue

OPTION FOR BUCKETS

Compatible with the 3 buckets (grey, blue, transparent).

Reference	Description	Barcode
120009621	Transparent Lid	3700393964442
120009625	Washers by 5	3700393921940
120003004M	Metal bracket for bucket	3338020045075

**NEW**



FLOATING CALF DUMMY LARGE TETIBLUE

The characteristic of this base is the ability to float with the teat oriented upwards. With its round form it is very steady and unsinkable. It has been specially designed for trough-feeding systems. The stainless steel washer ensures a perfect balance of the base. It is embedded in the valve and can't get in contact with the food. Cleaning and replacement of the base can be done easily and rapidly. Supplied with a teat 120009300.

Reference	Description	Barcode
120009	Diameter: 120 mm. Height: 130 mm	3700393911125



FLOATING DUMMY MEDIUM TETIBLUE

Diameter: 80 mm. Height: 130 mm. The characteristic of this base is the ability to float with the teat oriented upwards. The double clamp ring avoids milk permeation, which ensures the sealing and the cleanliness of the base. It is very practical, easy to dismantle and to clean due to its special design. The calf is able to drink all the milk contained in the bucket.

Reference	Description	Barcode
120009001	Diameter: 80 mm. Height: 130 mm	3700393911118



SINKING DUMMY TETIBLUE

Diameter: 75 mm. Height: 130 mm. After the milk bucket is filled, this base sinks to the bottom of the bucket. The teat of this sinking base remains constantly facing upwards, thanks to the inclusion of a stainless steel ring in the centre of the valve. The replacement of the teat is practical and quick.

Reference	Description	Barcode
120009002	Diameter: 75 mm. Height: 130 mm	3700393911132



FLOATING CALF DUMMY SMALL TETIBLUE

Diameter: 74 mm. Height: 130 mm. The characteristic of this base is its ability to float with the teat facing down. The plastic part does not contain a balancing element, which forces the calf to look for the teat from the sides. It is extremely practical and easy to disassemble for cleaning.

Reference	Description	Barcode
120009003	Diameter: 74 mm. Height: 130 mm	3700393911149



**FIND OUR VIDEO
ON YOUTUBE**





SPARE TEATS TETIBLUE

Colour: Red. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 42.

Reference	Description	Barcode
120009200	Dimensions: 43 mm x 92 mm	3700393911170



SPARE TEATS TETIBLUE

Colour: Sand. Diameter of hole: 3 mm. Compatible with floating dummy ref.120009. Shore 50..

Reference	Description	Barcode
120009300	Dimension : 46 mm x 120 mm	3700393911194



SPARE TEATS TETIBLUE

Colour: Sand. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 50.

Reference	Description	Barcode
120009100	Dimensions: 43 mm x 92 mm	3700393911163



SPARE TEATS TETIBLUE

Colour: Sand. Size: 45 x 96 mm. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 50.

Reference	Description	Barcode
120009110	Dimensions: 45 mm x 96 mm	3700393930416




ALUMINIUM CALF TEAT

Aluminium. Shore 50. Sand color. Supplied in pairs.



Reference	Description	Barcode
120006	Aluminium calf dummy x2	3338020010448
120007	Teat for aluminium calf dummy x2	3338020010455
120007001	Spare aluminium base calf dummy, by unit	3338020010462

STAINLESS STEEL CHAIN

Reference	Description	Barcode
120007006	Stainless steel chain. By unit	3338020048373



CATTLE | Feeding



6 TEATS BUCKET 20 L

Reference	Description	Barcode
120066	Capacity: 20 L Limited stock	9417027103262

SMB CALF TEAT

They prevent leaking and assure a good flow so that the calf can suck without any difficulties. The «SMB» teat is suitable for all feeders with a 22 mm teat hole and also for the calf feeding bottle. Supplied in pairs.

Reference	Description	Barcode	
120038	SMB calf teat	3700393912191	
120037001	Spare elbow and valve by 10	9417027179205	

PLASTIC CALF BUCKET WITH HANDLE 5 L

Complete with handle. Plastic, with lid, handle and latex teat.



Reference	Description	Barcode	
120005	Latex teats reinforced x 2	3338020010431	

SEMI-CIRCULAR PLASTIC BUCKET WITH LID 6 L

The collar ensures that there are no losses. Very good stability thanks to its flat back. This new model has a metal reinforcement around the lid for a better stability of the handle. Supplied without teat.

Reference	Description	Barcode
120015	6 L	3338020026708
1200241C	Rubber calf teat by 2	3338020042494

CIRCULAR PLASTIC CALF BUCKET 7 L

Plastic calf bucket, circular, 7 L. The cone shape allows full flow of milk. To be placed on a circular support for the feeding box. Supplied with: valve, 2 **rubber** teats (Ref. 120 024 1C) without support

Reference	Description	Barcode
120001	7 L	3338020037001
1200241C	Rubber calf teat by 2	3338020042494
120020	White valve by unit	3338020041695
120001001	Holder	3338020048366

PLASTIC CALF FEEDER

With handle and teat. Food safe plastic. 250 ml scale. Supplied with rubber teat ref. 120025. Sand colour. Possibility to adapt the teat for grains.

Reference	Description	Barcode
120025001	2 L complete (bottle + teat)	3338020054084
120035001	3 L complete (bottle + teat)	3338020087198
120025	Sand teat. Length: 10 cm. Supplied by piece	3338020045167
120025006	2 L bottle holder in metal	3338020068906
120035006	3 L bottle holder in metal	3338020085705



SPEEDY FEEDER

The speedy feeder is a 3 speed calf feeding bottle. The **3 speeds** control the air inlet to the bottle. A teat is mounted low in the cap to empty the bottle contents completely. **THE ORIGINAL!** Graduation every liter.

Reference	Description	Barcode
120050	2,5 L	9417027034283
120056	4 L	9417027200923
120055	Lid and teat SPEEDY FEEDER	3700393912177



DID YOU

KNOW?

The bottle saves time because drinking is immediate.

CALF REARER

Graduated calf feeding bottle with x-pierced teat. The 3 L model has a handle. Very resistant plastic and easy to clean. **Spare teats available page 11.**

- With scale
- With red -teat
- Large opening
- Self regulating valve

Reference	Description	Barcode
120017100	1 L	4014803307279
120017200	2 L	4014803307286
120017300	3 L with handle	4014803307293





SPEEDY DRENCHER 4 L

The **original** Speedy Drencher is a drenching bottle for calves with the same characteristics as the Speedy Feeder bottle: 3 feed rates, ergonomic handle, a bottle neck with large opening and a wide base for greater stability. The lid and the drenching probe are suitable for the Speedy Feeder bottle. The length of the probe is 48 cm. Great for colostrum.

Reference	Description	Barcode
120090	Capacity: 4 L	9417027200961
120091	SPEEDY drencher tip	9417027177232



COLOSTRUM SCALE

Helps to evaluate the quality of the colostrum.

Reference	Description	Barcode
124062	With test tube	3700393923173



COLOSTRUM REFRACTOMETER

Helps to evaluate the quality of the colostrum. Refractometer with automatic temperature compensation between + 10 ° C and + 30 ° C. Scale from 0 to 32 Brix.



Reference	Description	Barcode
124070002	Colostrum refractometer	3700393959752

UKAL'S


TIP

The colostrum refractometer: what importance does it have for newborns? Newborns don't have antibodies in their blood, which is a critical factor for the running of the immune system. Colostrum contains large quantities of antibodies and is the main source for the new born. Colostrum reduces the risk of diarrhea and pneumonia and saves lives. Refractometers allow you to verify that the milk given to the new born is healthy. Did you know? Colostrum is the milk produced by the female mammals at the end of the gestation, it is the first milk consumed after delivery.





Based in the heart of New Zealand, Antahi develops innovative and efficient products. The best start = optimum health and productivity for life. Through our hands-on experience we know how to achieve this best start for your animals and we are here to help farmers and vets achieve top results in a kinder, easier, safer and easier manner, through better equipment. Why Antahi? An = animal and Tahi = first in Maori. If you look after your animals, they will look after you. Our products are designed to work with the animal, achieving the lowest stress and the greatest result, which in turn makes a farmers work and life easier.



TRUSTI TUBER

Designed by a vet, the Trusti Tuber significantly reduces calf stress and discomfort. Flexi Tuber can be held in place with one hand. Large 4 litre capacity bottle. Transparent flexible tube makes it easy to clean and monitor flow. Ergonomic bottle handle. Perfect for large and small hands. Reliable valve. Fast flow even with thick colostrum. Shown in trials to almost halve procedure feeding time. Stopper and calf size markers provide easy guide for tube placement and positioning. **Attachment included with Flexi Tuber for use without hands.**


Reference	Description	Barcode
120095	TRUSTI TUBER 4 L	9421904214064 
120096	FLEXI TUBER 4 L	9421904214071 








2 in 1



ANTAHI FEEDER WITH TEAT

A specially designed bottle for both bottle feeding with the Antahi Suckle Up cap, and tube feeding with the Antahi Tubers. What makes a bottle a better bottle? Well that depends on the user, in this case the farmers and calf rearers, so we asked them: What would you like in a bottle and what makes your job easier? The Antahi Feeder is the result. High quality valve for reliable flow and no leaks. 4 litre or 1 gallon size for less refilling. Wide cap for eas filling and easy cleaning. Clip-on mouthpiece for maintaining hygiene. Ergonomic design for both small and large hands. Broad base for uneven ground.

Reference	Description	Barcode
120097	4 L	9421904214064 






COLOSTRUM BAGS



Large spout for easy filling and cleaning. Transparent side – see the colostrum contents, see the colostrum level reduce during feeding. Reusable – due to durability and easy to clean design, the Trusti colostrum bag is the only colostrum bag designed to be reused. (Number of uses dependant on cleaning and care of bag). Comfortable handle. Pasteurisation friendly. Large capacity – four litres freezes flat. Quick thawing. Incorporating premium Trusti Tuber and Flexi Tuber oesophageal tube feeders.



Reference	Description	Barcode	
120098100	Box of 10	9421904214316	 
120098500	Box of 50	9421904214323	 



COMPLETE KIT FOR COLOSTRUM



Kit containing colostrum bags, a peach teat and a trusti tube.

Reference	Description	Barcode	
120095100	4 bags + teat + trusti tube	9421904214293	
120095200	10 bags + teat + trusti tube	9421904214309	



BRUSH FOR COLOSTRUM BAGS



Allows an efficient cleaning of the colostrum bags.

Reference	Description	Barcode	
120098	Stainless steel	9421904214330	



PASTEURIZER FOR COLOSTRUM BAGS



This pasteurizer is specially designed for pasteurization of colostrum bags. Easy to use, very precise and good value for money. This pasteurizer makes it easy to pasteurize colostrum in Trusti bags, it can keep the number and quality of antibodies in colostrum and avoid bacteriological contamination.

60 ° C = ideal temperature for pasteurizing; for 60 min. 42 ° C = temperature for defrosting. Heating: depends on the degree of water. Cooling: approx 30 min.

The technical characteristics:

Plastic material. Capacity: 2 bags of 4 liters at the same time Water capacity: 27 liters. Digital screen.

Reference	Description	Barcode
120098300	Pasteurizer for colostrum bags	9421904214538



THERMAL BAG FOR COLOSTRUM BAG



Insulated bag to keep colostrum warm when feeding or transporting.

Reference	Description	Barcode
120098400	Thermal bag for colostrum bag	9421904214545

DUTCH BOWL 16 L

Diameter: 36 cm. Capacity: 16 L.

Reference	Description	Barcode
122010	Capacity: 16 L. Diameter: 36 cm	3338020079391
122010001	Fixing ring for bowl diameter: 36 cm	3700393934117

**DUTCH BOWL 14 L**

Diameter: 32 cm. Capacity: 14 L.

Reference	Description	Barcode
122011	Diameter: 32 cm. Capacity: 14 L	3338020079407

GRADUATED CALF PLASTIC BUCKET

Reinforced bottom. With handle. Litre graduation. The real capacity is at least one litre over the indicated graduation. On special request and for a minimum of 500 pieces you can choose the colour and the buckets can be personalised with a logo or with other advertising labels.

Reference	Description	Barcode
122013	Capacity: 13 L. Lower diameter: 245 mm. Upper diameter: 340 mm. Height: 200 mm	3338020050321
122014	Capacity: 16 L. Lower diameter: 255 mm. Upper diameter: 350 mm. Height: 230 mm	3338020050314
122015	Capacity: 16 L. Lower diameter: 255 mm. Upper diameter: 350 mm. Height: 230 mm	3338020050307
122018	Capacity: 19 L. Lower diameter: 270 mm. Upper diameter: 370 mm. Height: 230 mm	3338020050338

**UKAL'S****TIP**

Customised personalisation service is available. Do not hesitate to contact us for more information.

CALF MUZZLE WITHOUT STRAP

White muzzle for calf without bridle. Very robust.

Reference	Description	Barcode
120011B	White, high density polyethylene	3338020048922
120011	Grey in high density polyethylene	3338020010530





LARGE RIGID MUZZLE

Large model muzzle for fattening calves (heavy breed). Diameter: 18 cm.

Reference	Description	Barcode
120011002	White, high density polyethylene	3338020085637



WHITE CALF MUZZLE WITH STRAP


En nylon.

Reference	Description	Barcode
120012	White	3338020034994



MILK THERMOMETER IN PLASTIC CAGE

Temperature range from -10°C to 120°C. Easy to clean.

Reference	Description	Barcode
124061	Milk thermometer	3338020011117 



TEFLON MILK WARMER

To heat the milk and to keep its temperature. Large heat exchange surface to make heating easier. Tight device. Waterproof. High stability.

Reference	Description	Barcode
120400	Teflon	3700393921902



ALUMINIUM MILK WARMER

To heat the milk and to keep its temperature. Large heat exchange surface to make heating easier. Tight device. Waterproof. High stability.

Reference	Description	Barcode
120300	Aluminium	3700393921896

POWERHEAT HORIZONT MILK HEATER



Heats up the milk in a minimum of time. Reduced energy consumption. Easy temperature control. Flat heating element with fast heat dissipation. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Aluminum. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomic working height at 90 cm. Ø: 165 mm. Low weight: 2.8 kg.

Reference	Description	Barcode
120500	Aluminium	4014803307569



DIGITAL POWERHEAT MILK HEATER



Heats up the milk in a minimum of time. Reduced energy consumption. Easily adjust temperature by the degree. Flat heating element with fast heat dissipation. Saves the last temperature. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomically working height at 90 cm. Ø: 165 Reduces germ formation, protects animal health. Digital display easily readable in bad lighting conditions. Teflon PTFE coating.

Reference	Description	Barcode
120600	Teflon	4014803307576



MILK WHISK



Reference	Description	Barcode
124070036	Stainless steel milk whisk and handle 35 cm	3338020042340
124070037	Stainless steel milk whisk and handle 40 cm	3338020044511
124070041	Stainless steel milk whisk long wooden handle 40 cm	3338020045303
124070042	Stainless steel milk whisk short wooden handle 40 cm	3338020057283



CATTLE | Magnets and trocars



RUMINAL MAGNET IN PLASTIC CAGE

KAMER

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. The cage's shape provides maximum protection and enables sharp metal pieces to stay in an optimal position. Length: 100 mm To be used with the magnet introducer ref. 111019.

Reference	Description	Barcode
111001	Single unit	3338020008674
111001012	Pack of 12	3700393910500



RUMINAL MAGNETS

KAMER

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. To be used with the magnet introducer ref. 111019. Dimensions: 15 x 55 mm.

Reference	Description	Barcode
111002	Pack of 6	3338020008681
111003	Pack of 12	3338020050000



METAL INTRODUCER FOR MAGNETS

Nickel plated. Retains magnet while guide is being placed.

Reference	Description	Barcode
111019	Length 55 cm - Inner diameter: 35 mm	3338020008698



MULTI BOLUS GUN

Stainless steel with aluminium handle which guarantees a good grip. Allows you to introduce 2 magnets or 2 boluses at the same time.

Reference	Description	Barcode
111050100	Length: 46 cm	3700393963247



BOLUS GUN

Stainless steel. It retains the magnet while placing the guide.

Reference	Description	Barcode
111050026	Diameter: 26 mm	3338020056231



ROUND CATTLE TROCAR

Trocar to pierce the stomach in case of bloating. To be used when the stomach tube is not effective.

Reference	Description	Barcode
111114	Length: 22 cm, diameter 9 (for cattle)	3338020008766
111116	Length: 12 cm, diameter 6 (for sheep)	3338020008780



The 4 R'S OF DEHORNING

The Right moment

As soon as possible and before 4 weeks: the younger the calf, the easier it is to handle. At this age the veins are found just under the skin.

The Right restraint

A calf that does not move makes dehorning easier for the farmer. This represents 80% of a successful dehorning.

The Right technique

Clip first to properly locate the horn. Cauterise in 10 seconds without pressing too hard. Make a furrow of 4-5 mm. Cauterisation is not burning.

The Right pain management after dehorning

Apply a cleaning spray that cools the cauterisation. We recommend using Septiject (ref 002007). Treat against flies. Keep under careful observation for the next 48 hours. Avoid putting animals outside in wet weather.



WHY DEHORN

For practical reasons:

- Easier access to the fence
- Save space
- Safe Handling

For safety reasons:

- Avoid accidents with the breeder
- Avoid accidents between animals

For economic reasons:

- A damaged skin decreases profitability

Different methods proposed:

- Electric or gas iron



CATTLE | Dehorning

net|horn

NETHORN GAS DEHORNER

Wireless, the NETHORN gas dehorner offers a run time of ± 2 hours.

Thanks to its power of 350 W and its speedy rise of temperature in less than 2 minutes, this dehorner allows dehorning in 3 seconds per horn.

The NETHORN dehorner has no exposed flame and has an automatic piezo ignition for starting up which can be changed without tools in a few seconds. It is indeed a safe device in wet conditions, it can work in all positions and down to -10°C . Lightweight 770 g.

19 mm diameter nozzle supplied, **2 propene / propane / butane cartridges included**, Also works for goats (nozzle not supplied).

Reference	Description	Barcode
103016	Supplied with 2 cartridges	3700393921735

net|horn

NETHORN GAS CARTRIDGE

Reference	Description	Barcode
103016100	60 g propene/propane/butane	3700393915918 

EXPRESS
depuis 1905
Farming

ARKOS GAS DEHORNER FOR CATTLE

The pistol Grip - new model. Lightweight: 470 g. No cable/Portable. Works with gas cartridge ref. 103015446. Built-in Piezo ignition. Temp.: 700°C / 1292°F , Max temp. reached in less than 3 minutes. Safety: Lock position. Operation position. Easy to handle: Non-slip dual-material handle. Pistol shape for good grip handling. Support stand. Reversible tip internal $\varnothing 17$ and 19 mm, to best adapt to various calf breeds. Additional tip internal $\varnothing 15$ mm available on request. Self-maintenance: change the trigger/Piezo-ignition and gas nozzle without tools. Supplied with one cartridge.

Reference	Description	Barcode
103015144	Arkos dehorner	3189640001442
1030151420	Nozzle for gas dehorner EXPRESS FARMING Diameter 17/20 mm	3189640014206
103015446	60 g	3189640004467 





DAOS GAS DEHORNER

Lightweight: 300 g. Can be used either with the gas cartridge or with a regulator. Ref no. 1030151141 is supplied with a butane/propane/propene cartridge and 1.50 m of hose. Ref no. 1030151442 is supplied with 4.75 m of hose and a 2 bar regulator. Temp.: 700 °C / 1292 °F, Max temp. reached in less than 3 minutes. Support stand. Reversible tip internal Ø 17 and 19 mm, to best adapt to various calf breeds. Additional tip internal Ø 15 mm available on demand.

Reference	Description	Barcode
1030151141	DAOS gas dehorner with gas cartridge	3189640011410
1030151442	DAOS gas dehorner with 2-bar regulator	3189640011427



GAS CARTRIDGE FOR DEHORNER EXPRESS FARMING

Gas cartridge (butane, propene, propane).

Reference	Description	Barcode
103015446	60 g	3189640004467 



COSMOS DEHORNER

The Cosmos electric dehorner, with its Ø 16 mm tip specifically designed for cattle, is battery-operated making it very mobile and enabling the dehorning of up to 40 animals before recharging. Thanks to its mobility, animal restraint is greatly simplified and ensures total respect for animal well-being. Featuring numerous technological innovations, such as its closed circular heating wire and its built-in charge indicator, it helps operators save time and enables work in complete safety. Dehorning is made simple, with no more endless rotations. Always ready for use, it heats up and cools down almost instantly. With its unique patented system, it stops automatically when the 10-second dehorning cycle is complete. This guarantees quality dehorning for breeders, who know as soon as the operation is finished.

Reference	Description	Barcode
103017200	Mains dehorner	3189640001268



NEW

SAROS DEHORNER

Fast, powerful, simple. Ecological innovation: less power consumed for more heating power. Lightweight and ergonomic handle: protection of the user's hand against the risk of burns.

- Fast: <5 minutes to heat up.
- Powerful: > 600 °C.
- Lightweight: 360 g handle.
- Cable length: 4 m.
- Low voltage: 24 V.
- IP68 transformer: allows working in wet areas.
- 17 mm tip.
- 2 years warranty.

Reference	Description	Barcode
103018	Mains dehorner	3189640230002



CATTLE | Dehorning




COMPLETE ELECTRIC DEHORNER 24 V

For calf dehorning. Dehorner tip goes up to 600°C. Supplied complete with a 24 V transformer. Built-in iron holder. 4 m power cord. Power 250W. Tip of 17 mm diameter included.

Reference	Description	Barcode
103290100	24 V	4038704008028

TIP FOR DEHORNER 103290100

Reference	Description	Barcode
103290110V	Diameter 15 mm	3700393933592
103290105V	Diameter 17 mm	3700393933264



TIPS FOR DEHORNER SOLDERING IRON 103301001

Reference	Description	Barcode	
103302015	Diameter 15 mm	3338020001583	
103302020	Diameter 20 mm	3338020001590	
103302025	Diameter 25 mm	3338020001606	



MECHANICAL BARNES DEHORNER

For cutting through the horns of calves. Metallic handle. Not for use on calves over 6 weeks.

Reference	Description	Barcode
103307002	Diameter 13 mm	3338020053704
103307003	Diameter 17 mm	3338020053711



RUBBER TOURNIQUET

5 mm diameter. Allows a tourniquet to be made before dehorning.

Reference	Description	Barcode
103313010	10 m	3275970001563
103313100	100 m	3275970001570



DEHORNING PEN

For the dehorning of calves younger than 3 weeks. Corrosive substance, to use with caution. Please follow the instructions.

Reference	Description	Barcode	
103305	8 g	3338020031603	

DEHORNING PASTE



For the dehorning of calves younger than 3 weeks. In a syringe with scale. Corrosive substance, to use with caution. 1 notch = 1 horn, consult the instructions for use.

Reference	Description	Barcode
103306	45 g	3338020042777



SWEDISH DEHORNING SAW WIRE 10 M

For the dehorning of adult cattle and embryotomy. Veterinary quality.

Reference	Description	Barcode
103310	10 m	5703188019929



DEHORNING SAW WIRE 12 M



For the dehorning of adult cattle and embryotomy. This wire is extremely resistant. To be used with the dehorning saw wire handles, reference 103312.

Reference	Description	Barcode
103311	12 m	3338020001699



DEHORNING SAW WIRE HANDLES

To be used with reference 103311, or with reference 103310. Antislip grooves. Supplied in pairs.

Reference	Description	Barcode
103312	Supplied by 2	3338020001705



RESTRAINING RING FOR CALF



Galvanised steel. Fastens with 2 pins onto the vertical tube of a fence. The aim is to immobilise the head orientation of the calf whose snout is engaged inside the ring. Supplied with a rope.

Reference	Description	Barcode
103315	Galvanised steel	3275970035100



KAMER



INSTRUCTIONS

You must proceed by crushing one testicular cord at a time, and make two chrushes at 1-2 cm [1/2" - 3/4"] distance: Locate the testicular cord.
Block it with the castrator for 5 minutes.
Repeat the same operation 1-2 cm [1/2" to 3/4"] lower on the same cord. The non-crushed space maintains irrigation and prevents gangrene.
Repeat on the second testicular cord.
Never try to crush simultaneously both testicular cords. It may be ineffective and it will damage the castrators.



48 cm



40 cm



34 cm



BLOODLESS CASTRATOR

KAMER

Articulated with closing stop. Made of high quality forged nickel-plated steel. Supplied with a tightening key. The castration can be performed as soon as the testicles have reached their final firmness (not their final size) and within the first 6 months. The bloodless crushes the testicular cord through the scrotum skin. After use and cleaning the castrator must be stored opened.

Reference	Description	Barcode
102223035	34 cm - 11.8"	3338020001460
102223040	40 cm - 15.8"	3338020001477
102223048	48 cm - 19"	3338020001484
9102223048CLE	Tightening key	3700393939280



METAL KNEE PAD

Suitable for all the different bloodless castrators.

Reference	Description	Barcode
102224	By unit	3338020001491

Vink

VINK HEAD LIFT

It helps to position the head of the animal parallel to its body. In this position the animal is unable to move and it facilitates swallowing without wasting the drenching products or the mineral and vitamin supplements.

Reference	Description	Barcode
104500	VINK head lift	8719558130931



SPIKED SWINGARM CALF WEANER

KAMER

Sturdy aluminium weaner with adjustable screw and butterfly adjustment nut. For a semi permanent implementation. The most popular weaner.

Reference	Description	Barcode
104441	Aluminium	3338020002146 



CALF WEANER WITH SPRING ADJUSTMENT AND SPIKES

KAMER

Aluminium calf weaner with aluminium disc and spring adjustment. Quick and easy to install and remove. With spikes.

Reference	Description	Barcode
104439001	Aluminium	3338020034123 




APPLICATOR FOR CALF WEANERS

KAMER

Double sided: the front is used to attach the weaners. The back is to detach the weaners. Anti-slip handle.





Reference	Description	Barcode
104440	Calf weaner applicator	3338020031474



METAL SUCKING PREVENTOR RING

KAMER

For long term use. Available in 4 sizes: Weaner size. Calf size, for calves up to 5 months. Heifer size, for calves between 5 and 24 months. Adult size, for adult calves (older than 2 years).

Reference	Description	Barcode
104440000	Weaner size x 5	3338020054008 
104440001	Calf size x 5	3338020031481 
104440002	Heifer size x 5	3338020031498 
104440004	Adult size x 2	3338020052080 





PLASTIC ADJUSTABLE CALF WEANER WITH SPIKES

Practical, efficient, economical. Weaner with screw adjustment. Avoid nasal injuries. For calves and small animals. Sold in pack of 2, 5 or 12.

Reference	Description	Barcode	
104446000	Small model x 2	3700393927065	
104446100	Small model x 5	3700393930836	
104200000	Petit modèle x 12	3700393959592	
104446001	Medium model x 2	3700393923258	
104446101	Medium model x 5	3700393930829	
104201001	Medium model x 12	3700393959585	
104446002	Big model x 2	3700393927096	
104446102	Big model x 5	3700393930812	
104202002	Big model x 12	3700393959608	

HOW TO CHOOSE THE SIZE OF THE WEANER?

SIZE	XS	S	M	L
MODEL	Weaner	Calf	Heifer	Adult
AGE	Birth	up to 5 months	5 to 24 months	More than 24 months
REFERENCES	104 440 000	104 440 001 104 446 000 104 446 100 104 200 000	104 440 002 104 446 001 104 446 101 104 201 001	104 440 004 104 446 102 104 446 002 104 202 002



BULL HOLDER HARMS

The two balls provide a perfect grip in the nose. Length of 19 cm.

Reference	Description	Barcode	
104412	Nickel-plated forged steel - 19 cm	3338020001811	
104412S	Stainless steel	3338020058402	



BULL HOLDER WITH CHAIN

KAMER

Very robust bull holder. Supplied with a chain. The absence of blocking hooks avoids injuries during handling.

Reference	Description	Barcode	
104416	Nickel-plated forged steel - 15 cm	3338020035014	



BULL HOLDER WITHOUT CHAIN

KAMER

Very robust bull holder. Supplied without chain. With two holes which allows use of a tightening rope.


Reference	Description	Barcode	
104416001	Nickel-plated forged steel - 15 cm	3338020035076	

BULL HOLDER

KAMER

For a fast animal capture. Handle Length: 44 cm.

Reference	Description	Barcode
104414	44 cm	3338020041930



BULL HOLDER WITH SPIRAL SPRING

KAMER

Allows quick catch and release. Anti-panic system. Very robust. Length of 17 cm.

Reference	Description	Barcode
104413	Chrome plated forged steel 17 cm	3338020001828



T-HANDLE BULL LEAD

KAMER

With security lock. Epoxy steel. Handle of 1,45 m.

Reference	Description	Barcode
104435001	145 cm. Epoxy steel.	3338020042890
104436	Fitting garniture without handle. Ø 28 mm. Nickel plated.	3338020002092




NICKEL-PLATED STEEL BULL RINGS

KAMER

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal in mm. Supplied with break off screw.

Reference	Description	Barcode
104420050	Ø 50 mm	3338020039067
104420060	Ø 60 mm	3338020001866
104420070	Ø 70 mm	3338020001873
104420080	Ø 80 mm	3338020001880
104420090	Ø 90 mm	3338020001897
104420100	Ø 100 mm	3338020001903





BRASS BULL RINGS

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal ones and in mm. Supplied with break off screw.

Reference	Description	Barcode	
104421050	Ø 50 mm	3338020039074	
104421060	Ø 60 mm	3338020001910	
104421070	Ø 70 mm	3338020001927	
104421080	Ø 80 mm	3338020001934	
104421090	Ø 90 mm	3338020001941	
104421100	Ø 100 mm	3338020001958	

SELF PIERCING BULL RINGS

Male and female halves. Self piercing. No applicator needed. Different sizes available. Supplied with break off screw.

Reference	Description	Barcode	
104422370	Ø 70 mm external - Ø 54 mm int. Brass	3338020056996	
104422376	Ø 76 mm external - Ø 60 mm int. Brass	3338020057009	
104422276	Ø 76 mm external - Ø 60 mm int. Stainless steel	3338020045945	

LEATHER BULL RING HALTER

Cowhide leather. Nickel-plated ring. Allows the bull's ring to be raised. Assorted colors.

Reference	Description	Barcode	
104432004	Assorted colors	3338020044412	

CANE

Plastic.

Reference	Description	Barcode	
104402105	Ø 6 mm. 86 cm	3338020074297	
104402101	Ø 9 mm. 98 cm. Assorted colors	3338020065653	

KAMER

ANTI KICK BAR US MODEL

Very robust. Hand crank to adjust the opening.

Reference	Description	Barcode	
104410	Anti kick bar	3338020052301	

ANTI KICK BAR

Very robust and adjustable anti kick-bar. Supplied in a box with rubber ends and springs. Recommended for every breeder ! It is the safest, easiest, most efficient and most humane way to avoid kicks. Immobilizes both sides and keeps the animal calm during examinations or all other handlings.

Reference	Description	Barcode
104409	Zinc	3338020001798
104409001	Zinc. Supplied assembled	3338020058310



PREMIUM STAINLESS STEEL ANTI KICK BAR

Stainless steel. Delivered mounted. Good price quality ratio.

Reference	Description	Barcode
104409020	Stainless steel. Supplied assembled. By unit.	3700393960857

KAMER



TOP RANGE STAINLESS STEEL ANTI KICK BAR

Professional quality! 2 years warranty. New system to close quickly. Individually packaged.

Reference	Description	Barcode
104409010	Stainless steel	3338020058952



ANTI KICK BAR KIT

For the articles 104 409 and 104 409 001.

Reference	Description	Barcode
104449	2 springs and 2 rubber ends. Black. 6mm	3338020002238
9104450E	2 rubber ends. Blue and red. For ref. 104409010	3338020090297
104450	Rubber ends by unit	3338020002245



REPLACEMENT SPRING FOR ANTI KICK BAR

Reference	Description	Barcode
104451	By unit. Diameter : 6 mm	3338020002252
104451006	By 6. Diameter: 6 mm	3338020080144
104451009	By 6. Diameter: 9 mm	3700393967900
104448	By 2. For ref. 104409010	3700393911446



Hobbles	104409	104409001	104409010	104409020
Matching springs	104451009	104451009	9104451R [X1] or 104448 [X2]	104451009



CHAIN HOBBLE

Avoids kicks during milking. Very quick fastening on two opposite legs.

Reference	Description	Barcode
104411	Chain hobble	3338020001804



NYLON HOBBLE TRIPLE ADJUSTEMENT

Nylon hobble with an adjustment at the strap and another one at the legs. Very high quality.

Reference	Description	Barcode
104411100	Blue	4029339601357



LEATHER HOBBLE WITH CHAIN

Strong and supple leather hobble. The two leather straps are linked by a chain.

Reference	Description	Barcode
104411200	Leather hobble with chain	3338020074877



GALVANISED TAIL BRIDLE FOR COWS








Prevents the cow from tail slapping during milking by immobilisation of the first caudal vertebrae.

Reference	Description	Barcode
104442	Tail bridle	3338020002153



PPTEX LEADS





Available in different sizes. Sold in bulk by 12 or individually in a blister pack.

Reference	Description	Barcode	
121115001V	Length: 2,50 m. Diameter: 12 mm. By 12	3700393931215	
121116001	Length: 2,50 m. Diameter: 14 mm. By unit	3338020045860	
121116001V	Length: 2,50 m. Diameter: 14 mm. By 12	3700393931178	
121117	Length: 4 m. Diameter: 12 mm. By unit	3338020049493	
121117V	Length: 4 m. Diameter: 12 mm. By 12	3700393931147	
121117001	Length: 4 m. Diameter: 14 mm. By unit	3338020049509	
121117001V	Length: 4 m. Diameter: 14 mm. By 12	3700393931130	



PP/SISAL LEADS

Available in different sizes. Sold in bulk by 12 or individually in a blister pack.

Reference	Description	Barcode	
121115	Length: 2 m. Diameter: 12 mm. By unit	3338020042319	
121115V	Length: 2 m. Diameter: 12 mm. By 12	3700393931192	
121116	Length: 2,5 m. Diameter: 14 mm. By unit	3338020042333	
121116V	Length: 2,5 m. Diameter: 14 mm. By 12	3700393931161	



PP/SISAL HALTERS

Supplied by 12.

Reference	Description	Barcode
121111V	Length: 4 m. Diameter: 14 mm. By 12	3338020042302




SICAL/PP

PPTEX HALTERS


Available in different sizes. Supplied by 12.

Reference	Description	Barcode
121110001V	Length: 3 m. Diameter: 12 mm. By 12	3338020045853



PPTEX

QUICK RELEASE HOOK

Reference	Description	Barcode	
121117102	HONDA Quick release hook	3338020064137	



CATTLE | Halters and collars




DOUBLE ADJUSTMENT LEATHER HALTER

KAMER

Head piece and noseband. Made of **double-thickness leather**. Chrome plated settings.

Reference	Description	Barcode
121137000	Assorted colors	3338020076086 



NYLON HALTER FOR COWS

KAMER

Very resistant. Two reinforced adjustment loops (headpiece and noseband).

Reference	Description	Barcode
121107	Yellow and black	3338020058549 
121107003	Red	3338020058570 
121107006	Blue	3338020058587 



COW PRESENTATION HALTER

KAMER

Very robust nylon. Reinforced leather strap. Chin strap chain and fastening ring. Supplied without lead. Height: 47,5 cm, circumference: 64 cm, width: 4 cm.



Reference	Description	Barcode
121103	Yellow/black	3338020055029 



HIGH QUALITY NYLON COLLAR FOR COWS

KAMER

Very robust double thickness nylon collars. Attachment ring. 125 cm x 4 cm. Thickness: 5 mm.

Reference	Description	Barcode
121161	Yellow and black	3338020076772 
121161002	Black	3338020076123 
121161003	Red	3338020076130 
121161006	Blue	3338020076147 
121161008	Green	3338020076789 

HIGH QUALITY NYLON COLLAR FOR BULLS

KAMER

Very sturdy nylon collars due to their width and double closure. Leather reinforcement of the loop. Attachment ring. **New color: yellow and black.**


Reference	Description	Barcode
121126010	Length 1,70 m - Width 7 cm	3700393918810 



SUPERIOR QUALITY NYLON COLLAR FOR COW

KAMER

The top of the range. Necklace 1,30 m. Leather reinforcement at the adjustment loop. Nice finish.





Reference	Description	Barcode
121128006C	Width 4 cm. Loop 6 x 4 cm	3700393920394 



NYLON CALF COLLAR

KAMER

Leather reinforced adjustment strap. Supplied with attachment clip. **80 cm long.** Available in different colours. Pratical to distinguish groups.

Reference	Description	Barcode
121122	Yellow and black	3338020010707 
121122003	Red	3338020044313 
121122006	Dark blue	3338020044320 
121122008	Green	3338020044337 



HALTER FOR CALF

KAMER

This calf halter is made of high quality nylon. Leather finish. Tightening loop.

Reference	Description	Barcode
121139	Blue	3700393915444 



CATTLE | Halters and collars



DUTCH TYPE COW STRAP STANDARD

Made of single-layer nylon. Supplied with an upper and lower metal attaching chain.

Reference	Description	Barcode
117703	1,85 m	3338020009855 



DUTCH TYPE COW STRAP DOUBLE

High-quality strap. Made of strong and very resistant double thickness nylon. Metal reinforcements at each end. Two lengths available. Supplied with an upper and lower metal attaching chain.

Reference	Description	Barcode
117702180	1,80 m	3338020055043 
117702200	2 m	3338020055050 



NYLON COLLAR WITH CHAIN FOR CALF

High quality, top-of-the-line model. Very strong. Leather reinforced adjustment loop. With safety chain and ring for individual attachment. Nylon stitching. **Exceptional finish.**

Reference	Description	Barcode
121127	85 cm	3338020055005 



LEATHER CALF COLLAR WITH EYE RING FOR CALF

Very thick. Complete with eye ring. Very resistant.

Reference	Description	Barcode
121121	80 cm	3338020010691 



TRADITIONAL HOOF SCRAPER

Reference	Description	Barcode
106625	Black painted steel 30 cm	3338020002696

KAMER

KAMER

ONE HAND HOOF CUTTER

Reference	Description	Barcode
106601	One hand hoof cutter	3338020043231

**HOOF CUTTER ARTICULATED**

High transmission ratio. Powerful jaws with removable blades. For horizontal attack to the callus. Antislip handle. Total length: 41 cm (16").

Reference	Description	Barcode
106602	41 cm	3338020002429

**ROUNDED HOOF CUTTER 60 CM**

Transmission ratio. The «scissors» head shape allows a side cut of the callus. Antislip handle. Total length: 60 cm (23 1/2").

Reference	Description	Barcode
106603	60 cm	3338020036240

**PROFESSIONAL HOOF CUTTER**

Round head with crossed jaws. Allows a side cut of the callus.

Reference	Description	Barcode
106604	Nickel-plated steel	3338020043040

**S HOOF RASP 30 CM**

Double sided (fine and coarse). For hoof trimming and finish. Length: about 30 cm (11 3/4").

Reference	Description	Barcode
106620	30 cm	3338020002672

**HOOF RASP STRAIGHT WITH HANDLE**

Double sided (fine and coarse). Plastic handle. Length: about 35 cm (13 3/4").

Reference	Description	Barcode
106621	35 cm with handle	4019003004287
106622	35 cm without handle	3338020042159





SPECIAL HOOF DISC

Especially for trimming the hooves of cattle. Fits on all current types of electric hoof trimmers. Boring 22 mm. **Supplied in sets of 2.**

Reference	Description	Barcode
106681215	Ø 115 mm	3700393930966
106681227	Ø 125 mm	3700393930959



HOOF DISC

The granulometry avoids dirtying the disc and heating of the foot. Boring 22 mm.



Reference	Description	Barcode
106690115	Medium grain Ø 115 mm	3338020048007
106690125	Medium grain Ø 125 mm	3338020048014
106691115	Large grain Ø 115 mm	3338020048038
106691125	Large grain Ø 125 mm	3338020048045
106692115	Double side Ø 115 mm	3338020048069
106692125	Double side Ø 125 mm	3338020048076

DL DISC

Lightness and robustness combining cutting efficiency and incomparable life time! No heating of the foot, no dust nor smoke. One blade set treats over 400 cattles. Tungsten blade.

Reference	Description	Barcode
106695001	Ø 115 mm	3700393900143
106695002	Blade and screw set	3700393900518



DL SOFT DISC

Less aggressive cutting due to the positioning of the blades. Blades can be used on both sides.

Reference	Description	Barcode
106695101	DL soft disc Ø 115 mm	3700393920547
106695102	Replacement blade x 1	3700393921247
106695102SET	Replacement blade x 7	3700393921254



PROFESSIONAL HOOF KNIFE TOP RANGE






The professional hoof knife! Handle made of exotic wood (bubinga). High cutting quality due to its very sharp blades. The blade is 65 mm long.

Reference	Description	Barcode	
106609001	Wide right blade	3338020061006	
106609002	Wide left blade	3338020061013	
106609003	Wide double blade	3338020061020	



BLACK BLUE HOOF KNIFE

Black Blue hoof knives are of high quality. The blade is tempered to allow easy sharpening and also to allowing the blade to stay sharp. Available in several models. The Black Blue knives are very strong. Ergonomic shape. Treated steel blade.

Reference	Description	Barcode	
106609BB1	Wide blade right	3338020043613	
106609BB2	Wide blade left	3338020043620	
106609BB3	Wide blade double	3338020043637	
106609BB4	Thin blade right	3338020054947	
106609BB5	Thin blade left	3338020055159	



LA PAREUR HOOF KNIFE




Steel blade. Ergonomic wooden handle for a better grip. Very nice finish.

Reference	Description	Barcode	
106612001	Wide blade right	3338020002535	
106612002	Wide blade left	3338020002542	
106612003	Wide blade double	3338020002559	



VANADIUM HOOF KNIFE

Polished steel blade. Antislip and plastic handle for a better grip. The best price-performance ratio.

Reference	Description	Barcode	
106614001	Wide blade right	3338020002580	
106614002	Wide blade left	3338020002597	
106614003	Wide blade double	3338020002603	





BLACK BLUE RING HOOF KNIFE

BLACK BLUE ring hoof knife. Steel blade. Wooden handle. Very nice finish.


Reference	Description	Barcode
106613BB	BLACK BLUE ring hoof knife	3338020052103



RING HOOF KNIFE

Steel blade. Wooden handle. Good price quality ratio.

Reference	Description	Barcode
106613	Standard ring hoof knife	3338020002566



SHARPENING STONE

KAMER

Essential to sharpen hoof knives, hoof shears and other knives used by shepherds. The very fine grit of the stone allows for precise sharpening of cutting tools for optimal use. 13 cm long.

Reference	Description	Barcode
106616	Sharpening stone	3338020002665



HOOF CHECKER

Demotec

Shows the ideal shape of the hoof in a fast and safe way. It also allows to check the hoof angle between the base and the upper front part of the hoof. The angle should be between 45° and 50°. The angle of the tester is 50°.

Reference	Description	Barcode
106643020	Hoof checker	3338020061037



DEMOTEC EASY BLOC



Easy, quick, safe and economical. Lameness of cows can lead to significant economical losses due to a reduction of the production and weight loss in the short term. The Easy Bloc makes it possible to treat the lameness in an easy and economical way even for unexperienced users. It can be used on all kinds of hooves. **Packaging: box of 4 or 12 treatments.**


Reference	Description	Barcode
106643004	Box of 4 treatments	4026405023402
106643010	Box of 12 treatments	4026405033128
106643011	250 ml liquid	3338020050215
106643012	500 g liquid	3338020050222



BLOCKS FOR DEMOTEC EASYBLOC



Reference	Description	Barcode
106643013 D/2	Right x 2	3700393930850
106643013 G/2	Left x 2	3700393930867
106643013 DG2	2 right, 2 left	3700393930980



DEMOTEC 90



The DEMOTEC 90 mixture produces a very fluid (liquid) paste. After 2 to 3 minutes this mixture gets thicker and more pasty. Now it can be spread on the put it on the healthy hoof and on the wooden block. **7 to 8 minutes later the DEMOTEC 90 is completely hardened.**

Reference	Description	Barcode
106645002	2 treatments	4026405063026
106645011	Liquid 500 ml	3338020002764
106645012	Powder 1 kg	3338020002771



DEMOTEC 95



The DEMOTEC 95 mixture gives you immediately an adhesive paste ready to spread on the healthy hoof and the wooden block. **6 to 7 minutes later the mixture is completely hardened. Box of 14 treatments.**

Reference	Description	Barcode
106644010	14 treatments	4026405053140





**FIND OUR
VIDEO
ON YOUTUBE**



GLUE 250 ML SEPTICARE II BOND EXPRESS XL

Our best seller glue SEPTICARE II BOND EXPRESS is now available in a new 250 ml format. Glue cartridge with 2 components. Dries in 3 seconds. Can be reworked for 15 seconds and bonds strongly in 30 seconds. Can be applied and stored from 0°C to 40°C, keeping its adhesive properties because its viscosity isn't affected by the temperatures. Nevertheless, the glue has to be at a temperature above 0°C to be used correctly. Doesn't run during the application even when applying vertically thanks to its high thixotropy: it bonds to all materials to which it is applied. Supplied by box of 12 without cannulas.

Reference	Description	Barcode
106652001	By 12	3700393963674 



SEPTICARE XL KIT

1 x 250 ml glue cartridge / 1 x application gun / 10 x wood blocks / 10 x mixing cannulas / 1 x pair of gloves / 1 x instructions paper.

Reference	Description	Barcode
106652010	Kit	3700393915161



SEPTICARE II BOND EXPRESS XL CANNULAS

A cannula specifically adapted to the cartridge 250 ml of SEPTICARE BOND EXPRESS glue. Its specially designed shape allows easy extrusion of the glue as well as an optimal mix between the 2 components.

Reference	Description	Barcode
106652002	By 10	3700393963254 



SEPTICARE II BOND EXPRESS XL GUN

Application gun for glue SEPTICARE -II-BOND EXPRESS, size XL. Good grip, High quality.


Reference	Description	Barcode
106652003	SEPTICARE II BOND EXPRESS XL gun	3700393962967



WOODEN BLOCKS

For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.


Reference	Description	Barcode	
106645013002	By 2 / 11 cm	3700393930874	
106645013020	By 20	3700393930881	



WOODEN BLOCKS XL

For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.

Reference	Description	Barcode	
106645014	XL 13 cm. By piece	3700393913310	



**FIND OUR
VIDEO
ON YOUTUBE**

LEG SPLINT FOR CALVES

Specifically designed for calves suffering from flexion of the pasture joints. The joint attachment allows the calf to be held and the calf to stand upright on the front legs and move freely. Leave in place for 2 to 4 weeks minimum. Durable washable nylon and durable molded ABS material. Internal padding. Velcro® safety fasteners. Treatment without plaster and bandages. Fully adjustable and reusable. Length: 22 cm.

Reference	Description	Barcode	
101125	By piece	3700393915789	



ADHESIVE HOOF TAPE

Adhesive and very resistant tape. Ideal for bandaging hooves of cattle and horses.

Reference	Description	Barcode	
106646	25 m x 5 cm	3338020002795	
106646050	50 m x 5 cm	3700393940439	



TAR BANDAGE "CERTOPLAST"

To bandage and apply protection bandages on large animals.

- Adhesive on both sides
- Aluminium packaging
- Black

Reference	Description	Barcode	
106646100	25 m x 4,5 cm	4022742000632	



CATTLE | Hoof Care



COHESIVE FLEXIBLE BANDAGE FOR COMPRESSION

Quick and easy application. Beginning easy to find. Strong fabric, can be torn by hand. Size stretched: 10 cm x 4 m. Size unstretched: 10 cm x 2,5 m. Contains latex.

Reference	Description	Barcode
106700	18 cohesives bandages assorted fluorescent colours	3700393962899 
106710	18 cohesives bandages assorted classic colours	3700393962905 
106710102	Black - By 18	3700393922282 
106710103	Red - By 18	3700393922237 
106710106	Blue - By 18	3700393922220 



CATTLE HOOF CARE PORTICO

This restraining unit can be easily adapted to all kinds of cattle stalls. Using this frame, you can always treat the cattle without help from another person and in their own environment. Equipped with a self locking winch.

Reference	Description	Barcode
106900		3338020061150

Vink



PREMIUM HOOFMAT

The "Premium Hoofmat" uses a 31 mm foam encased in a premium quality blue outer fabric. To optimise treatment, place the mat at the entrance to the milking platform. After milking, hang the hoofmat over a rail and hose it down. The "Premium Hoofmat" lasts over 100 000 cow passes. Contains up to 35 litres of hoofbath remedy. Top up the mat after 80 cow passes. Size: 180 x 90 cm.

Reference	Description	Barcode
113001	180 x 90 cm	9417027231743



SEPTICARE CATTLE HOOF MAT

Disinfecting foam for building entrances. Perfect for the passage of animals. Large and top class model. The whole hoof treated due to the thickness of the mat. Capacity: 120-160 liters.

Reference	Description	Barcode
113100001	Large size 180 x 90 x 10 cm	3338020062997



KAMER TENDON CLAMP

KAMER

Avoids kicks during hoof treatments. To be placed in the hollow of the animal's knee. Works by pinching the tendon. Very efficient and strong model.

Reference	Description	Barcode
106652	Tendon clamp	3338020002801



NORWEGIAN FINE HOOF TAR



Hoof tar is made of natural wood tar. This natural tar protects and nourishes the hoof. Available also for hunting.

Reference	Description	Barcode
000020	1 kg	3338020000029 
000025	5 kg	3338020000036



BEECH HOOF TAR



Beech Tar. Protects hooves and nourishes the hoof horn. Available also for hunting. **Very good price-quality ratio.**

Reference	Description	Barcode
000030	1 kg	3700393927102 
000035	5 kg	3700393927119





Please, find our range of sprayers in the Farm Equipment Chapter

THERMIC DEPILATOR

Depilates udder hair in a secure way and without causing pain by a cold flame. It does not pose a danger to people nor animals. Appreciated for its fast action. Depilate approximately 40 to 50 animals. Supplied with: a 750ml propane gas cartridge (99%) ref. 103400001, a 2 bar regulator, a flexible tube (20 bar) of 2 meters, a 80 cm spray nozzle, an ergonomic handle with 2 plugs and a belt clip.

Reference	Description	Barcode
103400	Thermic depilator	3700393911842
103400001	Propane gas refill for thermic depilator. Cartridge 750 ml of propane (99%)	7314522208855



TERRA PORTABLE HAIR REMOVER - THERMIC DEPILATOR

Promoting udder hygiene before milking avoids germs, bacteria, mastitis and lost time. EASY: Set up in less than 2 minutes. FAST: Hair removal in less than 4 seconds per cow. SAFE: Easy and safe hair removal due to the long curved burner. PAINLESS: Thanks to the soft flame, the animal feels only a sensation of warmth. PRACTICAL: Cartridge weight 340 g with duration of 2 hours. EFFECTIVE: Reduces the spread of germs and risk of mastitis. Faster cleaning of the udder before milking. Easier teat identification for automated milking. Improved milk quality. ECONOMICAL: Avoids multiple processing of milk. Compatible with gas cylinder/cartridge. Handle + angled burner: 500 g. Burner length: 1000 mm. Keep the flame at a distance of approximately 10 to 20 cm while drawing an "eight" for 2 to 4 seconds.

Reference	Description	Barcode
103401655	Curved "milking parlour"	3189640156555
103401656	Straight "milking parlour"	3189640156562



BUTANE/PROPANE CARTRIDGE

More powerful than a butane cartridge. For the thermic depilator. Not advised for dehorner.

Reference	Description	Barcode
103401556	340 g	3189640005563



DOUBLE TISSUES

For udder cleaning. Very resistant to water washout. Do not shrink.

Reference	Description	Barcode
112131	Dimensions: 2 x 35 x 32 cm. By 10	3338020031153



SEPTICARE UDDER TOWELS


Non-woven tissues made of 80 % viscose and 20 % polypropylene. Conform to food standards. Do not contain formaldehyde. Used to wash the cow udders. Much softer than woven tissues. They ensure an excellent cleaning and a better wiping of the teat due to the non-woven composition. Equal weight, absorb twice as much water than woven tissues. Machine washable, also in very hot water. By 25.

Reference	Description	Barcode
112131001	Dimensions: 34 x 37 cm. Weight: 240 g/m ² . Bag of 25	7320460507745



NON RETURN DIP CUP

Dip cup with non-return system which makes it hygienic, practical and safe. Avoids the risks of cross contamination.

Reference	Description	Barcode
112130001	Non return dip cup	3700393915840 



FOAM DIP CUP

Produces a dense foam. Increases the contact surface and efficiency of foaming products.

Reference	Description	Barcode
112130006	Foam dip cup	3700393924347 



TEAT DIP CUP

For soaking the teat prior to milking.

Reference	Description	Barcode
112130	Teat dip cup	3338020029501 





MANUAL TEAT SPRAYER

Manual sprayer with rotary nozzle directional jet, facilitates spraying.

Reference	Description	Barcode
112126	Hand sprayer 680 ml	3275970006643



TEAT SPRAYER

With 20 cm adjustable extension. For spraying after milking.

Reference	Description	Barcode
112127	580 ml	3338020032549



PLASTIC MILKING CUP

With strainer.

Reference	Description	Barcode
124070046	1 L	3338020043491



CONICAL PLASTIC MILKING CUP

Conical strainer with tab to remove the strainer easily.

Reference	Description	Barcode
124070047	1 L	3338020053568



TRANSPARENT DOSING CUP

Food safe plastic.

Reference	Description	Barcode
124064	1 L	3338020043507
124064003	3 L	4381831700076



REACTIVE LIQUID

For the test to detect mastitis. This test gives information about the situation of the quarters before any changes in appearance are visible (inflammation of mammary tissue, lumps, water and blood, etc.). To be used with the test paddle. Consists of anionic surface-active agent and bromocresol purple.

Reference	Description	Barcode	
112134	1 L	3338020030811	
112136	Dosing bottle 1 ml	3338020030828	
112132	Test paddle	3338020030804	



MASTITIS DETECTION KIT

For mastitis detection of reactive liquid. The kit contains: 1 paddle, 1 dosing bottle, 1 liter of reactive liquid, 1 teat wipe, 5 Velcro ankle straps, test report leaflet.


Reference	Description	Barcode	
112137	Complete kit	3338020039364	



CATHETER

Ogival catheter. Used for intra-mammary injections in the lactiferous sinus (antibiotic depletion). Used with a metal or plexi DERMAPLAST syringe. Luer lock end. By 5. Diameter: 2,5 mm.

Reference	Description	Barcode
112210001/5	38 mm	3700393937057
112210002/5	63 mm	3700393937064
112205/5	80 mm	3700393937071
112206/5	100 mm	3700393937088



CATHETERS

Stainless steel catheters. Length: 14 cm. Diameter 3,6 mm.

Reference	Description	Barcode
112217001	14 cm	3338020056255



PLASTIC CATHETER

Supplied by 10.

Reference	Description	Barcode
112204	By 10	5703188017734



Bio EUTRA

THE FIRST ORGANIC
MILKING GREASE!



Organic
beeswax



Organic
sunflower
oil



100% NATURAL INGREDIENTS.

Organic beeswax and organic sunflower oil.



© UKAL All rights reserved - 2020

Distributed by UKAL Élevage



UKAL
Le monde de l'élevage


www.ukal-elevage.com



ORGANIC MILKING GREASE

The first ORGANIC milking grease! **Ideal for organic farming.** This new organic milking grease, MADE IN FRANCE, is formulated with beeswax and sunflower oil. It facilitates milking thanks to its lubricant properties. It protects and helps to heal udders by creating a protective layer. No preservatives, no disinfectants, no perfumes, no dyes.








White color.

Reference	Description	Barcode	
112503	500 ml	4012113051547	

EUTRA


EUTRA MILKING GREASE

Milking grease is for protecting and caring for teats and udders. Made from high-quality refined mineral oils, it facilitates milking due to its lubricating properties. Helps to protect and care for the udders by creating a protective layer and helps the healing of small wounds. **Swiss original formula.** No preservatives, no disinfectant, no fragrance substances, no colorings. Composition: Paraffinum liquidum, Petrolatum. Color: white. **Can not be used on organic farms.**

Reference	Description	Barcode	
112500002	250 ml	4012113015501	
112500005	500 ml	4012113016904	
112500010	1 L	4012113014900	
112500020	2 L	4012113016300	
112500030	3 L	4012113014306	
112500050	5 L	4012113015709	
112500100	10 L	4012113015105	

EUTRA


EUTRA SEMI-LIQUID MILKING GREASE

Milking grease for protecting and caring for teats and udders. Its multi-purpose nature means that it has various applications like facilitating milking and ensuring teats and udders care and as a universal lubricant, in particular for threading cables, connecting pipes, forming seals in cases of severe moisture, screwing, and protecting metal parts from corrosion. Composition: Paraffinum liquidum, Petrolatum. **Can not be used on organic farms.**

Reference	Description	Barcode	
112501005	500 ml	4012113061300	
112501010	1 L	4012113061409	

EUTRA


CATTLE | Dairy - Udder care



EUTRA BALSAM

Natural balm containing eucalyptus and lavender extract. **Stimulates the milk flow.** Makes milking easier, protects and cares for udders and teats. Prevents the development of wounds and cracked skin. Hanging bottle with anti-leak valve for optimal dosage. **Can not be used on organic farms.**

Reference	Description	Barcode		
112521005	500 ml	4012113003263		

EUTRA



EUTRA GEL

Gel made of Menthol and tea tree extract to protect and take care of the teats. **Cooling effect.** Effective cleaning thanks to the antiseptic properties of the plants extracts. **Can not be used on organic farms.**

Reference	Description	Barcode		
112520005	500 ml	4012113003362		

EUTRA



CREMAPIS MILKING GREASE

High-quality milking fat. **Necessary for a good softening** and moisture of the teat tissue. Aseptic. Color: yellow.

Reference	Description	Barcode
112160005	500 ml	3338020029457
112160010	1 L	3338020029464
112160030	3 L	3338020029471
112160050	5 L	3338020029488



TRAYBAIN MILKING GREASE

Facilitates milking and maintains healthy and soft teats. **Protects from cold and draughts.** Color: green.

Reference	Description	Barcode
112170001	1 L	3275970006490
112170005	5 L	3275970006513

RUBBER MILKING TUBE

Roll of 20 m.

Reference	Description	Barcode
112413	Dimensions: 14 x 25 mm	7320460593724

**TWIN RUBBER AIR TUBING**

Food safe. Roll of 20 m.

Reference	Description	Barcode
112402	Dimensions: 7 x 13 mm.	7320460593670

**TEAT PLUG FOR MILKING LINERS**

Closes a milking liner when a teat is not working or if a teat does not exist.

Reference	Description	Barcode
112390002	By 2	3700393930973 

**NON-WOVEN DISK FILTERS BOSCH AND SCHÖRLE**

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow. Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. Box of 200.

Reference	Description	Barcode
124075170	170 mm	4027703009563
124075180	180 mm	4027703009570
124075200	200 mm	4027703009594
124075230	230 mm	4027703009624





NON-WOVEN FILTERS BOSCH AND SCHÖRLE

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow. Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. **No thread = no hole = better filtration.** Box of 250.

Reference	Description	Barcode
124064250	250 x 125 mm	4027703009853
124064570	570 x 44 mm	4027703009464
124065250	250 x 58 mm	4027703010200
124065320	320 x 58 mm	4027703009303
124065465	465 x 58 mm	4027703010187
124065500	500 x 58 mm	4027703009327
124065530	530 x 58 mm	4027703009310
124065620	620 x 58 mm	4027703009297
124068455	455 x 80 mm	4027703009358
124068600	600 x 80 mm	4027703008771
124068620	620 x 80 mm	4027703009839
124068640	640 x 80 mm	4027703009846
124068800	800 x 80 mm	4027703010194
124069610	610 x 95 mm	4027703008788

DID YOU

KNOW?

Milk filters are used for safety and health reasons. They are put on the milking machines to filter milk from dirt and bacteria. The filter size must be chosen according to the milking machine.



FIND OUR VIDEO ON YOUTUBE



OIL FOR MILKING MACHINE

UKAL

The special oil for milking machine is designed for the lubrication of vacuum milking machine pumps. Used in summer and winter. Suitable for all types of vacuum pumps. Viscosity: to 40°C: 46 cst, to 100°C:7,6 cst.

Reference	Description	Barcode
112600005	5 L	3275970007459 



CONTROL COVER WITHOUT SEAL

Without seal.

Reference	Description	Barcode
112601	Control cover without seal	3275970007435



CONTROL COVER SEAL

For control cover (ref. 112601).

Reference	Description	Barcode
112601001	Control cover seal	3275970007442



QUARTER MILKER

For the milking of a teat which is sick or under treatment. Avoids mixing with healthy milk.

Reference	Description	Barcode
112129	8 L	9417027037598





STAINLESS STEEL MILKING PAIL

Robust and very durable. Very easy to clean. Without lid. Food grade quality.



Reference	Description	Barcode
124008025	Height: 42,5 cm. Ø base 33,5 cm Ø opening 18 cm Limited stock	3700393962974
124008030	Height: 49 cm. Ø base 33,5 cm Ø opening 18 cm	3700393966101



STAINLESS STEEL MILK CAN FOR TRANSPORT

Really robust, made in stainless steel. Food grade quality.

Reference	Description	Barcode
124009030	30 L. H 50 cm. Ø 33,5 cm	3700393962981



MILK CAN WITH ALUMINIUM LID

Made of aluminum, robust and very resistant to impacts. Does not pick up odors and easy to clean. Food grade quality.

Reference	Description	Barcode
124100010	With handle 10 L. H 32 cm. Ø 25 cm	3700393962998
124100020	Without handle 10 L. H 32 cm. Ø 25 cm	3700393963001



ALUMINIUM MILK SAMPLER DIPPER


Can measure and collect the milk.

Reference	Description	Barcode
124063010	1 L	3275970007183

MILK FUNNEL & ALUMINIUM GRILLS

Sold with cones set, lower disc, strainer and circlips. Food grade quality. Fits on milking pots for optimal filtration.

Reference	Description	Barcode
124020030	Ø 300 mm	3700393963049




ALUMINIUM BUCKETS 12 L WITH SPOUT

Aluminum bucket with spout. Capacity: 12 L.

Reference	Description	Barcode
120003012	Capacity: 12 L	3338020056392





SPECIAL DAIRY BRUSH

Can be boiled. Food grade nylon bristles. Very robust. Bristles length: 40 mm. Weight: 270 g.

Reference	Description	Barcode
124001	L 195 x W 60 x H 60 mm	3338020010929

SCRUBBING BRUSH

Can be boiled, robust. Food grade nylon bristles. Weight: 260 g.

Reference	Description	Barcode
124002	L 195 x W 60 x H 60 mm	3338020010936

MILK TANK BRUSH

Food grade nylon bristles. Can be boiled. To use with a handle. Supplied without handle. Very robust. Bristles length: 40 mm. Weight: 280 g.

Reference	Description	Barcode
124003	L 90 x W 55 x H 115 mm	3338020010943

CLEANING BRUSH

Food grade. Supplied without handle. Width: 26 cm.

Reference	Description	Barcode
124004	26 cm	3338020059744

BRUSH WITH SHORT HANDLE

Bristles length: 40 mm. Weight: 220 g. Food grade.

Reference	Description	Barcode
124006	L 260 x W 172 x H 55 mm	3338020059768

BRUSH WITH LONG HANDLE

Bristles length: 40 mm. Weight: 220 g. Food grade.

Reference	Description	Barcode
124007	L 400 x W 45 x H 55 mm	3338020059799

HANDLES

Length: 1,20 m.

Reference	Description	Barcode
124000M	White lacquer metal handle	3338020059812
124000P	Polypropylene handle	3338020059775



SQUEEGEE

ABS support. White polypropylene socket. Length of fibres: 20 mm. Weight: 520 g.

Reference	Description	Barcode
124015	L 525 x W 20 x H 60 mm	3338020059737



ROTARY BRUSH

Rotary brush used to clean milking liners. Can be used with all brands. Food grade nylon bristles.

Reference	Description	Barcode
124010	Food grade nylon bristles	3338020010950



4 BRUSHES KIT


Reference	Description	Barcode
124011	4 brushes teat, a bulk tank outlet brush, a separator brush and an angle brush.	3338020010967



STRAIGHT BRUSHES

Straight brush used to clean milking tubes. Food safe nylon bristles.


Reference	Description	Barcode
124010001	L 40 cm - Ø 10 mm	3338020080151
124010002	L 100 cm - Ø 15 mm	3338020080168





METAL CATTLE CURRY COMB

Nickel-plated comb with metal handle. Flat body with coarse teeth, mane and tail comb.


Reference	Description	Barcode
123302	Nickel-plated comb with handle 21 x 17,5 cm	3338020034116 



SQUARE CURRY COMB WITH COMB

Coarse teeth, flat body, equipped with a mane and tail comb, nickel-plated metal. Plastic handle.

Reference	Description	Barcode
123303	22 x 24 cm	3338020054039 



SQUARE CURRY COMB FLAT BODY

Coarse teeth, flat body, made of nickel-plated metal. Plastic handle. 7 rows.

Reference	Description	Barcode
123305	14,5 x 22,5 cm	3338020010851 



CURRY COMB

Round metallic curry comb (also called "american") serrated differently on each side for more or less sensitive horses. Stays dirt free.

Reference	Description	Barcode
130E700029	14 x 27 cm	3338025068864 



NYLON AND WOOD BRUSH

Hard nylon bristles. Leather strap.

Reference	Description	Barcode
123301	Wood	4014803313072



NATURAL FIBER BRUSH

Reference	Description	Barcode
123307	220 X 55 X 700 mm - Big model	3338025010832

WOODEN CARDER

Size: 120 x 170 mm.

Reference	Description	Barcode
151010	120 x 170 mm	3338020074976

PNEUMATIC CARDER

Size: 120 x 170 mm.

Reference	Description	Barcode
151030	120 x 170 mm	3338020025053

**COW BRUSH****KAMER**

Zinc coated metal. Very strong spring. Supplied with 2 brushes with plastic back and nylon bristles. The cow brushes are essential elements of hygiene and comfort in a cattle's life in a shed. Avoids injuries caused by rubbing against concrete and metal parts of the shed.

Reference	Description	Barcode
123315	Cow brush in zinc coated metal	3338020010905

**SPARE BRUSH****KAMER**

For shed brushes ref. 123315 and 123325. Plastic back. Nylon bristles. Size: 50 x 10 x 10 cm.

Reference	Description	Barcode
123316	Spare brush for shed brushes	3338020010912

**VINK COW BRUSH****Vink**

Special nylon brush for livestock. Horizontal moveable brush. Solid spring suspension.










Reference	Description	Barcode
123325	VINK nylon cow brush	8719558133123

**UKAL'S****TIP**

There is no doubt that good cow comfort results in a happier, healthier and more productive herd.






ROUND BRASS BELL

Clapper available on request. Please consult the list in the price list and on the website.

Reference	Description	Barcode	
121803100	Ø 100 mm. Loop: 50 mm. Height: 77 mm	3338020077441	
121803110	Ø 110 mm. Loop: 50 mm. Height: 77 mm	3338020077397	
121803120	Ø 120 mm. Loop: 70 mm. Height: 84 mm	3338020077458	
121803130	Ø 130 mm. Loop: 70 mm. Height: 91 mm	3338020077403	
121803140	Ø 140 mm. Loop: 70 mm. Height: 98 mm	3338020077465	
121803150	Ø 150 mm. Loop: 70 mm. Height: 105 mm	3338020077045	
121803180	Ø 180 mm. Loop: 82 mm. Height: 126 mm	3338020077588	
121803225	Ø 225 mm. Loop: 82 mm. Height: 157 mm	3338020077878	
121803300	Ø 300 mm. Loop: 82 mm. Height: 210 mm	3338020077809	

ROUND STEEL BELL






Round steel bell for cattle. Brass colour. Clapper available on request.

Reference	Description	Barcode	
121805105	Ø 105 mm. Loop: 50 mm. Height: 76 mm	3338020077441	
121805125	Ø 125 mm. Loop: 50 mm. Height: 90 mm	3338020077045	
121805145	Ø 145 mm. Loop: 82 mm. Height: 105 mm	3338020077588	
121805165	Ø 165 mm. Loop: 82 mm. Height: 120 mm	3338020077878	
121805185	Ø 185 mm. Loop: 82 mm. Height: 134 mm	3338020077809	



BLACK BLUE STEEL BELL





Steel bell for sheep and goats. Nice tone. Clapper available on request. (réf. 1218069064 et 1218069088). Please consult the list in the price list and on the website.

Reference	Description	Barcode	
121806064	Ø 64 mm. Loop: 50 mm. Height: 64 mm	3338020077649	
121806088	Ø 88 mm. Loop: 50 mm. Height: 115 mm	3338020077434	
121806104	Ø 104 mm. Loop: 75 mm. Height: 104 mm	3338020077656	
121806120	Ø 120 mm. Loop: 82 mm. Height: 120 mm	3338020077076	
121806144	Ø 114 mm. Loop: 82 mm. Height: 144 mm	3338020077663	



BROWN LEATHER COLLARS

Soft chrome-tanned leather. Ideal for bells. Different sizes available: 6 or 8 cm wide. Length: 120 or 135 cm.

Reference	Description	Barcode	
121162126	120 x 6 cm	3338020077441	
121162128	120 x 8 cm	3338020077588	
121162136	135 x 6 cm	3338020077878	
121162138	135 x 8 cm	3338020077809	



BLACK LEATHER COLLARS

Ideal to hang bells. Buffalo leather.

Reference	Description	Barcode	
1211747090	47 mm x 90 cm	3338020077441	
1211747125	47 mm x 125 cm	3338020077878	
1211760125	60 mm x 125 cm	3338020077809	



PUNCHING PLIER

To readjust leather, straps, etc.

Reference	Description	Barcode	
130E700420	Punching plier	3338020077809	



NOTES

[illegible]



UKKAL

SHEEP AND GOATS

68	Lambing
69	Feeding
72	Clipping
73	Dehorning
74	Castration
75	Restraining
78	Hoof Care
80	Bells

SHEEP AND GOATS | Lambing



USE OF THE EWESPOON

There are several reasons of uterus prolapse by ewe:

- mineral deficiency,
- traumatic (caught up in a rush during feed distribution),
- obstetrical (early contractions).

For ewes, the uterus prolapse is before the lambing. The ewespoon, must be placed after cleaning and placing the genital tract in its original place. Use always disposable gloves, and obstetrical gel. To keep the ewespoon in place, attach it to the wool, or attach a tie of the ewespoon to the ewe straps. The ewespoon must be released while lambing. Pay careful attention to ewes with a ewespoon to avoid any problems with lambing and delivery.

EWESPOON WITH TIES

The ewespoon is a simple and economical way to control gestation problems. It is used for ewes and goats to keep the uterus in place in case of a prolapse. His model is made of plastic with two ties and is heat resistant. **Supplied in pack of 4.**


Reference	Description	Barcode	
101112	Sheep ewespoon with ties	3338020001095	



SHEEP EWESPOON IN NYLON

Helps to keep the uterus in place in case of an prolapse. Heat-proof plastic.

Reference	Description	Barcode	
101110002	By piece	3338020074860	



PROLAPSE NEEDLES

Length : 8 cm used in supporting the uterus after prolapse. Nickel pins. **Supplied by 5.**

Reference	Description	Barcode	
101114	Without eyelet. Size : 8 cm	3338020001125	
101114A	With eyelet. Size : 8 cm	3338020053742	

DID YOU KNOW?

Latex is made from the sap of rubber trees and offers a easier sucking thanks to its softness and flexibility.



LATEX LAMB TEAT

With hole.

Reference	Description	Barcode	
120004006	Supplied by 6	3700393960901	
120004412	Supplied by 12	3700393960918	


LAMB FEEDER 11 L

Multi-bottle twin compartment placed on rack or board. Comes complete with teats and the corresponding valves. With the new flared shape of each of the two compartments, the flow of milk is total. No more waste or loss of milk. In addition, it is very robust due to the reinforcement of the central part. High Density Polyethylene (HDPE) grade. **The original!** Comes with 6 natural rubber lamb teats ref. 120004 and 6 valves ref. 120022.

Reference	Description	Barcode
120008006	11 L	3338020010486

**COMPLETE SET FOR LAMB FEEDER**

It consists of 6 natural rubber teats for lamb ref. 120004 and 6 valves. For multi-bottle feeder ref. 120008006.

Reference	Description	Barcode
120008007	Complete set for lamb feeder	3338020010493 



**COMPLETE LAMB FEEDER, 6 RUBBER TEATS 12 L**


Nursing trough for lambs without handle. Ideal for 6 lambs. Plastic with steel hook. Supplied with 6 natural rubber teats and aluminum valve. Dimensions: 38,1 x 30,5 x 25,4 cm. Capacity : 12 liters.

Reference	Description	Barcode
120008002	12 L	3700393966064

**NATURAL RUBBER LAMB TEAT FOR LAMB FEEDER 11 L**

Very flexible natural rubber teats. X shaped hole. For lamb feeder bucket ref 120008006.

Reference	Description	Barcode
120004	Supplied by 6	3338020010424 
120004050	 Supplied by 50	3700393923586 

**VALVE FOR LAMB TEATS**

For lamb teat ref. 120004. Supplied in bag of 6.

Reference	Description	Barcode
120022	Aluminium	3338020010561 



SHEEP AND GOATS | Feeding



LATEX TEAT FOR BOTTLE

Pierced. Really supple.

Reference	Description	Barcode
120019042	Supplied by 6	3700393960796 

NATURAL RUBBER LAMB TEAT FOR BOTTLE

Pierced. Supple.

Reference	Description	Barcode
120019	Supplied by 6	3338020010547 



NEW

LAMB FEEDER BOTTLE

38 mm extra wide neck for easy filling, with a strong plastic collar to ensure secure fixing of the teat.
Extra tough to prolong life and calibrated for accurate feeding, sterilize by boiling. Delivered with one teat.

Reference	Description	Barcode
120008120	500 ml	3700393924521 



NEW

TEAT FOR LAMB BOTTLE

Specially designed teat with unique moulded in vacuum release valve. Bulbous teat end encourages more rapid acceptance by lambs.
Hollow cone tip allows flow of milk to be regulated.

Reference	Description	Barcode
120008220	Supplied by 6	3700393924750 



NEW

COLOSTRUM FEEDER FOR LAMB

Suitable for feeding the correct amount of colostrum to large lambs without refilling; positive pressure can be applied to save time. Length: 33 cm. 250 ml bottle.

Reference	Description	Barcode
120008130	250 ml bottle	3700393924507 



TRUSTI FEEDER FOR LAMB AND GOAT



A specially designed Trusti Tuber ANTAHI rehydrator for lambs with a specific mouthpiece and a flexible and transparent tube. Simple to use with one hand, very practical and easy to hold. Ergonomic and stable shape allowing a good flow by gravity and not under pressure, safer and easy to control. Capacity: 240 ml.

Reference	Description	Barcode
120008200	TRUSTI FEEDER for lamb and goat	9421904214224



NEW

COLOSTRUM BAGS FOR LAMBS 1 LITER



Colostrum bags help to develop and strengthen lambs' immunity from birth. They come with a large opening to facilitate filling and cleaning and can hold 1 litre to meet the feeding needs of young lambs and kids. The bags can be deep-frozen flat to preserve the nutritional qualities of colostrum over time. They are suitable for pasteurisation and can be quickly defrosted.

Their comfortable handles make them very user-friendly for the farmer. The bag's transparency is also a plus point. It allows the user to see at a glance how much is left in the bag. Colostrum bags are designed to be reused (durability and easy cleaning). Please note that the number of times a bag can be reused will depend on how well it has been cared for.

Reference	Description	Barcode
120008210	By 10	9421904214644
120008250	By 50	9421904214651



NEW

TEATS FOR COLOSTRUM BAGS



ANTAHI teats for colostrum bags for lambs and goats are compatible with the following product references: 120008210 and 120008250. Hard-wearing and ergonomic, they facilitate colostrum intake in your young livestock.

Reference	Description	Barcode
120008300	By 6	3700393923883



SHEEP AND GOATS | Clipping



HAND SHEEP CLIPPERS

KAMER

Reference	Description	Barcode	
100337	1-hand sheep clippers	3338020000883	
100337101	Comb blade set	3338020000906	

DOUBLE BOW SHEEP SHEARS

KAMER

Double bow, red painted handle sheep shears comes with straight blades. The handle and blades are one piece of forged steel. Used for parts which are difficult to reach or for shearing the whole sheep. Available in two sizes.

Reference	Description	Barcode	
100339	Size: 34 cm. Length of the blade: 16,5 cm	3338020000937	
100339001	Size: 29 cm. Length of the blade: 14,5 cm	3338020045297	

CURVED BLADE SHEARS

KAMER

Reference	Description	Barcode	
100339003	Size: 29 cm / blades of 14,5 cm	3338020000883	
100339005	Size: 24 cm / blades of 9 cm	3338020000906	

NICKEL-PLATED SHEEP SHEARS

KAMER

Very nice finish in nickel-plated steel. This nickel plated straight blade sheep shears is great for small sheep. Easy clipping. Single bow. High quality cutting. Exists in two sizes.

Reference	Description	Barcode	
100339002	Size: 29 cm / blades of 14,5 cm	3338020037049	

BLACK BLUE SHEEP SHEARS RIGHT-HANDED

KAMER

The black blue sheep shears are incontestably the finest shears in our range. Made from hardened and tempered steel, they are equipped with rubber stoppers to smoothen the shearing. Strong and long lasting.

Reference	Description	Barcode	
100351	Size: 34 cm / blades of 16 cm	3338020000883	
100350	Size: 29 cm / blades of 16 cm	3338020000906	

PROFESSIONAL YELLOW SHEEP SHEARS

KAMER


Professional yellow sheep shears. One piece handle and blades / double bow for intensive use. Its manufacturing quality and 16,5 cm blades allow you to shear your sheep easily.

Reference	Description	Barcode	
100360	Size: 34 cm / blades of 16,5 cm	3338020086771	



ARKOS GAS DEHORNER FOR GOATS

THE PISTOL GRIP - new model for goats. Lightweight: 470 g. No cable/ Portable. Works with gas cartridge ref No. 103015446. Built-in Piezo ignition. Temp.: 700 °C / 1292 °F. Max temperature reached in less than 3 minutes. Safety: "Lock" position, "Operation" position. Easy to handle: Nonslip dual-material handle, Pistol shape for good grip. Support stand. **Tip internal Ø 15 mm.** Self-maintenance: change the trigger/ Piezo-ignition and gas nozzle without tools. Supplied with one cartridge.

Reference	Description	Barcode
103015147	ARKOS dehorner for goats	3189640001459
1030151415	Spear for gas dehorner	3189640014152
103015446	Gas cartridge butane, propene, propane 60 g	3189640004467 



 **MADE IN FRANCE**



COSMOS ELECTRIC DEHORNER FOR GOATS

The Cosmos electric dehorner with its **Ø 14 mm** tip specifically designed for goats, is mains-operated for extreme ease-of-use.

Always ready for use, it heats up and cools down almost instantly. With its unique patented system, it stops automatically when the 10-second dehorning cycle is complete. This guarantees quality dehorning for breeders, who know as soon as the operation is finished. You no longer need to worry about the power supply as its 6-metre mains cable offers superb handling for high-quality dehorning.

With numerous technological innovations, such as the ceramic head with integrated circular heating wire and a built-in power supply indicator, it helps operators save time.

Features:

- Weight: 560 g
- Heating temperature: 700 °C.

Reference	Description	Barcode
103017300	COSMOS electric goat dehorner	3189640001275



The 4 R'S OF DEHORNING

The Right moment

As soon as possible and before 4 weeks: the younger they are, the more they are easy to handle. At this age the veins come just under the skin.

The Right restraints

A lamb that does not move makes dehorning easier for the farmer. This represents 80% of a successful dehorning.

The Right technique

Shear prior to properly locate the horn. Cauterize in 10 seconds without pressing too hard (10 seconds max). Make a furrow of 4-5 mm. Cauterization, not a burn.

The Right pain management after dehorning

Apply a cleaning spray that cools cauterization. Treat against flies. Keep under careful observation the following 48 hours. Avoid putting animals outside in wet weather.



SHEEP AND GOATS | Castration



23 cm



30 cm



BLOODLESS CASTRATOR

KAMER

Articulated with closing stop. Made of high quality nickel-plated. The castration can be performed as soon as the testicles have reached their final firmness (not their final size). The bloodless castrator allows the testicular cord to be crushed through the scrotum skin. **You must proceed by crushing one testicular cord at a time**, and make two crushes at 1-2 cm (1/2" - 3/4") apart.

- Locate the testicular cord.
- Block it with the castrator for 5 minutes.
- Repeat the same operation 1-2 cm (1/2" to 3/4") lower on the same cord. The noncrushed space maintains irrigation and prevents gangrene.
- Repeat on second testicular cord.
- Never try to crush simultaneously both testicular cords. It may be ineffective and it will damage the castrators. After using and cleaning the castrator must be stored opened.

Reference	Description	Barcode
102223023	23 cm	3338020001446
102223030	30 cm	3338020057818
9102223048CLE	Tightening key	3700393939280



METAL KNEE PAD

Suitable for all bloodless castrators.

Reference	Description	Barcode
102224	By unit	3338020001491

STEEL EMASCULATOR

Makes a clean cut and stops the blood by crushing the blood vessels.

Reference	Description	Barcode
102209	Straight 19,5 cm	3338020001330

CASTRATION

ADVICE

3 TECHNIQUES:


- 1. Place a rubber ring.** It will interrupt the blood irrigation of the testicle, leading to necrosis and the testicle fall. Place the ring, only once the testicle are down in the scrotum. This method is used only for lambs before 3 weeks. Disinfect the wound of castration.
- 2. Hemostatic emasculator,** bloodless castrator to cut the testicle cord, and crush the blood vessels, to avoid bleeding. Use this kind of equipment only on young lambs (before 3 weeks) Use clean and disinfected material. Disinfect the wound of castration.
- 3. Bloodless castrators crush the testicle cord.** Technique without wounds, to be used after testicle maturation. **WARNING !** Castration by means of bloodless castrator does not always inhibit the procreation reflexes. In case of any doubts, isolate the animal and repeat the castrating process.

RUBBER RING APPLICATOR

KAMER

With a wide opening for an easy application and with a high gear ratio. Made of nickel-plated forged steel. Very resistant. High-quality model! Can also be used for tailing.

Reference	Description	Barcode
102201	Nickel-plated forged steel	3338020001262




STANDARD RUBBER RINGS APPLICATOR

Economical model.

Reference	Description	Barcode
102200	Steel	3338020058372



ELASTRATOR RUBBER RINGS



Quality rubber rings. For castration and tailing of lambs, goats and calves. The younger the animal the better. Elastator rings are designed to be used on calves no older than two weeks, and lambs and goats no older than three weeks. Use after this period is not recommended.

Reference	Description	Barcode
102150100	Box of 100	9321509130373
102150500	Box of 500	9321509130380



CLASSIC ORANGE RUBBER RINGS

KAMER

Rubber used for tail docking and castration. Premium quality, rolled rubber. Please check the safety instructions before use. Keep away from children. Professional use only.

Reference	Description	Barcode
102202100	By 100	3338020001279
102202500	By 500	3338020001286



SHEEP AND GOATS | Restraining



SHEPHERD LEG CROOK

KAMER

With a fixed and a movable handle.

Reference	Description	Barcode
104452	0,95 m	3338020002269



NICKEL PLATED STEEL CATCH HOOK

KAMER

Made of nickel-plated steel. Use with a 28 mm diameter handle.

Reference	Description	Barcode
104452100	Ø 28 mm	3338020036837



ALUMINUM CATCH HOOK

KAMER

Made of aluminium. Use with a 21 mm diameter handle.

Reference	Description	Barcode
104452200	Internal Ø 21 mm	3338020038534




SHEPHERD STOVEL

KAMER

Made of nickel-plated steel. Use with a 20 mm diameter handle.

Reference	Description	Barcode
104452500	Internal Ø 20 mm	3338020047994



HEAD GATE FOR SHEEP

KAMER

Ideal for preparations for shows, shearing, styling, tattooing, identification, hoof care, replacing of a prolapse, difficult lambing or dosing. Robust and solid design. To fix on barriers, fences, grills or any other rails. Height adjustable by the slidable headpiece. Supplied with lanyard. Locking closure. Very practical to carry. For all sizes of animals. It only weighs 7,5kg! Structure of zinc-plated steel, ensures a long life time. Works also for calves.

Reference	Description	Barcode
106901	Minimum height 36 cm	3338020060313



RESTRAINT SYSTEM FOR GOATS

This restraint system for goats, can be used on any type of fence or gate. It is very easy to install and effectively holds the animal's head in place. User-adjustable to fit the size of the kid's head, the animal's body is fully restrained. **Express Farming** has designed this product with ease-of-use in mind as it is reversible (for use on the left or right-hand side).

The restraint system for kids includes a tray to place all of your dehorning equipment (clippers, dehorner, spray)

- Weight (kg) : 4.5
- Dimensions (cm): 51 x W44 x H31
- Material: galvanized steel
- Area of application: Goats restraint < 15 days old.


On request.

Reference	Description	Barcode
106902	L 60 cm x H 30 cm	3189640470088



RAM APRON

Prevents unwanted mating. Fastening strap made of nylon. Clip closing. Adjustable strap length. Width 60 cm and height 30 cm. Depending on availability.

Reference	Description	Barcode
104452700	L 60 cm x H 30 cm	3338020076079 



EWES AND RAM LEATHER HALTER

Chrome cowhide leather. Adjustment strap.

Reference	Description	Barcode
121145	Chrome cowhide leather	3338020010721 





KAMER

SHEEP HOOF SHEARS

Large 6 cm replaceable blades. Lightweight and resistant. Thick aluminium handle for a better grip. The hoof shears of professionals!

Reference	Description	Barcode	
106607	Non serrated	3338020002450	
106607001	Serrated	3338020034857	

KAMER

SHEEP HOOF SHEARS

Nickel-plated steel. Short or long blades, serrated or non serrated. Very resistant. Very nice finish.

Reference	Description	Barcode	
106605	Non serrated 6 cm	3338020036707	
106605001	Serrated 6 cm	3338020038527	
106606	Non serrated 8 cm	3338020002443	

PREMIUM SHEEP HOOF SHEARS

Non-serrated high-carbon steel blades - heat treated to cleanly cut even hard hooves. Does not rust, padded handle protects hand and joints. Easy action, one-handed locking device. Quality product, practical and lightweight shears for daily use.

Reference	Description	Barcode	
106605002	Premium sheep hoof shears	3700393922114	

FELCO
SWISS MADE

FELCO HOOF SHEARS

They improve considerably the working conditions for the breeder. Increased efficiency due to the easy handling and exceptional cutting performance.

Light forged metal handle. Lightweight and resistant. Xylan coated blades for better hygiene. Closing with rubber shock absorber. 2 models available : with a fixed handle and with a rotating handle (for an intensive use and saves effort).

Reference	Description	Barcode	
106608001	Rotating handle	0783929100111	
106608002	Fixed handle	0783929100128	



SHEEP HOOF KNIFE



Steel blade. Ergonomic wooden handle for a better grip. Very nice finish.

Reference	Description	Barcode
106612	Double blade	3338020051915



BLACK BLUE HOOF KNIFE



High quality. One piece blade and handle. Black handle. Ergonomic shape. Treated steel blades. Available in different versions.


Reference	Description	Barcode
106609BB4	Right fine blade	3338020054947
106609BB5	Left fine blade	3338020055159



SHEPHERDS KNIFE

KAMER

Reference	Description	Barcode
128300	1 x 6 cm blade	3338020064076
128301	1 x 6,8 cm blade	3338020076178
128302	2 blades 8 cm and 5,5 cm	3338020076185




VICTORINOX SHEPHERD'S KNIFE



Original Victorinox Folding Knife. Length: 100 mm. Swiss quality.

Reference	Description	Barcode
128303	Straight blade 55 mm	3700393922121
128304	Curved blade 51 mm	3700393922138



WRAPPING SET

The essential kit for wrapping the legs of lambs and goats. Contains 2 strips of plaster 2 m x 10 cm and a jersey sock 2 m x 3 cm.

Reference	Description	Barcode
106608100	Complete kit	3275970003116




SHEEP AND GOATS | Bells



ROUND CAST BRASS BELL

Alpine type bell for sheep. Clapper available on request.


Reference	Description	Barcode
121800050	N°5 Ø 50 mm. Loop: 30 mm. Height: 35 mm	3338020062416
121800057	N°6 Ø 57 mm. Loop: 30 mm. Height: 40 mm	3338020062423
121800067	N°7 Ø 67 mm. Loop: 35 mm. Height: 50 mm	3338020062430
121800075	N°8 Ø 75 mm. Loop: 45 mm. Height: 55 mm	3338020062447
121800090	N°9 Ø 90 mm. Loop: 45 mm. Height: 65 mm	3338020062454



ROUND STEEL BELL

Bronze colour. Traditional alpine and Jurassic bells for sheep and goats, type redon. Clappers available on request.

Reference	Description	Barcode
121801045	Ø 45 mm. Loop: 30 mm. Height: 60 mm	3338020076963
121801055	Ø 55 mm. Loop: 38 mm. Height: 75 mm	3338020076970
121801060	Ø 60 mm. Loop: 42 mm. Height: 90 mm	3338020076987
121801080	Ø 75 mm. Loop: 42 mm. Height: 110 mm	3338020076994



STRAIGHT STEEL BELL

Bronze colour.

Reference	Description	Barcode
121802055	Ø 55 mm. Loop: 35 mm. Height: 60 mm	3338020077007
121802065	Ø 65 mm. Loop: 43 mm. Height: 75 mm	3338020077014
121802075	Ø 75 mm. Loop: 50 mm. Height: 85 mm	3338020077021
121802090	Ø 90 mm. Loop: 60 mm. Height: 100 mm	3338020077038



BLACK BLUE ROUND STEEL BELL

Steel bell for sheep and goats. Very nice tone. Clappers available on request. (ref. 1218069064 and 1218069088).


Reference	Description	Barcode
121806064	Ø 64 mm. Loop: 50 mm. Height: 64 mm	3338020077649
121806088	Ø 88 mm. Loop: 50 mm. Height: 115 mm	3338020077434



COPPER PLATED STEEL BELL

3 types of traditional bell for cattle and goats.

Reference	Description	Barcode
121807030	80 x 90 mm	3338020078745
121807020	80 x 95 mm	3338020078738
121807001	50 x 50 mm. 9 mm loop	3338020078714
121807010	120 x 130 mm. 17 mm loop	3338020078721



LEATHER COLLAR FOR SHEEP

Buffalo leather.

Reference	Description	Barcode
1211727055	27 mm x 55 cm	3338020078011
1211747055	47 mm x 55 cm	3338020078028



NOTES

[illegible]



PIGS

84	Feeding
85	Tooth cutting
86	Restraining
87	Prods
88	Care



UKAL

FISH OIL WITH 50% COD LIVER OIL

High quality nutritional supplement naturally rich in omega 3, in AD3E vitamins and essential fatty acid. Blends with traditional foods. Use daily or as a cure. Contains 50% cod liver oil, as well as fish oil. Only for animal consumption. Our new formula contains winterized oil, much more digestible. Wintering consists of the cold filtration of oils.

Reference	Description	Barcode	
000100	1 L	3338020000067	
000500	5 L	3338020000081	



KAMER

SCALPEL HANDLE NO. 4

Accepts all scalpel blades for fixed handle no. 4. Sterilizable. Delivered by unit.

Reference	Description	Barcode	
102204	Fixed handle	3338020001293	
102205	Foldable Handle	3338020001309	



KAMER

SCALPEL BLADE NO. 22

Delivered in pack of 10.






Reference	Description	Barcode	
102206022	Box of 10	3338020001316	



KAMER

SCALPEL BLADES

Blade individually packed. Delivered in pack of 100.

Reference	Description	Barcode	
102206120	No. 20 / Box of 100	3338020059232	
102206121	No. 21 / Box of 100	3338020059249	
102206122	No. 22 / Box of 100	3338020061235	
102206123	No. 23 / Box of 100	3338020051267	
102206124	No. 24 / Box of 100	3338020051274	

NICKEL-PLATED TOOTH CUTTING NIPPER**KAMER**

Reference	Description	Barcode
105520	Length: 13 cm Nickel plated. Cut length: 16 mm	3338020027101

**STAINLESS STEEL TOOTH CUTTING NIPPER****KAMER**

Reference	Description	Barcode
105521	Length: 13,5 cm. Stainless steel. Cut length: 20 mm	3338020037186

**SUPER PRO TOOTH CUTTING NIPPER**

Slip-resistant handle. The shape of the blades prevents gum injuries.

Reference	Description	Barcode
105523	Stainless steel. Cut length: 16 mm	3338020078264

**PIG HOLDER 60 CM, SELF-LOCKING**

Heavy and very robust model. Self-locking loop. Reinforced loop and end. Cable easy to replace. 60 cm.

Reference	Description	Barcode
105509001	Nickel-plated metal and steel cable	3338020035106
105509002	Pig catcher 60 cm, self locking	3338020058242

**MINI ALUMINIUM PIG CATCHER**

Mini catcher. Molded aluminium handle. Safety device on restraining cable.

Reference	Description	Barcode
105509005	Aluminium	3338020076680

**PIG HOLDER 60 CM**

Restrains pigs by the snout. Both hands are needed to maintain the tension. Reinforced loop. Made of nickel-plated metal. With steel cable. No self-locking.

Reference	Description	Barcode
105509	Nickel-plated	3338020002351

**PIG CATCHER WITH SLIP KNOT**

Steel cable. Large rubber handle that ensures a good grip. Not very cumbersome. 80 cm.

Reference	Description	Barcode
105510	Nickel-plated	3338020002368





PIG STAPLES APPLICATOR

Aluminium screw to adjust the opening. Used to place the wire pig staples no. 3 (ref. 105 504 003) and no. 4 (ref. 105504004).

Reference	Description	Barcode	
105507	Aluminium	3338020002344	

TRIANGULAR PIG STAPLES

Stop pigs from foraging on the ground. To be used with applicator ref. 105507. Two sizes available. Delivered in pack of 100.

Reference	Description	Barcode	
105504003	3 cm - Box of 100	3338020002320	
105504004	4 cm - Box of 100	3338020002337	



PIG RING APPLICATOR

For rings ref. 105502. Nickel-plated steel. High quality. Robust.

Reference	Description	Barcode	
105503	Nickel-plated steel	3338020002313	





NICKEL-PLATED STEEL PIG NOSE RINGS


High quality. Keeps a perfect circular shape after application. Self-locking. To be used with applicator 105503. Pack of 10.

Reference	Description	Barcode	
105502	Box of 10	3338020002306	

GREEN PULSAR PROD


High quality electronic coxer with flexible shaft. It combines power, electronic reliability and resistance with it's flexible leaf made of unbreakable polycarbonate. This is the coxer of choice for professionals. Push-button, shockproof casing. Works with 6 LR14 batteries (included). Can be used with different shaft lengths. Length: 60 cm.

Reference	Description	Barcode
104406	Green pulsar prod 60 cm with shaft	0731141101027 
104406000	Green pulsar prod 60 cm without shaft	3338020078813 



RED PULSAR PROD

High quality electronic electronic coxer with flexible shaft. It combines power, electronic reliability and resistance with it's flexible shaft made of unbreakable polycarbonate. This is the coxer of choice for professionals. Push-button, shockproof handle. Works with 6 LR14 batteries (included). Can be used with different shaft lengths. Length: 85 cm.

Reference	Description	Barcode
104406003	Red Pulsar prod with 85 cm shaft	0731141101225 




SHAFT FOR RED AND GREEN PULSAR PROD

Reference	Description	Barcode
104406130	Length: 110 cm	7311410100154
104406034	Length: 34 cm	0731141000344
104406060	Length: 60 cm	0731141000351
104406085	Length: 85 cm	0731141000368



HOT SHOT POWERMITE

Pocket powermite. Compact and robust. Works with 2 9V 5LF22 batteries (not included). Works even on wet animals.


Reference	Description	Barcode
104405010	Works with 2 9V 5LF22 batteries (not included)	3338020001767 



HOT SHOT PLUS POWERMITE

Effective electric shock! Cuts off after 2 seconds in accordance with the latest animal protection law. Long life expectancy. Can also be operated with an extension handle. 5000 V max. voltage.

Reference	Description	Barcode
104405020	Hot Shot Plus powermite	4014803340047






GUIDE PADDLE

With rattling noise. For guiding animals in an animal-friendly way. PVC handle and rubber arm.

Reference	Description	Barcode
105511	110 cm	4014803327512



SORTING PANEL XL

Easy to handle and apply. Lower risk of injuries from overworking. No cracks on sorting panel. No slots, thus minimising risk of knee injuries. Plastic, durable and UV resistant. Light weight: 4 kg.

Reference	Description	Barcode
105512	80 x 92 cm	5703414126025



SCRATCHNALL™ PAD

Offers wellness for all kind of animals! Safe and effective way of self-scratching. No danger to skin, face and eyes. Durable quality. Flexible nubs for comfortable scratching. Unique interlocking design. Adjust the grooming surface as large as needed. Mounted individually or in groups flat on walls or around a corner. Can be folded on a 90° angle on corners.

Reference	Description	Barcode
123340002	12,7 x 15,24 cm	4014803307781





UKA

ELECTRIC CLIPPING

- 90 Clippers for cattle and horse
- 92 Blades for cattle and horse
- 93 Clippers for sheep
- 95 Blades for sheep
- 96 Specific blades
- 99 Trimmers
- 101 Blades
- 102 Care

ELECTRIC CLIPPING | Clippers for cattle and horse

HEINIGER IS THE WORLD NUMBER 1 IN ANIMAL SHEARING

Founded in 1946, Heiniger quickly established a good reputation as a manufacturer of quality products and agricultural services. Following the great success of exports, the product range and sales were widened. Worldwide, millions of animals are shorn with Heiniger products. Heiniger instruments are designed for precise shearing, clean and fast. Each shear corresponds to a type of animal so that all clippings, even the most difficult, can be easily accomplished with the right tools. Discover the range, perfect for shearing your horse, cattle, sheep with a 2 year warranty provided by UKAL Livestock France.



ELECTRIC CATTLE XPERIENCE 240 V

The XPERIENCE clipper is the perfect balance between power and lightness. It will fulfil all your shearing needs for horses and cattle. Thanks to its unique ergonomic design, it ensures a perfect grip making for fatigue-free working. The innovative connecting system between the cutting head and the reinforced body, coupled with a powerful engine, ensure a long-life use. Light, sleek and silent. The XPERIENCE clipper will satisfy your needs of quality, style and precision. Supplied in a box including operating instructions, screwdriver, cleaning brush, oil. **Fitted with a 21/23 teeth combs set.**

Reference	Description	Barcode
100272	Power: 250 W. Weight: 1180 g. Noise: 79 dB. Motor speed rpm: 2500 rpm. Power supply: 240 V.	3700393930089



Clippers for cattle and horse | ELECTRIC CLIPPING

XPRIENCE ELECTRIC CLIPPER 2 SPEEDS 240 V

Heiniger



The XPRIENCE clipper is the perfect balance between power and lightness. It will fulfil all your shearing needs for horses and cattle. Thanks to its unique ergonomic design, it ensures a perfect grip making for fatigue-free working. The innovative connecting system between the cutting head and the reinforced body, coupled with a powerful engine, ensure a long-life use. Light, sleek and silent. The XPRIENCE clipper will satisfy your needs of quality, style and precision. Supplied in a box including operating instructions, screwdriver, cleaning brush, oil. **Fitted with a 21/23-tooth comb set.**

Reference	Description	Barcode
100272001	Power: 250 W. Weight: 1180 g. Noise: 68 db(A). Motor speed: 2600/2900 rpm. Power supply: 240 V. Supplied with 21 and 23-tooth blade set/ screwdriver/brush/oil	7613073059979



THE PRODUCT +:
QUIET AND POWERFUL

CORDLESS CATTLE XPLOER

Heiniger



The new Xplorer accumulator clipper is the latest technological innovation. The perfect tool for cattle and horse clipping. Wireless, it has up to 2 hours run time and offers more flexibility thanks to its wireless system. Practical thanks to LED charging indicator. No disturbing air output. No power loss due to the development of the dual pinion drive. Strong and durable thanks to its fibreglass reinforcement. The Xplorer clipper meets all requirements in the field of shearing horses and cattle. **2600mAh Li-Ion battery with no memory effect.** Li-Ion high performance 3-cell. Safety certification: CE/electrosuisse. Delivered in a box including operating instructions, screwdriver, cleaning brush, oil. **Fitted with a 21/23 teeth combs set.**

Reference	Description	Barcode
100264	Power: 35 W. Weight: 990 g. Noise: 65 dB. Motor speed rpm: 2450 rpm. Supplied with blade set 21 and 23 teeth/screwdriver/brush/oil	3700393935145
100264001	Battery for cordless clipper	3700393935503





TAILWELL MK2

The use of Tailwell 2 facilitates shearing cows tail hair to ensure optimum hygiene of the cattle. Silent, fact and safe shearing. Works with 14V cordless screwdrivers, 1250 rpm. Supplied with the cutting head, 1 bottle of lubricant for the blades and 1 syringe for the lubricant. Supplied without screwdriver.

Reference	Description	Barcode
D100500	Tailwell 2 MK2	3700393935503




ELECTRIC CLIPPING | Blades for cattle and horse



FAST CLIPPING





Reference	Description	Barcode	
100246SET	Blade set 18 and 23 teeth	3338020038589	



SPECIAL BLADE SET CHAROLAIS






Reference	Description	Barcode	
100242SET	Blade set 18 and 15 teeth	3338020087587	
100247015	Cutter 15 teeth	3338020033577	



ALL-ROUND BLADE SET FOR CATTLE






Reference	Description	Barcode	
100244SET	Blade set 21 and 23 teeth	3338020038572	
100246	21-tooth comb	3338020000661	
100245	23-tooth cutter	3338020000654	



BLADE FOR VETERINARY USE



Reference	Description	Barcode	
100241SET	Blade set 53 and 23 teeth	3700393922824	
100241053	Comb 53 teeth	3700393922855	
100245	23-tooth cutter	3338020000654	

Clippers for sheep | ELECTRIC CLIPPING

SHEARING 240 V XPERT

Heiniger



The newest machine by Heiniger, Xpert is a combination of a powerful, yet still ergonomic and light machine. The unique and innovative stable connection between the shearing head and the fibreglass-reinforced housing ensures low vibration shearing. Silent. This shearing machine will amaze anyone who shears. Supplied in a very resistant carrying case including comb set, screw driver, oil bottle, brush and user's guide. Manufactured in Switzerland. **Fitted with OVINA PREMIUM comb se.**



THE PRODUCT +:
ERGONOMIC AND RELIABLE

Reference	Description	Barcode
100279	Weight: 1180 g. Noise: 79 dB (A). Power supply: 240 V / 20 0W	3700393930461

XPRT SHEARING 240 V 2 SPEEDS

Heiniger



The latest machine by Heiniger, Xpert is a powerful, yet still ergonomic and lightweight machine. 2 speeds. The unique, innovative, stable connection between the shearing head and the fibreglass-reinforced housing ensures low vibration shearing. Silent. This shearing machine will amaze anyone who shears. Supplied in an extra-strong carrying case including a set of combs, screw driver, oil bottle, brush and user manual. Manufactured in Switzerland. **Fitted with OVINA PREMIUM comb set.**



Reference	Description	Barcode
100279001	Weight: 1180 g, noise: 79 dB (A). Power supply: 240 V / 200 W. Motor speed: 2500/2800 rpm	7613073060005

SHEEP CLIPPER XTRA 320 W

Heiniger



Large head, powerful engine. Equipped with an exclusive clipping system. Less vibrations. The motor consists of a 320 watts and 2400 cycles per minute. The sheep clipper is equipped with a large head and comes with Ovina Premium. This powerful electric HEINIGER sheep clipper is supplied in a case.




Reference	Description	Barcode
100280	Weight: 1530 g. Noise: 80 dB (A). Power supply: 220-240 V	3338020000807
100281	Shearing head only	7613073000919
100145	Motor only	3338020026654
9H100280	Maintenance kit for sheep clipper XTRA 10 control points	3700393912764

ONE PROFESSIONAL SHEARING PLANT 300 W

Heiniger



Ideal for shearing big herds. Thanks to its new ICON handpiece the ONE shearing plant is very compact and easy to handle. The powerful electric motor allows you to shear sheep and goats. Supplied with a flexible shaft of 200 cm and ICON handpiece. Available in WORM DRIVE or PIN DRIVE. Color non contractual.



PIN DRIVE



WORM DRIVE

Reference	Description	Barcode
100123001	ONE professional shearing plant 300 W WORM DRIVE	7613073002272
100123002	ONE professional shearing plant 300 W PIN DRIVE	3700393903861
100123005	Wall mount	3338020081363

ELECTRIC CLIPPING | Clippers for sheep



PIN DRIVE



WORM DRIVE

EVO PROFESSIONAL SHEARING PLANT 300 W

Heiniger

The new HEINIGER professional shearing plant is the only one in the world equipped with an electrical safety device with an international ratification certificate. **3 speeds:** 2700, 3200 and 3500 rpm. An autoadjustable belt ensures the transmission. It is protected by a very sturdy case made of synthetic material reinforced by fiberglass. Color non contractual. Noise: 70dB. On demand.

Reference	Description	Barcode
100124100	EVO professional shearing plant 300 WORM DRIVE	7613073000391
100124200	EVO professional shearing plant 300 PIN DRIVE	3338020084128
100124101	Flexible shaft WORM DRIVE	3338020084135
100124201	Flexible shaft PIN DRIVE	3338020084142



ICON HANDPIECE FOR PROFESSIONAL SHEARING PLANTS

Heiniger

Quality handpiece provides top professional shearing. New ergonomical form for a better grip or handle. Supplied without comb and cutter. **Color non contractual.**

Reference	Description	Barcode
100122030	PIN DRIVE	3338020039715
100122031	WORM DRIVE	3338020079100

NEW



ICON FX - HANDPIECE

Heiniger

The significantly lighter weight requires less energy to stop momentum and minimises the effort required for every blow. The new slimmer shape barrel ensures a superb grip and provides maximum in-hand comfort. The precise weight distribution provides superior balance and handling to deliver easier manoeuvrability. 10 % lighter handpiece. Now even slimmer. Optimum balance. Ergonomic.

Reference	Description	Barcode
100122302	N WORM DRIVE	7613073059863



EVO PROFESSIONAL SHEARING PLANT WITH RIGID SHAFT

Heiniger

Comes with rigid shaft WORM-DRIVE and ICON handpiece. 3 speeds: 2700, 3200 and 3500 rpm.

Reference	Description	Barcode
100124300	EVO with shaft	3338020084616
100122020	Shaft only	3338020039722

UKAL RECOMMENDS
THE WORM DRIVE TIP
FOR MORE SECURITY

If you
need more
information about
professional
clippers, please
contact us.

FINE WOOL AND DENSE FLEECE





Specially designed for shearing animals with fine wool or dense fleece such as sheep or goats. 13 high-quality teeth for easy shearing. Used by experienced shearers.

Reference	Description	Barcode	
100255SET	13 and 4-tooth blade set	3338020038619	
100256	13-tooth comb	3338020000746	
100253	4-tooth cutter	3338020000715	



CLASSIC SHEARING & PREMIUM

For Heiniger sheep clippers. Classic shearing and fine wool and dense fleece. The Ovina Premium comb set is equipped with the new LG2 technology.

Reference	Description	Barcode	
100252SET	13 and 4-tooth blade set	3338020038602	
100254	13-tooth comb	3338020000722	
100253	4-tooth cutter	3338020000715	
100253SET	Ovina Premium blade set	3700393970009	



ESPECIALLY FOR CATTLE

Heiniger clipper comb, specially designed for shearing cattle. 25 and 4 tooth blade set. **Only works on sheep clippers.**

Reference	Description	Barcode	
100257SET	25 and 4-tooth blade set	3338020038633	



ESPECIALLY FOR MERINO WOOL

Reference	Description	Barcode	
100261SET	13 and 4-tooth blade set	3338020083466	



ESPECIALLY FOR CAMELIDS

Reference	Description	Barcode	
100256SET	13 and 4-tooth blade set	3700393922893	



ELECTRIC CLIPPING | Specific blades for sheep



COMBS FOR WINTER SHEARING

Box of 2 combs.

PRO BLIZZARD COMB



Reference	Description	Barcode
100100018	Size: 94,5 mm	7613073000100

HIGHLANDER COMB



Reference	Description	Barcode
100100042	Size: 98 mm	3700393923043

ISOBAR COMB



Reference	Description	Barcode
100100041	Size: 98 mm	3700393923036

CRUSADER COMB



Reference	Description	Barcode
100100043	Size: 94,5 mm	3700393923050

CUTTERS

Box of 10 combs.

XTREME CUTTER



Reference	Description	Barcode
100100106	Size: 3,7 mm	3338020083473

PRO JET CUTTER



Reference	Description	Barcode
100100100	Size: 4,4 mm	7613073000247

STORM CUTTER



Reference	Description	Barcode
100100107	Size: 4,6 mm	3338020086375

DIAMOND CUTTER



Reference	Description	Barcode
100100102	Taille : Size: 3,7 mm	3338020062744

EDGE CUTTER



Reference	Description	Barcode
100100108	Size: 4,4 mm	3338020087051

Specific blades for sheep | **ELECTRIC CLIPPING**



COMBS FOR BROAD WOOL

All professional combs are supplied in box of 5 pieces.

CHARGER COMB



Reference	Description	Barcode
100100016	Size: 93,5 mm. Right hand	3338020063079
100100017	Size: 93,5 mm. Left hand	3338020063086

WARRIOR COMB



Reference	Description	Barcode
100100001	Size: 96 mm	3338020063048

QUAZARD COMB



Reference	Description	Barcode
100100005	Size: 95 mm	7613073000032

CALIBRE COMB



Reference	Description	Barcode
100100044	Size: 93,5 mm	3700393923692

SUPER CHARGED COMB



Reference	Description	Barcode
100100006	Size: 93,5 mm	3700393922961

QUANTUM COMB



Reference	Description	Barcode
100100012	Size: 95 mm. Right hand	3700393922978

CONDOR COMB



Reference	Description	Barcode
100100024	Size: 98 mm	3700393922992

XLR-8 COMB



Reference	Description	Barcode
100100039	Size: 98 mm	3700393923005

COMBS FOR FINE WOOL

All professional combs are supplied in box of 5 pieces.

PRO AWESOME COMB



Reference	Description	Barcode
100100010	Size: 92 mm	3338020062676

FREESTYLE COMB



Reference	Description	Barcode
100100036	Size: 96 mm. Right hand	3338020089475
100100046	Size: 96 mm. Left hand	3700393931611

XPRESS COMB



Reference	Description	Barcode
100100009	Size: 93,5 mm	3338020062669

HUGE COMB



Reference	Description	Barcode
100100029	Size: 96 mm	3700393921360

ELECTRIC CLIPPING | Specific blades for sheep



COMBS FOR FINE WOOL

All professional combs are supplied in box of 5 pieces.

PRO REBEL COMB



Reference	Description	Barcode
100100032	Size: 92 mm	3338020083480

BAD COMB



Reference	Description	Barcode
100100004	Size: 95 mm	3700393922954

FREAK COMB



Reference	Description	Barcode
100100034	Size: 94,5 mm	3338020084272

B-EVIL COMB



Reference	Description	Barcode
100100002	Size: 94,5 mm	3700393922947

UNIVERSAL COMB

All professional combs are supplied in box of 5 pieces.

PRO RAPIER COMB



Reference	Description	Barcode
100100021	Size: 86 mm	3338020063123

REFLEX COMB



Reference	Description	Barcode
100100037	Size: 94 mm	7613073000896

PRO LEGEND COMB



Reference	Description	Barcode
100100014	Size: 92 mm	7613073000209

PROFLEX COMB



Reference	Description	Barcode
100100038	Size: 94 mm	7613073006065

PRO OVINA COMB



Reference	Description	Barcode
100100025	Size: 77 mm	7613073000179

OVINA PREMIUM COMB



Reference	Description	Barcode
100100028	Universal purpose shearing comb with LG2 technology. Ovina Full thickness. 77 mm wide / Medium Bevel	7613073056565

TOPAZ COMB



Reference	Description	Barcode
100100030	Size: 84,5 mm	3338020083299

CORDLESS PROFESSIONAL TRIMMING CLIPPER SAPHIR



For small animals and veterinary care. Up to 90min clipping time per battery with high performance lithium-ion technology. Additional battery pack and less than 60min charging time for continuous clipping. The perfect clipping machine for trimming cattle or for Cow-Styling. Detachable Saphir blade system compatible with clippers from Andis, Moser, Oster and Wahl. **Supplied with clipping blades, 2 batteries, charger unit, oil, brush and instruction manual.**

Reference	Description	Barcode
154400	Power: 35 W. Weight: 440g. Motor speed: 2650 rpm. Dimensions: 204 x 50 x 41 mm	3700393902567

2 batteries



THE PRODUCT +:
BATTERY WITHOUT MEMORY EFFECT,
SHORT CHARGING TIME

SAPHIR STYLE CORDLESS PROFESSIONAL TRIMMING CLIPPER



For small animals and veterinary care. Low-noise and high-performance 35 W permanent magnet motor. High performance battery with the latest lithium-ion technology for continuous clipping. Over 90 minutes of clipping time with less than 60 minutes of charging time. High-quality charger with additional charging dock for 2 batteries and with charging indicator. Large selection of interchangeable clipping blades, compatible with Andis, Moser, Oster and Wahl. **Supplied with clipping blades, two batteries, charger unit, oil, brush and instruction manual.**

Reference	Description	Barcode
154405	Power: 35 W. Weight: 440g. Motor speed: 2650 rpm. Dimensions: 204 x 50 x 41 mm	3700393933134

2 batteries



SAPHIR CORD PROFESSIONAL CLIPPER



For small animals and veterinary care. The latest technology coupled with a new design. A clipper with exceptional technical qualities specifically developed for shearing small animals. A wide selection of interchangeable cutting heads. A powerful and innovative clipper that is quickly becoming an essential tool for the professional shearing of small animals. Operates on mains power, with 3 m of cable.

Reference	Description	Barcode
154410	Power: 35 W. Weight: 330g. Motor speed: 3200 rpm. Dimensions: 204 x 50 x 41 mm. Operates on mains power with 3 m of cable	3700393933141



PROFESSIONAL TRIMMING CLIPPER SAPHIR BASIC



For small animals and veterinary care. Up to 90 minutes clipping time per battery with high performance lithium-ionic technology. The perfect clipping machine for the trimming of cattle and horses or for cow-Styling. Detachable Saphir blade systems compatible with clippers from Andis, Moser, Oster and Wahl. Supplied in a resistant and practical case, with clipping blades, 1 battery, oil, brush and instruction manual.

Reference	Description	Barcode
154415	Power: 35 W. Weight: 440 g. Motor speed: 2650 rpm. Dimensions: 204 x 50 x 41mm. Noise: 63 dB(A)	7613073059566

1 battery





NEW

CORDLESS BATTERY CLIPPER OPALE

Heiniger

The Opal is extremely quiet. It is also impressively powerful and equipped with two speed levels. With 3100 oscillations per minute in fast mode (and 2600 in slow mode), this clipper works smoothly and quickly even through dirty and thick fur and hair. The latest lithium-ion battery technology ensures cordless clipping for 240 minutes. It takes just one hour for a full battery recharge. Thanks to the built-in battery level indicator, it is always possible to check the remaining battery time. Opal has a cutting-edge ergonomic design and fits perfectly in the hand. Moreover, this clipper is particularly small and lightweight. Professionals can thus work effortlessly – whether for grooming, veterinary applications or dog, horse and cow styling.

Reference	Description	Barcode
154420	Specifications: • Speed: 2600/3100 dbs/min • Dimensions Lx W xH: 204 x 50 x 44 mm • Weight incl. battery: 415 g • Battery voltage: 7,2 V • Battery capacity: 2850 mAh	7613073063051



BATTERY STYLE MINI TRIMMER

Heiniger

For small animals and veterinary care. Ideal clipper for ultra-precise and fine trimming. Equipped with a 30 mm precision steel adjustable head. The Style Mini Trimmer trims quietly and with precision. The adjustable snap-on comb allows a cut length of 3 to 6 mm. This trimmer is ideal for the final styling of the dog. After trimming the trimmer head can easily be removed and cleaned. It offers an operating time of 80 minutes, with battery charging in 60 minutes.

Reference	Description	Barcode
154700	Weight: 120 g. Motor speed: 2750 rpm. Size: 146 x 30 x 38 mm. Operating time: up to 80 minutes.	3700393963803
154700100	MINI trimming head	3700393964886



BATTERY STYLE MIDI TRIMMER

Heiniger

This trimmer is used for the part trimming of the dog and the contours of the dog's head, legs, belly and tail. The continuously adjustable cutting head allows variable cutting lengths between 0.5 - 2.5 mm. The package also includes 5 snap-on combs in the most common cutting lengths 4, 8, 12, 16 and 20 mm. Furthermore, the supplied cable adapter allows trimming any time on the 230V mains. Light with low-noise and precise cut, the new Heiniger Style Midi Trimmer glides through the dog's coat with ease.

Reference	Description	Barcode
154710	Weight: 240 g. Motor speed: 2400 rpm. Size: 175 x 46 x 50 mm. Operating time: up to 100 minutes	3700393963810
154710100	MIDI trimming head	3700393964893

SAPHIR CLIPPER HEADS

Swiss quality.



Reference	Description	Barcode
100282	Comb 2 mm	7613073027817



Reference	Description	Barcode
100283	Comb 0,25 mm	3700393911507



Reference	Description	Barcode
100284	Comb 0,5 mm	3700393911514



Reference	Description	Barcode
100285	Comb 0,8 mm	3700393911521



Reference	Description	Barcode
100286	Comb 1,2 mm	7613073027947



Reference	Description	Barcode
100287	Comb 1,5 mm	7613073027978



Reference	Description	Barcode
100288	Comb 2,0 mm	7613073027992



Reference	Description	Barcode
100296	Comb 2,3 mm	3700393911637



Reference	Description	Barcode
100289	Comb 2,8 mm	7613073028012



Reference	Description	Barcode
100290	Comb 3,2 mm	3700393911576



Reference	Description	Barcode
100291F	Comb 3,2 mm	3700393911583



Reference	Description	Barcode
100292	Comb 6,3 mm	3700393911590



Reference	Description	Barcode
100293F	Comb 6,3 mm	3700393911606



Reference	Description	Barcode
100291F	Comb 9,5 mm	3700393911583



Reference	Description	Barcode
100295F	Comb 9,5 mm	3700393911620



CURVED BLADE SCISSORS

It is used for the finishing of the mane but also to prepare the animals for the shearing (for dirty or matted parts). They also allow the shearing of small areas before a surgical operation. The curved blade avoids pricking or cutting into the animal skin.

Reference	Description	Barcode	
100338	18 cm	3338020000920	
100340	20 cm	3338020000944	



VASELINE OIL

UKAL

The use of oil is needed for proper operation of the clipper.

Reference	Description	Barcode
100141	100 ml	3338020000630



COOL SPRAY FOR COMB 500 ML

UKAL

Cooling spray for clippers, combs and blades. This product cools, lubricates and cleans. Therefore it improves shearing and keeps the combs sharp. It prevents dirt accumulation, which optimizes the performance of your shears and ensures perfect hygiene. It is also suitable for hair clippers, beards and electric razors. Clean the combs with a brush or a dust remover spray, then apply the cooling spray.

Reference	Description	Barcode	
100143	500 ml	3700393914911	



SPECIAL CLIPPER OIL

Heiniger

Specially developed non toxic clipper oil increases performance, reduces friction and enhances blade life...

Reference	Description	Barcode
100142105	100 ml	3700393940675
100142102	500 ml	7613073001282

HEINIGER SPECIAL COMB BRUSH

Ideal for removing grease (from sheep) from combs.



Reference	Description	Barcode
100142202	480 g	9321509151132

SHARPENING PASTE

The very fine grain n°1 sharpening paste is suitable for finishing or cutting heads for dog/rabbit. Sharpening paste n°2 is suitable for all types of combs and counter combs of Heiniger electric clippers or others. For sharpening bovine, ovine or equine combs. 480 g.



Reference	Description	Barcode
100121001	Fine grain N°1	3338020000364
100121002	Coarse grain N°2	3338020000371



[illegible]




UKAAL

— IDENTIFICATION

- 106 Eartags
- 109 Collars and ankle straps
- 111 Temporary marking
- 115 Permanent marking

IDENTIFICATION | Eartags

HOW TO APPLY THE EARTAG CORRECTLY:




Always make a new hole. Dip the male tag into antiseptic or disinfectant solution. Make sure the male part is on back of ear. Avoid penetrating cartilage and blood vessels.

UKAFLEX MAXI + MAXI EARTAGS


Available in 8 sizes and 5 colors. Supplied in pack of 20 pairs. Can be marked with our different markers. For cattle, we recommend the size Maxi or Super Maxi. Metal pin. For more information, please have a look at the chapter on identification.

1 Super Maxi + Button




Type	Dimensions	Plain eartag white	Plain eartag red	Plain eartag blue	Plain eartag green	Plain eartag yellow	Printed laser 1 side	Printed laser 2 sides
1 Super Maxi + Button	99 x 74 mm	108068001	108068003	108068006	108068008	108068010	Upon request	Upon request
2 Maxi + Maxi	71 x 63 mm	108060001	108060003	108060006	108060008	108060010	108060100	108060200
3 Maxi + Button	Female part: 71 x 63 mm Male part: Ø 27 mm	108061001	108061003	108061006	108061008	108061010	108061100	108061200
4 Large + Button	Female part: 63 x 55 mm Male part: Ø 27 mm	108062001	108062003	108062006	108062008	108062010	108062100	108062200
5 Wide + Wide	45 x 55 mm	108063001	108063003	108063006	108063008	108063010	108063100	108063200
6 Wide + Button	Female part: 45 x 55 mm Male part: Ø 27 mm	108064001	108064003	108064006	108064008	108064010	108064100	108064200
7 Medium + Button	Female part: 50 x 42 mm Male part: Ø 27 mm		108065003	108065006	108065008	108065010	108065100	108065200
8 Small + Small	45 x 55 mm Plastic pin	108066001	108066003	108066006	108066008	108066010	108066100	108066200
9 Button + Button	Ø 28 mm	108067001	108067003	108067006	108067008	108067010	-	-


2 Maxi + Maxi




3 Maxi + Button




④ Large + Button




⑤ Wide + Wide




⑥ Wide + Button




⑧ Small + small



⑨ Button + Button



Reference	Description	Barcode
MAXI + MAXI		
108060001	White x 20	3338020082094
108060003	Red x 20	3338020064687
108060006	Blue x 20	3338020064694
108060008	Green x 20	3338020064700
108060010	Yellow x 20	3338020064717
MAXI + BUTTON		
108061001	White x 20	3338020084999
108061003	Red x 20	3338020064724
108061006	Blue x 20	3338020064731
108061008	Green x 20	3338020064748
108061010	Yellow x 20	3338020064755
LARGE + BUTTON		
108068010	Yellow x 20	3338020085002
108068001	White x 20	3338020064762
108068003	Red x 20	3338020064779
108068006	Blue x 20	3338020064786
108068008	Green x 20	3338020064793



IDENTIFICATION | Eartags



APPLICATOR FOR UKAFLEX EARTAGS

Complete with 2 universal pins. Can be used with most cattle eartags on the market. Can be used to apply Ukal-Flex, Kelflex and Allflex eartags.

Reference	Description	Barcode	
108000	Applicator with 2 universal pins	3338020003020	
108000002	Universal pin x 2	3700393930904	



BLACK MARKER

Smear proof markers to mark sheep collars, neck tags, ankle straps and all kinds of eartags. Reistant to contact with organic matter, bases and acids.

Reference	Description	Barcode	
108280001	Fine tip	3338020066735	
108280003	Round tip	3338020066742	



UKALTAG EARTAGS

Ukaltag eartags are made of high quality nylon (nylon 6-6). The standard version of the eartags is available in several U.V. resistant colours. Dimensions: 3 x 1 cm. Special printings can be made on request. Tags can be printed on both sides as follows: - consecutive numbers. - 8 fixed numbers. - 8 fixed characters (letters, numbers). Supplied by 100 pairs.

Type	White	Red	Blue	Green	Yellow
Printing from 1 to 100	109922001 	109922003 	109922006 	109922008 	109922010
Printing from 101 to 200	109922101 	109922103 	109922106 	109922108 	109922110
Plain eartags	109922501 	109922503 	109922506 	109922508 	109922510
Laser printing 1 or 2 sides	109922701 	109922703 	109922706 	109922708 	109922710



UKALTAG APPLICATOR

Can be used with most sheep eartags available on the market.

Reference	Description	Barcode	
109925	Metal	3338020008087	


PLASTIC COLLARS FOR SHEEP

KAMER



Very solid and resistant to chemicals. With safety catch fastening. Can be marked with marking pen. **Sold in set of 5.** Length: 57.5 cm.

Reference	Description	Barcode	
121151010	Yellow x 5	3700393961458	
121151003	Red x 5	3700393961496	
121151019	Orange x 5	3700393961472	
121151002	Black x 5	3700393961519	
121151006	Blue x 5	3700393961373	
121151008	Green x 5	3700393961533	



NYLON COLLAR FOR SHEEP

KAMER



Adjustable. With D-ring to put a lanyard. Very sturdy and reinforced leather, they are suitable for all types of sheep. **Length about 65 cm.** By unit.

Reference	Description	Barcode	
121152006	Blue	3700393922152	
121152008	Green	3700393922169	
121152010	Yellow	3700393922145	



SELF-ADHESIVE ANKLE STRAPS FOR COWS

KAMER



Very resistant and easy to apply. Better hold due to a plastic loop. Allows a fast identification of the cow and udder (1 leg = 1 teat). Facilitates implementation of colour codes in case of any treatment. Dimensions **2,5 x 34 cm.**

Reference	Description	Barcode	
108700	Red x 5	3338020032082	
108700006	Blue x 5	3338020034963	
108700010	Yellow x 5	3338020034987	



SELF-ADHESIVE FLUORESCENT ANKLE STRAPS

KAMER



Very resistant and easy to put on and remove. Better hold due to a plastic loop. Allows a fast identification of the cow and udder (1 leg = 1 teat). Facilitates use of colour coding in case of any treatment. Fluorescent colours for a very good visibility. Long. Sold in bag of 5 ankle straps. Dimensions: **3,8 x 41 cm.**

Reference	Description	Barcode	
108701008	Fluorescent Green x 5	3338020086320	
108701010	Fluorescent Yellow x 5	3338020086306	
108701019	Fluorescent Orange x 5	3338020086313	
108701021	Fluorescent Pink x 5	3338020086337	



IDENTIFICATION | Collars and ankle straps



NEW

PLASTIC STRAPS

KAMER

Extra long model. Easy to use. Precise tightening by non-return catch. Use these bright neon coloured straps for all temporary i.d. needs. **Approx. 340 mm long.** In pack of 10.

Reference	Description	Barcode	
108811003	Red x 10	3700393923241	
108811008	Green x 10	3700393923265	
108811010	Yellow x 10	3700393923272	
108811020	Lavender x 10	3700393923289	



NYLON COW COLLAR

KAMER

Can be used with strap digits. Nice finish. **Length: 80 cm.** By unit.

Reference	Description	Barcode	
121160	Yellow and Black	3338020058631	
121160003	Red	3338020058648	
121160006	Blue	3338020058655	
121160008	Green	3338020058662	



NEW

PLASTIC IDENTIFICATION STRAP DIGITS




Fits on most collars, halters, straps. Each digit is 4 cm - 2" high. Printed with 1 digit. **In pack of 10.**

Reference	Description	Barcode	
108906050	0	3700393926402	
108906051	1	3700393926419	
108906052	2	3700393926440	
108906053	3	3700393926464	
108906054	4	3700393926471	
108906055	5	3700393926488	
108906056	6 or 9	3700393926495	
108906057	7	3700393926501	
108906058	8	3700393926518	



BOVI LINE MARKING SPRAY




Formulated specifically for marking cattle. Non aggressive formula. Box of 12. 500 ml.

Reference	Description	Barcode
108310003	Red	3338020004119 
108310006	Blue	3338020004126 
108310008	Green	3338020004133 



MULTI LINE MARKING SPRAY




Livestock spray marker specifically formulated for short-haired animals. Non aggressive formula. Box of 12. 500 ml.

Reference	Description	Barcode
108312103	Red	3338020045563 
108312106	Blue	3338020045570 
108312108	Green	3338020045587 



OVI-LINE MARKING SPRAY




High quality formula specifically for marking wool, long or short. Long lasting (2 months). **Composition: contains lanolin.** The Ovi-line spray meets the highest standards of the wool industry. The quality of the paint and lanolin-based marker allows for legible and long-lasting marking (2-3 months). The Ovi-line spray is the only spray which allows the mother and lamb to be marked at lambing with a quantity comparable to paint marking. To mark a number with the spray, hold the tip 5-6 cm from the fleece and write the number by moving the can like a marker. 500 ml. Delivered in box of 12.

Reference	Description	Barcode
108316003	Red	3338020042432 
108316006	Blue	3338020042449 
108316008	Green	3338020042456 



PORCI-LINE MARKING SPRAY

Livestock spray marker specifically formulated for pig marking. Without aggressive substance for the skin, non irritating. Supplied by box of 12. 500 ml.

Reference	Description	Barcode
108311003	Red	3338020037230 
108311006	Blue	3338020037247 
108311008	Green	3338020037254 






IDENTIFICATION | Temporary marking



RAIDEX MARKING SPRAY

Specifically formulated for marking cattle, pigs, and short-haired animals. Delivered in box of 12. 500 ml.

RAIDEX









Reference	Description	Barcode
108307003	Red	4019726005332 
108307006	Blue	4019726005356 
108307008	Green	4019726005363 



MARKING SPRAY RAIDEX FOR SHEEP

RAIDEX sheep marking spray is suitable for marking sheep and lambs. It is an advancement of the established RAIDEX sheep branding fluid and offers improved drying and washability. It contains harmless, light-fast pigments, mildly-odorous solvent, lanolin grease and natural resins. This composition achieves good drying and removal during the wool wash. 500 ml. Supplied by box of 12. Reference 108308003 to 108308021. The markings/numbers are applied by spraying from a distance of 10-15 cm. RAIDEX sheep branding fluid dries within 4 to 8 hours depending on ambient temperature and consistency of the dye. As these fluids take several hours to dry, care must be taken to prevent contact with the dye and hence smudging. The dye markings wash out if conventional wool washing is employed. The dye markings should be left on the animal for approx. 4-6 weeks in order to guarantee washability. Ensure that the markings are applied to sheep in an appropriate place, e.g. head or legs.

RAIDEX

Reference	Description	Barcode
108308002	Black	4019726054088 
108308003	Red	4019726054033 
108308006	Blue	4019726054057 
108308008	Green	4019726054064 
108308010	Yellow	4019726054019 
108308019	Orange	4019726054026 
108308020	Purple	4019726054040 
108308021	Pink	4019726054071 



RAIDEX MARKING STICK

Sticks made of special waxes and paraffin oil. We use high-quality pigments to achieve an excellent colour quality. The sticks are set apart by effective writing capability on hide, temperature stability, colour intensity and high luminance. The ingredients are harmless for humans or animals. By 3 (108303003 to 108303020), by 10 (108304002 to 108303020) and by 50 (108305021). Packaging and any unused materials can be discarded with residual waste. The marking remains visible on the upper back of cattle and sheep for approx. four weeks. Please note that markings on sheep are impossible or difficult to wash out. They should therefore be applied in a more suitable place, e.g. head or legs

RAIDEX

Reference	Description	Barcode
108303003	Red x 3	3338020038046 
108303006	Blue x 3	3338020038053 
108303008	Green x 3	3338020038060 
108303010	Yellow x 3	3338020038879 
108303020	Purple x 3	3338020038077 
108303100	Red blue green	3338020052486 
108304002	Black x 10	4019726000085 

Reference	Description	Barcode
108304003	Red x 10	4019726000030 
108304006	Blue x 10	4019726000054 
108304008	Green x 10	4019726000061 
108304010	Yellow x 10	4019726000016 
108304019	Orange x 10	4019726000023 
108304020	Purple x 10	4019726000047 
108305021	Pink x 50	4019726000078 

BLOCK FOR HARNESS

RAIDEX



RAIDEX wax blocks consist of high-quality special waxes and paraffin oil. We use high-quality pigments to achieve an excellent colour quality. The ingredients are harmless for humans or animals. RAIDEX wax blocks can be used at any temperature without any problem. To be stored between 5 and 25 degrees. For cattle and sheep.

Reference	Description	Barcode	
108601002	Black	4019726000580	
108601003	Red	4019726000535	
108601006	Blue	4019726000559	
108601008	Green	4019726000566	
108601010	Yellow	4019726000511	
108601019	Orange	4019726000528	



SUPER BLUE HARNESS FOR RAMS

The new Super blue harness has been specially designed by animal breeders. Easy to use and to adjust. Very resistant. Easy maintenance. Padded straps prevent cuts and chafing. Nylon.

Reference	Description	Barcode	
108605006	Nylon	3338020075034	



LEATHER MARKING HARNESS FOR RAMS

The harness is placed on the underside of the animal.


Reference	Description	Barcode	
108600	Leather	3338020005758	



RAM MARKING HARNESS

The harness is placed on the underside of the animal.

Reference	Description	Barcode	
108605	Nylon	3338020038657	




BULL MARKING HARNESS

Leather bull marking harness. Used for marking the back of the cow after mounting. To be fitted on the animal's neck.

Reference	Description	Barcode	
108598	Leather	3338020005741	



IDENTIFICATION | Temporary marking



MARKING NUMBERS 0-9

Only to be used with Master laine sheep marking fluid. Made of aluminium (ref. 108455003, -006, -008). Set of 9 number from 0 to 9 (6 and 9 are the same). Available in 2 sizes.

Reference	Description	Barcode
108430	8 cm	3338020005413
108440	10 cm	3338020005512



SHEEP MARKING FLUID

To be used with marking numbers (ref. 108430-440). Specific composition which respects the wool. Completely washable, leaves no residue in the wool. 4 kg container.

Reference	Description	Barcode	
108455003	Red	3509392535857	
108455006	Blue	3509392535819	
108455008	Green	3509392535895	




EAR NOTCHER

KAMER

Nickel-plated steel. Very sharp for a neat cutting. Available in 5 shapes.



Reference	Description	Barcode	
108400010	10N	3338020004188	
108400011	11N	3338020004195	
108400012	12N	3338020004201	
108400013	13N	3338020004218	
108400014	14N	3338020004225	



BLACK TATTOOING PASTE

RAIDEX



Veterinary quality paste. Can be applied with finger. Massage areas to be tattooed with paste. Black.

Reference	Description	Barcode
109175090	60 g tube	4019726080803
109175600	600 g jar	4019726000689



BLACK TATTOOING INK

UKAL



High quality tattooing ink, intense black. Apply with a small brush on area to be tattooed or used in the ink pad for pig tattooing hammers. Ready to use. Density 1,24/1,25 g/litre.

Reference	Description	Barcode
109946100	1 L	3338020008155 



ROLL-ON BLACK TATTOOING INK



Veterinary quality tattoo ink. Massage ink onto area to be tattooed. Black colour. Roll-on applicator.

Reference	Description	Barcode
109947	60 ml	4019726000788



NOTES

[illegible]



UKA

VACCINATION AND DRENCHING

118	Demaplast
123	Socorex
126	NJ Phillips
127	Needles
128	Accessories

VACCINATION AND DRENCHING

VACCINATION

STRATEGY


The link between vaccination strategy and herd size is clearly visible. 80% of farms with more than 100 cows routinely vaccinate in order to ensure good health of the herd without the cost and time taken by other preventative approaches. In smaller herds, vaccination strategies are less homogeneous: 1 out of 2 breeder does not vaccinate, preferring other preventive strategies more easily permitted by herd size.

How to choose the syringe and needle ?

The choice of a syringe (manual, automatic or revolver) depends on the product to be injected, the injection volume, the repetition of gesture or on the urgency of the injection.

The choice of the needle depends on the type of injection (subcutaneous, intramuscular, intravenous) and the product viscosity. There is a sizing convention. For example, a needle 15/10 = 15 mm length / 10 mm in diameter.

- **Subcutaneous injection:** under the skin for slow diffusion due to low blood supply.
- **Intramuscular injection:** in muscle (thigh or neck) for rapid dissemination through the strong blood supply.
- **Intravenous injection:** in the jugular for immediate action. However, please be aware of shocks. You must use this method only in severe cases.



- Subcutaneous
- ★ Intramuscular
- ▼ Intraperitoneal
- ✚ Intraruminal
- ◆ Intravenous
- Intradermal
- Retromammary
- ▲ Intramammary

EXAMPLES OF APPLICATION CATTLE

Intramuscular	Sous cutanée	Intravenous
30/15, 30/20, 40/20	15/20, 20/20	60/20

EXAMPLES OF APPLICATION SHEEP

Intramuscular	Subcutaneous	Intravenous
20/15, 30/15	10/10, 15/10	20/15, 30/20

EXAMPLES OF APPLICATION PIGS

Intramuscular	Subcutaneous	Intravenous
30/20, 40/15, 40/20, 50/20 10/18	10/10, 15/13, 15/10	40/20

HOW TO CHOOSE THE RIGHT NEEDLE?

INTRAMUSCULAR		SUBCUTANEOUS		INTRAVENOUS	
Piglet	10/10 - 15/10	Lamb	20/10	Sheep	30/20 - 40/20
Sow	40/15 - 50/20	Sheep	20/15	Cattle	60/20
Poultry	10/15	Cattle	20/20 - 25/15 - 30/15	For oily product	diameter 15 or 20
Lamb	15/15				
Sheep	25/20				
Cattle	30/20 - 35/15 - 40/20				



Veterinary quality. DEMAPLAST offers a wide range of products for vaccination (manual, semi-automatic or automatic syringes) and for the drenching (dosing syringes, drenchers). The products are manufactured in Europe. They are known for their quality and their very good value for money.



MATIK REVOLVER SYRINGES

Semi automatic gun with adjustable dosing. Strong and durable instrument made with long lasting material. Ergonomic plastic handle for a better grip. Indelible graduation printed on the barrel by laser. Luer lock tip. Available in 3 different models:

- Capacity 10 ml, dosing: 0,25; 0,50; 0,75; 1; 1,25 ml
- Capacity 25 ml, dosing: 0,5; 1; 1,5; 2; 2,50 ml
- Capacity 50 ml, dosing: 1; 2; 3; 4; 5 ml

Reference	Description	Barcode	
110007010	10 ml	3700393958151	
110007025	25 ml	3700393958168	
110007050	50 ml	3275970070569	



DEMPLAST PLEXI SYRINGE


Economical syringes. Multi-purpose. Can be boiled or cold sterilized. **Plastic piston, cover and handle.** Wash thoroughly after use. Rinse thoroughly with clean water. Lubricate with vaseline oil ref. 110039. Replace washers regularly. Do not autoclave. With LUER LOCK fitting.

Reference	Description	Barcode	
110004005	5 ml tip luer lock Ref. washer: 9DE005	3338020046805	
110004010	10 ml tip luer lock Ref. washer: 9DE010	3338020008216	
110004020	20 ml tip luer lock Ref. washer: 9DE020	3338020008223	
110004030	30 ml tip luer lock Ref. washer: 9DE030	3338020008230	
110004050	50 ml tip luer lock Ref. washer: 9DE05	3338020008247	
110004100	100 ml tip luer loc Ref. washer: 9DE100	3338020055081	



LUER LOCK

VACCINATION AND DRENCHING | Demaplast



LUER LOCK



DEMAPLAST METAL SYRINGE WITH LUER LOCK FITTING

Handle and cover made in metal. Can be boiled or sterilized at high temperature. Wash thoroughly after use. Rinse in clear water. Lubricate with vaseline oil ref. 110039. Replace washers regularly. Do not autoclave. With LUER LOCK fitting.

Reference	Description	Barcode
110001005	5 ml - Ref. washer : 9DE005	3338020046799
110001010	10 ml - Ref. washer : 9DE010	3338020026807
110001020	20 ml - Ref. washer : 9DE020	3338020026814
110001030	30 ml - Ref. washer : 9DE030	3338020026821
110001050	50 ml - Ref. washer : 9DE050	3338020026838
110001100	100 ml - Ref. washer : 9DE100	3338020055074



Model with vial holder



PRIMA AUTOMATIC SYRINGE

Professional instrument. Automatic syringe. Body made of nylon and the barrel a specific polymer. Ergonomic handle for a better grip. Precise and reliable dosing thanks to the valve. Supplied with spare part kit.

This model is supplied with vial holder.

Reference	Description	Barcode
110040201	1 ml vial holder	3700393964206
110040202	2 ml vial holder	3700393964213
110040205	5 ml vial holder	3700393964220
110040210	10 ml vial holder	3700393964237
110040250	0,5 ml vial holder	3700393968242

This model is supplied with feeding tube (not pictured).





Reference	Description	Barcode
110040101	1 ml feeding tube	3700393938504
110040102	2 ml feeding tube	3700393940071
110040105	5 ml feeding tube	3700393964183
110040110	10 ml feeding tube	3700393964190
110040150	0,5 ml feeding tube	3700393968259

+ PRODUCTS

- High quality
- Effortless, high throughput vaccination
- From small to large animals
- Suitable for most liquids and suspensions
- Operate under any climatic conditions
- Easy disassembly and maintenance
- All components are treated against corrosion

DRENCHING GUN





Very robust ABS grip and ergonomic handle. Transparent acetate barrel. Resistant to chemical attack. Dose adjustment by screw. Comes with a 125 mm (9AL125) cannula for 35 ml and 70 ml pistols. Original design. Made in Europe.

Reference	Description	Barcode	
107035	In acetate - 35 ml	3338020033669	
107070	In acetate - 70 ml	3338020033287	
107035A	Automatic dosing gun 35 ml	3338020073030	
107070A	Automatic dosing gun 70 ml	3338020073047	



DRENCHING GUN


Very robust and ergonomic ABS grip. Transparent acetate or polypropylene barrel. Resistant to chemical stress. Calibration through distal screw. Comes with a 200mm (9AL200) cannula for 200 ml and 300 ml pistol. Made in Europe.

Reference	Description	Barcode	
107200	Acetate barrel - 200 ml	3338020033294	
107200S	Drenching gun polypropylene cylinder 200 ml	3338020050123	
107300	Polypropylene transparent barrel 300 ml	3338020060535	
107805	Service kit for drenching gun - 300 ml	3338020073597	



AUTOMATIC DRENCHING GUN BRAVO + HOSE

The valve and the tank are resistant to chemical attack. Dosage adjustment using the wheel behind the barrel. Ergonomic handle. Supplied with nozzle, suction hose, Luer Lock and spare parts (washers). Can be used with tank ref. 107900 (sold separately).

Reference	Description	Barcode	
107430	30 ml	3338020055197	
107460	60 ml	3338020055203	





METAL DRENCHING SYRINGE

Metal piston and handle. Plexi transparent barrel. Complete, delivered with 250 mm cannula (9AL 250).

Reference	Description	Barcode	
107630	300 ml	3338020002887	
107645	450 ml	3700393927836	



PLEXI DRENCHING SYRINGE

Drenching syringe. Cellulose acetate. Very resistant to shock and to chemical stress. Delivered with cannula.

Reference	Description	Barcode	
107700100	100 ml	3700393961601	
107755	250 ml	3338020002979	
107700300	300 ml	3700393962752	
107700600	600 ml	3700393962769	



LUER LOCK



MALE

CANNULA FOR SYRINGES

To be used with metal and plexi DEMAPLAST syringes.

Reference	Description	Barcode	
107760	LUER LOCK Length: 120 mm	3338020002993	
107762	Male screw Length: 120 mm	3338020003013	



3 L TANK SET FOR AUTOMATICS GUNS

1 plastic backpack with 3 liter capacity.

Reference	Description	Barcode
107900	3 L	3338020055203



SOCOREX is a Swiss brand. They manufacture a wide variety of high precision instruments used for reliably measuring, dosing, transferring, dispensing and injecting liquids in a large number of applications. Each precision instrument bears its own serial number and passes a strict performance control attested by an individual QC certificate. Discover the automatic syringes from SOCOREX.



AUTOMATIC SYRINGE WITH VIAL HOLDER SOCOREX

Most commonly used, the automatic vial feeding syringe is perfectly adapted for injecting aqueous, oily, viscous or heavy iron solutions as well as a variety of suspensions. Enables tight fitting of any 20 mm neck diameter vaccine vial. (needle not included).

Reference	Description	Barcode
110050011/5	0,5 ml	3338020052615
110050011	1 ml	3338020049998
110050012	2 ml	3338020039296
110050015	5 ml	3338020031443
110050020	10 ml	3338020051441



AUTOMATIC DOUBLE SYRINGE WITH FEEDING TUBE SOCOREX

This syringe combines efficiency and reliability, allowing a simultaneous and precise injection of 2 different vaccines. Solid construction. Easy to use. Ergonomic shape. You can adjust each cylinder independently. Autoclavable at 121°C. Fully assembled.

Reference	Description	Barcode
110050031	2 x 1 ml	3338020081912



VACCINATION AND DRENCHING | Socorex



AUTOMATIC SYRINGE WITH FEEDING TUBE SOCOREX



Automatic Syringe supplied with aspiration and vent cannulas, sinker and silicone tubing (1 metre), spare part kit and operating instructions (needle not included).

Reference	Description	Barcode
110050001/5	0,5 ml	3338020052615
110050001	1 ml	3338020031405
110050002	2 ml	3338020031412
110050005	5 ml	3338020031429
110050010	10 ml	3338020031436



FIXED-DOSE SYRINGE SOCOREX



These syringes with fixed dose are commonly used and perfectly adapted for injecting aqueous, oily, viscous or heavy iron solutions as well as a variety of suspensions.

- Superior, long lasting quality,
- Effortless, high throughput vaccination,
- From small to large animals,
- Suitable for most liquids and suspensions,
- Operate under any climatic conditions,
- Easy disassembly and maintenance,
- Economical parts, all interchangeable.

Reference	Description	Barcode
110050042	0,2 ml	3700393915031
110050043	0.3 ml	3700393915048
110050045	0.5 ml	3700393915055
110050041	1 ml	3700393915093

FIXED-DOSE SYRINGE SOCOREX



These syringes with fixed dose are commonly used and perfectly adapted for injecting aqueous, oily, viscous or heavy iron solutions as well as a variety of suspensions.

- Superior, long lasting quality,
- Effortless, high throughput vaccination,
- From small to large animals,
- Suitable for most liquids and suspensions,
- Operate under any climatic conditions,
- Easy disassembly and maintenance,
- Economical parts, all interchangeable.

Reference	Description	Barcode
110050052	0,2 ml	3700393915116
110050053	0,3 ml	3700393915123
110050055	0,5 ml	3700393915130
110050051	1 ml	3700393915147



SYRINGE ULTRA 1810 SOCOREX



The ultra 1810 syringe line delivers highly precise doses, setting new standards in micro volumes injections. Extremely robust, yet light in weight, the instruments **extend the range of volume selection** from 0,02 mL to 0,5 mL (0,2 cc to 0,5 cc).

Intended for applications among various animal species such as (but not limited to) fish, pigeons, rabbits, chicks, ducks, poultry, geese and piglets. Supplied with 1m feed tubing, sinker, feed needle, vent cannula, spare bag with barrel O-ring, plunger O-ring and guide (except 0.5 ml), operating instructions. Autoclavable fully assembled.

Reference	Description	Barcode
110050601	0,1 ml	3700393921438
110050602	0,2 ml	3700393922084
110050603	0,3 ml	3700393922091
110050605	0,5 ml	3700393922060





PLASTIC DRENCHING GUN



Metal cannula. Plastic body. Ideal for sheep. Lightweight. Easy to clean. 25 ml.

Reference	Description	Barcode
107830	25 ml	3700393915093 



METAL ORAL DRENCHER 20 ML



Light weight, well balanced, robust design. Easy access to piston and valves for servicing. Simple dose adjustment system. High-flow, blockage resistant valves. Highly chemical resistant cylinder with moulded graduations. **Dosage from 1 to 20 ml.** Delivered with a sheep cannula. Service kits available.



Reference	Description	Barcode
107820020	20 ml	3700393915031
107815020	20 ml with backpack	3700393915093



SEMI AUTOMATIC PLASTIC SYRINGE



Comfortable handle. Easy choice of 5 fixed dose settings. Ergonomic fingertip action reduces hand strain.

Reference	Description	Barcode
110010050	50 ml	3700393915031 
110010025	25 ml	3700393915093 




SEMI AUTOMATIC METAL SYRINGE



Comfortable handle. Administers a variety of vaccines. Easy to clean and maintain. Fixed settings for ease and speed of use.

Reference	Description	Barcode
110013050	50 ml	3700393915031 
110013025	25 ml	3700393915093 



TRIPLE EDGE NEEDLES

Luer Lock hub. Triple edge sharpening ensures better penetration. Box of 12 needles.

Reference	Description	Barcode
110180	Length: 10 mm. Diameter: 8	3338020008445
110190	Length: 10 mm. Diameter: 10	3338020008452
110190008	Length: 8 mm. Diameter: 10	3338020061501
110200	Length: 15 mm. Diameter: 10	3338020008469
110201	Length: 20 mm. Diameter: 10	3338020008476
110201025	Length: 25 mm. Diameter: 10	3338020061532
110201030	Length: 30 mm. Diameter: 10	3338020061549
110202040	Length: 40 mm. Diameter: 12	3338020061648
110205	Length: 15 mm. Diameter: 13	3338020008483
110205013	Length: 13 mm. Diameter: 13	3338020061662
110207	Length: 15 mm. Diameter: 15	3338020008490
110207010	Length: 10 mm. Diameter: 15	3338020061679
110210	Length: 20 mm. Diameter: 13	3338020008506
110215	Length: 20 mm. Diameter: 15	3338020008513



Reference	Description	Barcode
110216	Length: 25 mm. Diameter: 15	3338020008520
110217	Length: 25 mm. Diameter: 13	3338020008537
110218	Length: 25 mm. Diameter: 20	3338020008544
110220	Length: 30 mm. Diameter: 13	3338020008551
110221	Length: 30 mm. Diameter: 15	3338020008568
110225	Length: 40 mm. Diameter: 15	3338020008575
110230	Length: 50 mm. Diameter: 15	3338020008582
110247	Length: 15 mm. Diameter: 20	3338020008599
110250	Length: 20 mm. Diameter: 20	3338020008605
110255	Length: 30 mm. Diameter: 20	3338020008612
110260	Length: 40 mm. Diameter: 20	3338020008629
110265	Length: 50 mm. Diameter: 20	3338020008636
110270	Length: 60 mm. Diameter: 20	3338020008643

DELVO VETERINARY NEEDLES

High quality veterinary needles. Triple bevel sharpening. LUER LOCK hub. Box of 12 needles.

Reference	Description	Barcode
110300	Length: 10 mm. Diameter: 10 mm	3338020039142
110301	Length: 15 mm. Diameter: 10 mm	3338020039159
110305	Length: 10 mm. Diameter: 15 mm	3338020039166
110307	Length: 15 mm. Diameter: 15 mm	3338020039173
110315	Length: 20 mm. Diameter: 15 mm	3338020039180
110321	Length: 30 mm. Diameter: 15 mm	3338020039197
110347	Length: 15 mm. Diameter: 20 mm	3338020042401
110350	Length: 20 mm. Diameter: 20 mm	3338020039210
110355	Length: 30 mm. Diameter: 20 mm	3338020039227
110360	Length: 40 mm. Diameter: 20 mm	3338020039234
110365	Length: 50 mm. Diameter: 20 mm	3338020039241



VACCINATION AND DRENCHING | Accessories



INTRAVENOUS SET

Allows perfusion for intravenous treatment. Rehydration fluid, minerals, glucose, etc.

Reference	Description	Barcode	
110600	Silicone	3700393915031	
110601	PVC	3700393915093	

For a longevity of the equipment, it is essential to clean and rinse after use. Then oil the barrel and the piston with vaseline oil.



VASELINE OIL

UKAL

Lubrication of materials and various equipments. Jelly oil is essential for the operation of the syringes and the clipper. Non toxic. Doesn't irritate the skin.

Reference	Description	Barcode	
110039	50 ml	3700393915031	
100141	100 ml	3700393915093	



WEIGHTBAND KAMER

KAMER

For an approximate evaluation of the weight in kg of living animals. Not allowed for commercial transactions. **Customisation available on request.**

Reference	Description	Barcode	
129040		3700393915093	






UKAL

—


HEATING

130 HEATING

HEATING



3 fils



3 wires





2 fils



INFRARED PROTECTORS - 250 W

interHeat


Infrared protector, model meets CE standards and the French standard IPX4 (guaranteeing its compliance with sprinkling tests of electrical equipment). Usable with IR lamps from **100 to 250 W** and quartz reflectors. Ideal for keeping your chicks, calves, piglets and other animals warm under all circumstances. Delivered with attachment chain. 3 wires. Screwed sockets E27. Meets CE standards. 2 cable lengths available. Box of 10.

Reference	Description	Barcode	
116602	Simple infrared protector 5m of cable	8809078175014	
116602001	Simple infrared protector 2.5m of cable. Unassembled	8809078174017	

INFRARED PROTECTOR WITH DIMMER SWITCH - 250 W

interHeat









Infrared protector, model meets CE standards and the French standard IPX4 (guaranteeing its compliance with sprinkling tests of electrical equipment). Usable with IR bulbs from **100 to 250 W**. Ideal for chicks, lambs, piglets etc. Delivered with attachment chain. 3 wires. E27 screw socket. Meets CE standards. Equipped with a dimmer switch and 5m cable. Box of 10.

Reference	Description	Barcode	
116601	IR protector with dimmer switch 5 m of cable	8809078175021	

IR LAMP INTERHEAT

interHeat

Experience shows that their life expectancy is greater than traditional infrared light bulbs. Infrared heating bulb, **captive screw base**, guaranteed for life. Provides a regular warmth and improves the conditions of breeding for young animals. Available in PAR glass.

Reference	Description	Barcode	
116622150R	IR lamp red Interheat - 150 W by 2	8809078172068	
116622175B	IR lamp red Interheat - 175 W by 2	8809078172075	
116622175R	IR lamp red Interheat - 175 W by 2	8809078172082	
116622250B	IR lamp red Interheat - 250 W by 2	8809078172099	
116622250R	IR lamp red Interheat - 250 W by 2	8809078172105	
116623100R	IR/PAR lamp screw red Interheat for energy saving - 100 W by 2	8809078176028	
116623175B	IR/PAR lamp screw red Interheat for energy saving - 175W by 2	8809078176035	
116623175R	IR/PAR lamp screw red Interheat for energy saving - 175 W by 2	8809078176042	

IR PROTECTOR IPX4 - 175 W

Aluminium lamp holder. Cable length: 2,5m. Chain length: 2m. This infrared protector meets CE standards. **For lamps up to 175 W**. Delivered in a box, unassembled.

Reference	Description	Barcode	
116605	IR protector	3275970068689	
116605001	IR protector with dimmer switch	3275970068696	





IR PROTECTOR IPX4 - 250W

With ventilation slots for optimum air circulation. For normal or energy-saving infrared lamps up to **250 Watts**.

Aluminium protection cage ø 21 cm with galvanised grid.

Supplied with 2 m galvanised chain and ceiling hook (minimum suspension capacity 20 kg) GS/CE approved for more safety.

Conforms to EN standard Splashproof (IPX4) with safety insulation E27 cap with silicone gasket.

Reference	Description	Barcode	
116610	IR protection 2,5 m - 175 W	3700393923128	
116610001	IR protection 2,5 m - 175 W with dimmer switch	3700393923135	
116611	IR protection 5 m - 175 W	4014803326676	
116611001	IR protection 5 m - 175 W with dimmer switch	3700393923142	

IR PROTECTOR IPX4 - 175 W










For normal or energy-saving infrared lamps with a maximum output of **175 Watts**. Rubber cord.

Reference	Description	Barcode	
116613	IR protection 5 m - 175 W	3700393923104	
116613001	IR protection 5 m - 175 W with dimmer switch	3700393923111	

PHILIPS IR LIGHT BULB

PHILIPS

Incandescent infrared Philips reflector lamps are designed for the toughest environments: farms, bathrooms, kitchens. They offer a reinforced structure through the use of hard glass. Their compact form and base of universal cowlings allows them to be used with any adaptive equipment. Thermal lamps are a great way to produce warmth. They provide direct warmth without draught to animals, people and food. Tungsten filament lamps for instant response, with an average lifetime of 5,000 hours. Available in classic or PAR glass.

Reference	Description	Barcode	
116400100C	Philips IR light bulb 100 W - white	8711500493453	
116400150C	Philips IR light bulb 150 W - white	8711500575227	
116400150R	Philips IR light bulb 150 W - red	8711500575203	
116400250C	Philips IR light bulb 250 W - white	8711500575234	
116400250R	Philips IR light bulb 250 W - red	8711500575210	
116401100C	Philips IR light bulb 100 W - PAR - white	8711500128935	
116401100R	Philips IR light bulb 100 W - PAR - red	8711500128911	
116401175C	Philips IR light bulb 175 W - PAR - white	8711500128959	
116401175R	Philips IR light bulb 175 W - PAR - red	8711500128980	

90%

Advantages

- 90% of the energy is redistributed in infrared.
- Average lifetime of 5,000 hours.
- Instantly controllable radiant heat.
- Easy installation.



This image shows a single page of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**LIGHT BULB
INFRARED
HORIZONT
AVAILABLE IN 2022**



HYGIENE AND PROTECTION OF THE BREEDER

- 134 **Gloves**
- 136 **Protection**
- 139 **Hygiene**
- 141 **Boots**



NEW



EXAMINATION GLOVES WITH SHOULDER PROTECTION

Single-use examination glove. Covers the shoulder and armpit for a better fit. Does not slip down the arm. 100 % polyethylene, very resistant. Comes in a handy dispenser box. CE standard. Box of 50 pcs.

Reference	Description	Barcode
101119001	100 cm	3700393922930



5 FINGER ORANGE CALVING GLOVES

92 cm (35.5"). CE standards: EN 374-1 (1994) and EN 420 (1994). One size.

Reference	Description	Barcode
101117100	Box of 100	3338020057351 



CALVING GLOVES

90 cm (35.5"). CE standard. Bag of 50. 28 microns.

Reference	Description	Barcode
101120	Bag of 50	3338020001163  



POLYETHYLEN CALVING GLOVES

These gloves protect against micro-organisms in accordance with directive 89/686/ECC on personal protective equipment. Single use only. For search, calving and autopsy. 90 cm (35.5"). CE standard. Box of 100. The most resistant! 28 microns.

Reference	Description	Barcode
101116	Box of 100	3338020001149 



SEPTICARE CALVING GLOVES









87 cm (34.3"). Thin but strong. These gloves provide protection against micro-organisms in accordance with directive 89/686/EEC on personal protective equipment. Box of 100. 20 microns. Best quality-price ratio.

Reference	Description	Barcode
101121	Box of 100	3700393960963 



NITRILE GLOVES

Nitrile gloves are flexible and ideal for the animal care. Available in different sizes. Rolled edges. Ambidextrous. **Powder free.** No latex. In accordance with 93/42/EEC and 89/686/EEC.

Reference	Description	Barcode
101115301	M / Box of 100 / Blue	3700636910175 
101115302	L / Box of 100 / Blue	3700636910168 
101115303	XL / Box of 100 / Blue	3700636910199 
101115402	M / Box of 100 / Black	3700636910694 
101115403	L / Box of 100 / Black	3700636910700 
101115404	XL / Box of 100 / Black	3700636910717 

VINYL GLOVES



Vinyl gloves are very thin, flexible and very robust. Available in different sizes. Rolled edges. Ambidextrous. **Powdered.** No latex. Compliant with NF EN 455-1 and 2.

Reference	Description	Barcode
101115001	M / Box of 100	3700636910274 
101115002	L / Box of 100	3700636910267 
101115003	XL / Box of 100	3700636910298 



LATEX GLOVES

Latex gloves are soft and ideal for the animal care. Available in different sizes. Rolled edges. Ambidextrous. **Powdered with corn starch.** Compliant with 93/42/EEC and 89/686/EEC.

Reference	Description	Barcode
101115101	M / Box of 100	3700636910489 
101115002	L / Box of 100	3700636910472 
101115003	XL / Box of 100	3700636910502 



DID YOU KNOW?

Latex gloves, made of natural rubber, are the most used for their excellent property of elasticity and resistance to chemicals. They allow precise movements and great dexterity through a flexible and thin material.

Vinyl gloves are less elastic than latex or nitrile. They should not be used in case of exposure to chemicals. The advantage of this material is that fewer users are allergic. Vinyl contains no vulcanization accelerator, and is resistant to punctures and cuts.

Nitrile gloves are an alternative to latex gloves, they have high resistance and good protection against chemicals and bacteria. These gloves are suitable for individuals with latex allergies.



VISITOR'S KIT

Practical, complete and compact. The visitor kit includes a gown, overboots; a mask and a hairnet. Ideal for all livestock farms visits. **For single use only.**

Reference	Description	Barcode
101115900	Sold singly	3338020054930



BLUE HAIRNET

Blue mob cap in polypropylene. Latex free elastic. Diameter 48 cm. **For single use only.**

Reference	Description	Barcode
101115800	By 100	3700393963179



DUST MASK

Metal nose clips to fit individual facial contours. Does not impair breathing, voice and vision. Prevents the risk of saliva projection.

Reference	Description	Barcode
129115	Supplied by 5	3338025161213 



DISPOSABLE OVERBOOTS




Polyethylene overboots with elastic for a better hold. Supplied in a bag of 25 pairs. **For single use only.**

Reference	Description	Barcode
101140	By 25	5703188220103



DISPOSABLE OVERALLS

Zip fastening. With hood but without overshoes. **For single use only.**

Reference	Description	Barcode	
101115912V	L	3338020066193	
101115913V	XL	3221170003579	
101115914V	XXL	3338020077830	



BLUE DISPOSABLE OVERALLS



Zip fastening. With hood but without overshoes. Blue. **For single use only.**

Reference	Description	Barcode
101115917	L	3221170001513
101115915	XL	3700393961960



CALVING GOWN

Cotton coated with PU. Resistant to common cleaning agent. Available in navy blue. Used in the food processing industry. Back fixation with a stainless steel hook and elastic. Diameter: 13 mm. Thickness: 500 microns.

Reference	Description	Barcode	
101121010	M	3494410007532	
101121011	L	3494410007556	



UKAL



HYGIENE AND PROTECTION OF THE BREEDER | Protection



DAIRY APRON

UKAL

Very appreciated by the breeder! Resistant ! With neck strap, closing stainless steel hook in the back with elastic. Can be used with liquid up to 50°C. Thickness : 350 microns. 475 gr/m². Dimensions 90 x 115 cm.

Reference	Description	Barcode
124080001	White	3494410007792 

DID YOU KNOW?

Cleaning is done by washing with water at 30 ° C maximum, added a neutral disinfectant without acid, followed by a water rinse Claire. The apron must be extended for drying without spinning. The apron should be stored dry and must be changed as soon as the leaf presents signs of wear.



DAIRY APRON

UKAL

Polyurethane. Adjustable neck strap. Back closing by stainless steel hook and elastic. Can be used with liquid up to 60°C. Thickness 500 microns. 380 gr/m². Dimensions: 90 x 115 cm.

Reference	Description	Barcode
124080010	Blue	3494410007549 



NEOPRENE PROTECTION SLEEVES



Waterproof protective dairy sleeves. They keep your forearms warm, dry and also protected. They are made from quality 3 mm neoprene. Simply pull them on over your wrist and take them off when you want! Can be used in farms, dairy farming and also gardening. In pairs.

Reference	Description	Barcode
124087100	M	3700393914980 
124087200	L	3700393914997
124087300	XL	3700393915024
124087400	XXL	3700393915017



DAIRY SLEEVES

Blue polyurethane dairy sleeves with wrist and forearm tightening. Neoprene at the wrists and elastic at the biceps. Resistant to common cleaning products.

Reference	Description	Barcode
124086002	By 2 / 40 cm	3494410014233 



EUTRA HAND AND BODY CREAM NATURA

EUTRA

Dermatologically tested body care, **98% of ingredients from natural origin**: Grape seed oil, Tahitian Monoï appellation of origin, beeswax, without dye, without preservative. Non-irritating, natural milking grease 150 ml, moisturizing care, emollient and protector of dry and damaged skin. Made in France.

Reference	Description	Barcode
112505140	150 ml	4012113051578



EUTRA HAND AND BODY CREAM

EUTRA

Eutra Cream 150 ml, moisturizing, emollient and **protector of dry and damaged skin**. Milking fat hypoallergenic formula, without fragrance, without dye, without preservative. Non-Irritating and dermatologically tested, Made in France.

Reference	Description	Barcode
112505150	150 ml	4012113500083



NEW

PROFESSIONNALL DETERGENT




UKAL

99,5 % of Natural ingredients. Detergent containing traditional Marseilles soap. Sulphate-free detergent made with Marseilles soap flakes and 100 % plant oils. Highly concentrated, it is suitable for all kinds of fabrics for machine and hand washing at 30°C. Hypoallergenic, formulated without fragrance to protect sensitive skin. **For professional use.**

Reference	Description	Barcode
850005	5 L	3700393901027
850010	10 L - BIB - Bag in box	3700393926402



Non contractual picture




SEPTICARE HOOFMAT



Small and top class model. The whole hoof treated due to the thickness of the mat. Capacity: 21 liters.

Reference	Description	Barcode
113100002	Small size. Dimensions: 90 x 60 x 4 cm	3338020063000



BOOT CLEANER

KAMER

In order to ensure hygienic working conditions, you must start with caring for your boots. Cleans effortlessly. Stainless steel. Automatic. The brush is triggered as soon as the boot is put on. Delivered assembled.

Reference	Description	Barcode
132910005	5 brushes	3338020064649



NEW

BOOTS REMOVER

Plastic boot remover with anti-slip ridge for extra grip. One size fits all.

Reference	Description	Barcode
130E910698	Black	3338025014618

NEW

04 LEISURE POLYURETHANE BOOTS



These polyurethane boots are twice as durable as rubber. They offer a high level of comfort thanks to their ergonomic sole and upper. A support provides ankle protection. Easy to clean and disinfect. A cutting line is drawn to allow them to be shortened cleanly.

Reference	Description	Barcode	
131610036	Size: 36/37	5902855321000	
131610038	Size: 38/39	5902855321024	
131610040	Size: 40/41	5902855321048	
131610042	Size: 42	5902855321062	
131610043	Size: 43	5902855321079	
131610044	Size: 44	5902855321086	
131610045	Size: 45	5902855321093	
131610046	Size: 46	5902855321109	
131610047	Size: 47/48	5902855321116	
131610049	Size: 49/50	5902855321123	



FIND OUR
VIDEO
ON YOUTUBE



S4 SAFETY POLYURETHANE BOOTS



S4 safety boots equipped with a **steel toe cap** (high resistance 200 J). These polyurethane boots are twice as durable as rubber. They offer a high level of comfort thanks to their ergonomic sole and upper. A support provides ankle protection. Easy to clean and disinfect. A cutting line is drawn to allow them to be shortened cleanly. Recommended for agriculture, forestry, animal husbandry, mining, construction work.

Reference	Description	Barcode	
131710036	Size: 36/37	5902855322007	
131710038	Size: 38/39	5902855322021	
131710040	Size: 40/41	5902855322045	
131710042	Size: 42	5902855322069	
131710043	Size: 43	5902855322076	
131710044	Size: 44	5902855322083	
131710045	Size: 45	5902855322090	
131710046	Size: 46	5902855322106	
131710047	Size: 47/48	5902855322113	
131710049	Size: 49/50	5902855322120	



S5 SAFETY POLYURETHANE BOOTS



S5 safety boots equipped with a **steel toe cap** (high resistance 200 J) and an anti-penetration **sole** (resistance to 1100 N). These polyurethane boots are twice as durable as rubber. They offer a high level of comfort thanks to their ergonomic sole and upper. A support provides ankle protection. Easy to clean and disinfect. A cutting line is drawn to allow them to be shortened cleanly. Recommended for agriculture, forestry, animal husbandry, mining, construction work.

Reference	Description	Barcode	
131501037	Size: 36/37	5902855134006	
131501039	Size: 38/39	5902855134020	
131501041	Size: 40/41	5902855134044	
131501042	Size: 42	5902855134068	
131501043	Size: 43	5902855134075	
131501044	Size: 44	5902855134082	
131501045	Size: 45	5902855134099	
131501046	Size: 46	5902855134105	
131501048	Size: 47/48	5902855134112	
131501050	Size: 49/50	5902855134129	



NOTES

[illegible]



FARM EQUIPMENT

- 144 **Drinkers**
- 149 **Smart Farming**
- 154 **Feeders**
- 156 **Hay Racks**
- 157 **Brooms**
- 159 **Forks**
- 161 **Shovels**
- 164 **Scrapers**
- 166 **Shafts**
- 167 **Cleaning**
- 168 **Scales**
- 170 **Thermometers**
- 172 **Hooks**
- 176 **Sprayers**



MEADOW PUMP KIT WITH SOLAR PANEL 60 W

Hotline
Electric Fencing



The complete meadow pump kit allows you to supply water to your pasture tank, avoiding water contamination by animal excrements but also stopping erosion of river and stream banks by cattle. An easy, reliable and autonomous way to provide water to livestock when watercourses are fenced off. This maintains water quality at a high level and preserves the healthy growth of local flora and fauna.

The complete prairie pump kit includes:

- 1 control box with compartment for 12V battery. BATTERY NOT INCLUDED.
- 1 30 m hose with submersible pump
- 1 float switch
- 1 solar panel 60W INCLUDED

Its solar panel provides constant autonomy for this meadow pump kit. The polypropylene battery compartment is very weather resistant and can hold a 12V/85 Ah battery (not included). For optimal operation of your meadow pump, we recommend the use of an 85 Ah battery. Farmers increasingly need to keep their livestock away from waterways. The European Water Framework Directive (WFD) establishes a framework for the protection of inland waters, transitional waters (estuaries), coastal waters and groundwater. River fencing provides protection against bank erosion. Solar battery-powered meadow pump kits can be integrated into all common drinking troughs. The solar pump provides the animals with their water needs without having to change or recharge the battery (depending on storage density, weather conditions, etc.). These kits are simple 12 V pumping systems based on water pump technology to allow the transfer of large quantities of water. The kit is equipped with a float that activates the submersible pump when the water level drops. The pump is connected to a 30 m long hose that leads directly from the water source to the tank. The set is powered by a 12 V battery (not included in the kit) located in a weatherproof housing. We recommend an 85 Ah battery. The water requirements of the animals are very different and are influenced by temperature, humidity and type of feed, among other things. The majority of grazing animals are herd animals and want to drink together, so the size of the drinking trough should allow for this. By increasing the height, the pumping capacity is reduced. At a height of 10 m the pump is running at about 65% of its maximum performance. The charging times of the solar energy vary according to the weather conditions. Keep in mind that in summer the water needs of the animals increase. The water requirements are indicative. Make sure to follow the instructions for use.

Reference	Description	Barcode
119150	Meadow pump kit with solar panel	3700393920660



FIND OUR
VIDEO ON
YOUTUBE



MEADOW PUMP KIT WITH HOSE AND FLOAT

Hotline
Electric Fencing

The complete Meadow pump kit includes: 1 control box with compartment for 12 V battery (battery not included), 1 30 m hose with submersible pump, 1 float switch.

Reference	Description	Barcode
119150001	Meadow pump kit with hose and float	5021385008400



SOLAR PANEL 60 W WITH SUPPORT

This 60 W solar panel with support is suitable for the meadow pump kit. This element allows to gain autonomy and to ensure a permanent water supply in the pasture tank. A real economic gain! Highly efficient crystalline solar module. Adjustable aluminium support. Developed for connection to the meadow pump kit - without charge controller. Use the power of the sun - for a clean water supply for your animals in the pastures! The 60-watt solar module is equipped with highly efficient crystalline solar cells and therefore uses the sun's energy even in low light conditions. It is used in combination with the meadow pump kit and thus guarantees independent watering on the pasture. This solar module allows you to reliably supply your animals with fresh water even without a power supply. By using solar energy, you are independent and environmentally friendly. The adjustable aluminium bracket is included in the purchase of the solar module without charge controller and allows a quick and easy installation of the panel.

Reference	Description	Barcode
119150002	Solar panel 60 W with support	5021385009971



BATTERY 85 AH FOR MEADOW PUMP

Battery 85Ah ideal for meadow pump. Ready to use.

Reference	Description	Barcode
119150004	Battery 85 Ah for meadow pump	4250227511414



PASTURE DRINKER "POLYPUMP"

For water delivery out of wells and surface waters. For up to 15 animals. Modern design combined with extreme durability. Drinking bowl made of plastic and upper part made of cast aluminium. Smooth-running thru perfect lever transmission.

- Weight approx. 12 kg
- Special membrane for suction depths up to 7 m
- 1" connection for pipes and pasture tubes
- Cleaning and draining plug for fast and easy cleaning.

Reference	Description	Barcode
119140	Plastic and aluminium	3700231904302



AUTOMATIC WATER PUMP

The solar and battery pump sets **can be integrated into all common water troughs**. This eliminates the need to train the animals as with conventional pasture pumps. The solar pump set supplies animal groups with their water requirements **without having to change or charge the battery** (depending on stocking density, forage basis, weather, etc.).

KIT COMPOSITION **horizont**

RÉF. 119150001


- ① Control box and battery compartment
BATTERY NOT INCLUDED
- ② 30 m hose with its submersible pump
- ③ Float switch



This meadow kit must be powered by a sufficient capacity battery and a solar panel. We highly recommend those complementary products to guarantee the good use of the equipment:



60 W solar pannel
RÉF. 119150002



Battery 85 Aah
RÉF. 119150004




QUICK AND EASY TO INSTALL

Water requirements vary considerably depending on livestock, outside temperatures, humidity, humidity, etc. and the source of supply. The majority of grazing animals The water requirements for the animals are very different and are influenced by temperature, humidity and type of feed, among other things. Always bear this in mind. The majority of grazing animals are herd animals and want to drink together, so the trough size should allow this

Supply based on 4 hours of operation/day at pressure level 2 with the use of an 85ah battery and a 60W panel **in summer conditions**.

	Cattles < 200kg	Cattles > 400kg	Dry cows	Beef cattle	Dairy cow	Horses	Sheeps
Need of water	35 L	50 L	50 L	80 L	200 L	50 L	5 L
Number of animals	until 35	until 25	until 25	until 15	until 10	until 25	until 200

Depth (in meters)	0	1	2	3	4	5	10
Outlet flow rate (litres per hour)	320	305	300	285	275	265	210



UKAL
Le monde de l'élevage

Distributed by UKAL ELEVAGE
www.ukal-elevage.com





IDEAL DRINKING BOWL MODEL 61

Enameled cast bowl made of cast iron. Smoothly running pipe valve for a calm water flow. ½" water supply from the top or the bottom. For pipe or wall mounting. 4-hole fixation. Approximate water flow quantity of 6 l/min (at 5 bar water pressure).

Reference	Description	Barcode
119160	Cast iron	4025338000245



PLASTIC DRINKING BOWL MODEL 10P

High quality plastic drinking bowl. Smoothly running pipe valve for a calm water flow ½" water supply from the top. For pipe or wall mounting. 2-hole fixation. Approximate water flow quantity of 6.5 l/min (at 5 bar water pressure).

Reference	Description	Barcode
119170	Plastic	4025338000085



FLOATER DRINKING BOWL

Solid plastic bowl and cover. With resistant float valve. ½" water supply from on the side. Easy adjustment of water level. Approximate water flow quantity of 10 l/min (at 5 bar water flow).

Reference	Description	Barcode
119165	Plastic	4014803346391



DRINKING BOWL WITH PIPE VALVE

Double powder coated bowl made of cast iron. Smoothly running pipe valve for a calm water flow. ½" water supply from the top or the bottom. For pipe and wall mounting. 4-hole fixation. Approximate water flow quantity of 12 l/min (at 5 bar water flow).

Reference	Description	Barcode
119180	Cast iron	4014803301888



XL



FLOATER DRINKING BOWL

Solid plastic bowl and cover. With resistant float valve. ½" water supply from on the side. Easy adjustment of water level. Approximate water flow quantity of 10 l/min (at 5 bar water flow).

Reference	Description	Barcode
119185	Plastic	4014803343253



DRINKING BOWL WITH PRESSURE TONGUE

Double powder coated bowl made of cast iron. Exchangeable brass valve. ½" water supply from the top or the bottom. For pipe and wall mounting. 4-hole fixation. Approximate water flow quantity of 8-10 l (at 5 bar water flow).

Reference	Description	Barcode
119190	Cast iron - stainless steel tongue	4014803312006
119195	Cast iron	4014803312013



LIGHT GREEN EPOXY BUCKET 12 L

Galvanized + epoxy coating With spout.

Reference	Description	Barcode
120003013	Light green	3700393914928



ALUMINIUM BUCKET 12 L

With spout.

Reference	Description	Barcode
120003012	12 L	3338020056392



GREEN PLASTIC BUCKET

Plastic. Extremely durable and shatterproof due to the high wall thickness. Extra stable handle for everyday use. With inner scal.

Reference	Description	Barcode
122016	7 L	4014803343802
122020	12 L	4014803343819
122021	17 L	4014803343826

LUDA FARM

Luda.Farm provides farmers across the world with innovative products and services that make everyday work easier, safer and more efficient. By working closely with farmers and listening to their needs, Luda.Farm helps provide easy access to the incoming digital revolution of the industry. With 10 years of experience developing farm monitoring technology, Luda.Farm delivers user-friendly, Internet-enabled solutions to the farming industry. The company goal is to remain a leader in innovation and to continually develop new products that are easy to install and use.



NEW

CAMERA FARMCAM 360°


LUDA FARM

FarmCam 360 is a mobile surveillance camera for both indoor and outdoor use that can cover 360 degrees and be used even where you don't have access to power. Built-in battery and the ability to connect to a solar panel gives you a monitoring solution in Full HD regardless of power supply. The FarmCam 360 comes as a complete kit with everything you need included:

- Weatherproof camera (IP65) with antenna and built-in rechargeable battery.
- Luda.Farm wall/ceiling mount (including screws and a screw template).
- Weatherproof IP44 mains adapter (cable length 5 m).
- 16 GB Micro SD memory card.
- Free access to the app and PC/Mac Software "FarmCam 2.0".
- Reset needle (for resetting the camera if needed).
- Warning sign "Camera Surveillance".
- Easy operating instructions in English (manual + online video tutorials).
- A 3-year warranty (with online registration).

Reference	Description	Barcode
LUD1110	 Camera FarmCam 360°	7350030455060
LUD1091	 Solar Panel	7350030454773



 farmCam 360



FARM CAM IP2

LUDA FARM

FarmCam IP2 is a smart camera specially developed for farming. FarmCam IP2 is the first smart camera, designed to work with the platform. Delivering stunning HD video wirelessly to your phone, tablet, or computer, FarmCam IP2 packs an impressive range of features. Rugged, water-resistant design, motion detection and night vision, FarmCam IP2 is made for life on a farm. FarmCamIP2 can send alarms and notifications to the farmer, co-workers, and neighbours when it spots suspicious movement outside of normal working hours.

Key benefits:

- FullHD 1920 pixels
- Watch live video in the MyLuda.Farm app on your phone, tablet, or computer
- Connects through WiFi and installation takes just 10 minutes
- Motion detection alarms sent to farmer, co-workers, or neighbours
- Rugged, water-resistant design (IP66) and a 3-year warranty with online registration
- The safety of knowing that your cameras watch your farm 24/7.

Reference	Description	Barcode
LUD1075	Farm Cam IP2	7350030453820



* with subscription on the website www.luda.farm



* with subscription on the website www.luda.farm

CAMÉRA FARMCAM HD

LUDA FARM

A wireless camera system that works out of the box - interference-free, instant high-quality video transmission, and installation takes minutes. View the video on screen, or connect to your internet connection to view video on your smartphone, tablet or computer through the FarmCam app. Check in on your animals from the cab of your harvester, record* movement around your parked machines, or view the feed troughs from your own breakfast table. **Connect up to 4 cameras, view and zoom on your screen, or watch all 4 cameras** at the same time in split screen view. The FarmCam app makes it easy to switch between different camera views or get an overview of several cameras. With night-vision, FarmCam monitors your farm both day and night. The camera features motion-detection, records* both video and sound, and can send notifications and alarms directly to your email if it detects movement outside your working hours. Rugged design, built to last, water-resistant, and comes with a 3-year warranty**. **THE COMPLETE VIDEO MONITORING SOLUTION FOR FARMERS.**

- Complete camera system High-quality video • Wireless that works! (max. range 1250 m) • View on screen or through the FarmCam app on your smartphone, tablet, or computer • Connect up to 4 cameras • Motion detection and night-vision • Alarms and notifications directly to your email • Recording • Sound • Rugged, water-resistant design (IP66)

INCLUDED IN THE BOX:

- 1 FarmCam HD Camera (full HD 1080- IP66) incl., Long range Antenna with wall mount with screws, Antenna Coaxial Cable 9m, Power adapter (IP44) 12V, 1A, Power adapter cable 18 m.
- 1 Video Box (NVR) for FarmCam HD incl., Internal Drive (HDD) 500GB, HDMI cable for TV or PC, 2 m, Indoor power adapter 12 V, 1 A, USB Mouse, Router cable (Ethernet) 2 m, Long range Antenna with wall mount with screws.
- Extras: 3 Indoor antennas, for short range, 1 extra antenna Coaxial Cable extender 9 m.

Reference	Description	Barcode
LUD1073	Farm Cam HD	7350030453806

ADDITIONAL FARMCAM HD KIT - LUDA FARM

The kit contains: FarmCam HD Camera, long range antenna with wall bracket and screws, 9m coaxial antenna cable, adapter (IP44) 12 V, 18 m power cable, indoor antenna, short throw, retractable tube.

Reference	Description	Barcode
LUD1074	Additionnal camera for FARMCAM HD	7350030453813



Perfect
for TV
and computer
(no internet
access)

FARM CAM MOBILITY 4G

LUDA FARM

Through its 3G/4G connection and rechargeable battery you can place FarmCam Mobility wherever there is mobile network coverage. Works Anywhere – Anytime. FarmCam Mobility is the perfect surveillance solution in places where you don't have power or Wi-Fi connection. Thanks to the rechargeable battery and SIM-card, you can monitor your property, machines, animals, etc. in remote areas. As long as you have mobile network coverage, you can setup the camera wherever you need it. Used together with the SolarCharger FCM you will not even have to think about recharging the battery. In other words, a truly mobile surveillance camera. The Smart Motion Sensor will register and record activities that appears in front of the camera. When the camera registers an activity, you will be informed through a notification in your smartphone or by e-mail. By distinguishing warm objects from tree branches that move in the wind, rain, flies, etc. the Smart Motion Sensor eliminates false alarms and ensures you are alerted to genuine situations. Other useful features that come with the camera are Zoom, Night Vision, Alarm and Two-Way Audio (mic/speaker). If the camera detects trespassers, you can act by talking to them directly or scare them off by triggering the Alarm function of the camera.

Features:

- Use it wherever you have 3G/4G network coverage.
- Rechargeable battery, lasting up to 2 months depending on usage.
- SIM-card that automatically chooses the strongest network included. No settings needed: just Plug-n-Play.
- Rain/sun, day/night - place the camera wherever you want without worrying about the weather.
- Smart heat and movement sensor ensures you are alerted to genuine situations and eliminates false alarms.
- SD-card included for recording of motion events which you access through the FarmCam 2.0 App in your smartphone
- Built-in microphone & speaker allows you to listen to what's going on and talk back.
- True 1080p (1920*1080) gives you clear and sharp images/videos, day and night.
- Built-in speaker can trigger when motion is detected to discourage unwanted visitors.
- Allows you to trigger your SmartPlug* when motion is detected.
- 3 Year Warranty, subject to registration on the Luda Farm website.

Reference	Description	Barcode
LUD1086	Farm Cam Mobility 4G	7350030454636
LUD1091	Luda SolarCharger FCM	7350030454773



Panneau Solaire pour LUDA FARMCAM MOBILITY 4G et 360



MACHINE CAM MOBILITY HD

LUDA FARM

NEW HD VERSION

The Machine Cam Mobility HD camera accompanies you throughout your working day with its new larger and better quality screen! Machine Cam Mobility HD is a truly portable technology: it can be carried like your smartphone. You now have a single video surveillance system per operator, instead of several cameras on different machines. The camera and battery are attached to the machine with powerful magnets. You don't have to worry, the whole thing won't fall down or move around. Moving it from one machine to another takes only a few seconds.

The Machine Cam Mobility HD comes in a sturdy case that's easy to carry, you'll find:

- The camera monitor with its HD screen + a monitor stand
- One USB power cable + one 12V IGC adapter
- Camera power cable
- PowerBank 8700 + one charger
- The Powerbank allows the camera to operate for 15 hours with a charging time of 4 hours. At the end of the day, plug in and charge the PowerBank battery directly from the case.
- The Machine Cam Mobility HD transmits video without interference via Wi-Fi.
- The camera and battery are waterproof, IP69K rated.

3-year warranty* (*Subject to product registration on LudaFarm website). Translated with www.DeepL.com/Translator (free version). Need help choosing your camera? Let us help you by consulting <https://ludafarm.typeform.com>.

Reference	Description	Barcode
LUD1096	Machine Cam Mobility HD	7350030454858
LUD1045	Additional camera	7350030452977
LUD1064	POWERBANK LUDA GM battery	7350030453745
LUD1084	POWERBANK LUDA PM battery	7350030454476



POWERBANK LUDA GM battery

Additional camera

LUDA FENCE ALARM

LUDA FARM

Luda.Fence is a fence guard that displays the voltage level of your electric fence right on your phone and warns you if the voltage suddenly drops. Luda.Fence can be used in any location with GSM coverage.

Using your phone, you can now monitor your fence 24/7 year round. With the Alarm+ option, you will receive an alarm immediately in case the voltage drops in addition to a convenient voltage graph to help you determine whether the voltage drop is due to animals or shrubs/rain.

These features are grouped in the same app as your other Smart Farming products to provide an instant overview of key areas on the farm right on your mobile phone. When combined with Luda.SmartPlug*, you can also switch the power to your fence on and off without having to go to the power supply when it is time for maintenance. [*SmartPlug requires an IP 20 protected environment.]

Included in package: Luda.Fence fence guard, 220 V outdoor charger, Ground pin, 12 V outdoor charger, Fence clamp, Earth clamp, 3-year warranty

1. Luda.Fence can be connected at any point on your existing fence. The unit can be powered for 2 months with the rechargeable battery, or it can be constantly supplied with 220 V or 12 V.
2. The voltage is measured by connecting the red fence clamp to the fence and the green ground clamp to the ground pin.
3. The voltage level of the fence is sent to My.Luda.Farm through the built-in SIM card, which always selects the operator with the strongest signal (i.e. operator-independent).
4. You can check the fence status on your mobile whenever you want without having to physically visit the fence in the field to measure the voltage. Alarm+ warns you immediately if the fence voltage drops and it also gives you access to the handy Fence Voltage Graph. If the unit does not report for 48 hours or if the battery level becomes too low, you will automatically receive a notification from My.Luda.Farm on your mobile phone. There is no monthly fee for checking the most recently measured voltage (updated every 48 hours).

For enhanced functionality, Alarm+ is also available as described below. A 12 months trial of Alarm+ is included. **Subscription not included.**



Reference	Description	Barcode
LUD1072	Luda Fence	7350030453790

LUDA FARM SOLAR CHARGER

LUDA FARM

Luda.SolarCharger 3W - The solar panel that charges the battery for you! With the solar panel SolarCharger 3W connected to your FenceAlarm your battery will always be fully charged. This means that you no longer have to mount down and bring home your FenceAlarm unit for charging. Why not save time and energy using the sun rays? Natural energy at its best!

Reference	Description	Barcode
LUD1085	Luda Farm Solar Charger	7350030454551



SMART PLUG

LUDA FARM

The Luda.SmartPlug connects your electric equipment to the My.Luda.Farm app and turns ordinary machines into smart farm equipment. The Luda.SmartPlug connects through the normal phone network for complete coverage, free of charge, and comes equipped with a temperature sensor for an expanded range of functionality. Turn equipment on/off from your phone or tablet, monitor temperature and power consumption in simple graphs. With the extended Control+ package the Luda.SmartPlug packs a range of advanced timer and climate control functionality. With the extended Alarm+ package you receive alarms when power fails, or when power or temperature moves outside your set alarm range. Save time and money by being able to fix problems when and where they happen. SmartPlug connects any electrical equipment to the My.Luda.Farm app. Turn your important electric equipment on/off using your phone, tablet or computer, wherever you are. Monitor temperature and power consumption in simple graphs directly on your phone. Receive alarms in your phone or by email when there is a power failure. Receive alarms when temperatures fall outside your set range or when they change very fast. Receive alarms when power consumption falls outside of your set range, combine monitoring functions with advanced timers, turn power on/off at sunset and sunrise, or in response to the room temperature. Please check the need of adaptors for your countryFront Type F (Schuko)Backside Male Type E (French). **Subscription not included.**

Reference	Description	Barcode
LUD1071	Smart Plug	7350030453783



FARM EQUIPMENT | Feeders



UNIVERSAL MANGER WITH GRASP

Made of very high impact resistant polypropylene with rounded edges. With carrying handle 13 litres capacity. Dimension: width x height x depth = 36,5 x 38 x 28 cm.

Reference	Description	Barcode
122205008	Green	4014803444837
122205002	Black	4014803444844



FEED BUCKET WITHOUT HANDLE

Reference	Description	Barcode
122202002	Black	4014803440273
122202006	Blue	4014803343222
122202008	Green	3338020053834



PORTABLE MANGER, 13,5 L

Made of very high impact resistant polypropylene with rounded edges. With mounting brackets and carrying handle 13,5 litres capacity. Dimension: width x height x depth = 36 x 37 x 31cm.

Reference	Description	Barcode
122203002	Black	4014803444806
122203006	Blue	4014803445933
122203008	Green	4014803445919
122203009	Kaki	4014803444790
122203020	Purple	4014803445926



MANGER WITH SUSPENSION

Made of very high impact resistant polypropylene. Portable. Useable for group housing of calves.

Reference	Description	Barcode
122204200	50 L	5703414120306

MANGER WITH HOOK AND HANDLE

Very solid. Perfect for transport. Approx. 14 liters capacity. Several colors are available.

Reference	Description	Barcode
122206001	White	4014803465689
122206002	Black	4014803440327
122206003	Red	4014803440310
122206006	Blue	4014803343239
122206007	Light green	4014803440297
122206008	Green	4014803440280
122206020	Purple	4014803441041
122206022	Turquoise	4014803441065



UNIVERSAL MANGER

Made of very high impact resistant polypropylene with rounded edges. 12 liters capacity. With inner scale 41 x 34 x 35 cm.

Reference	Description	Barcode
122207002	Black	4014803445001
122207008	Green	4014803444998



CALF AND SHEEP FEEDER

Made of very high impact resistant polypropylene with rounded edges. 8,5 liters capacity. Foal manger insert also fits with this feeder. Dimension: width x height x depth = 35 x 22,5 x 28 cm.

Reference	Description	Barcode
122208002	Black	4014803444882
122208008	Green	4014803444875




FOAL MANGER

With adjustable bars. Made of very high impact resistant polypropylene with rounded edges. 8,5 litres capacity. Thanks to the adjustable bars only the foal can take up the feed. Easy, quick and flexible adjustment to suit growing animals. Dimension: width x height x depth = 35 x 22,5 x 29 cm.

Reference	Description	Barcode
122209002	Black	4014803444929
122209008	Green	4014803444912



FARM EQUIPMENT| Hay Racks



CORNER HAY RACK

Depth: 60 cm. Grill type: fine rack. Height: 83 cm. Width: 53 cm.


Reference	Description	Barcode
119400001	33 x 60 x 53 cm	3338020068791



HEAVY DUTY CORNER HAY RACK

Depth: 53 cm. Grill type: 12 mm diameters bars. Height: 83 cm. Width: 53 cm.

Reference	Description	Barcode
119400002	83 x 53 x 83 cm	3338020068807



HAY RACK LARGE MODEL

Depth: 70 cm. Height: 45 cm. Width: 70 cm.

Reference	Description	Barcode
119400003	Big model 70 x 70 x 45 cm	3338020084296
119400004	Little model 50 x 35 x 21 cm	3338020084302



HALF-ROUND HAY RACK

Hay rack form: Half-round. Depth: 42 cm. Height: 62 cm. Width: 73 cm. Material: Zinc-plated steel.

Reference	Description	Barcode
119400005	73 x 62 x 42 cm	3338020084319



SALT LICK HOLDER

The plastic salt lick holder helps to avoid animal dung waste and pollution of mineral supplements. Helps to control the animal salt consumption. For round and square lickstones up to 10 kg. Solid design, plastic. Anti-bite edge. UV-resistant.

Reference	Description	Barcode
119300002	Black	4014803446398
119300004	Brown	4014803312471
119300006	Blue	4014803435873
119300008	Green	4014803417398
119300021	Purple	4014803435880



SALT LICK HOLDER


For 2kg lickstones. Solid design. Foodsafe. Anti-bite edge. UV-resistant.

Reference	Description	Barcode
119300204	Marron	5703414114015

PVC BROOM

Height: 90 mm. Width: 70 mm. Length: 400 mm. Material: PVC. Ideal to use when the ground is rough. For big sweeping jobs (wet or dry). Delivered without handle. Exists in 3 sizes.

Reference	Description	Barcode
129300040	40 cm	3338020083022
129300060	60 cm	3338020083039
129300080	80 cm	3338020083046



GREEN RANGE BROOMS

A high quality range. Without shaft. Suitable shafts: 129007002 and 129007003.


Reference	Description	Barcode	
129300100	Scrubbing broom - 29 cm	4250560516602	10
129300120	Universal - 40 cm	4250560500298	6
129300140	Large - 40 cm	4250560514783	4



SÜDHARZER-FARMERS BROOM

Plastic shaft holder (24 mm). Dustbinding, moisture resistant and very robust due to Arenga / Elaston bristles. Ideal for high load. Without shaft. Suitable shafts: 31166, 31034.


Reference	Description	Barcode	
129300160	40 cm	4250560509598	10
129300180	50 cm	4250560509635	10
129300200	60 cm	4250560509666	10



HALL BROOM

With saddle wood and shaft hole (24 mm). With red and moisture resistant PVC bristles. Without shaft. Suitable shafts: 129007002 and 129007003.

Reference	Description	Barcode	
129300220	40 cm	4250560509413	10
129300240	50 cm	4250560509451	10
129300260	60 cm	4250560509482	10



FARM EQUIPMENT| Brooms



PVC ROADMAN BROOM 32 CM


Height: 130 mm. Width: 70 mm. Length: 320 mm. Material: PVC. For small sweeping jobs, dry or wet. Delivered without handle.


Reference	Description	Barcode
129310	L 320 m,m l 70 mm, H 130 mm / Red	3338020083053



YARD BROOM

With saddle wood and shaft hole (24 mm). Very durable due to extra strong plastic bristles made of Elaston. Without shaft. Suitable shafts: 129007002 and 129007003.

Reference	Description	Barcode
129310100	32 cm	4250560518637 
129310200	40 cm	4250560510174 



Go
page 166
for the whole
range of
shafts



PAVEMENT BROOM IN RICE STRAW

Also known as "the Paris broom". To wet sweeping of leaves, straw and other light waste. Delivered without handle. Assorted colors.

Reference	Description	Barcode
129312001	Without handle	3661911012406



RICE STRAW BROOM 30 CM

Broom in rice straw. Length of the handle: 94 cm. Length of the broom: 139 cm. Width of the broom: 30 cm. Weight of the broom with handle: 0,7 kg.

Reference	Description	Barcode
129312003	Lenght: 138cm	4008710101150

WOODEN HANDLE 28 MM

Can be used with ref. 129300040-060-080, 129312, 129312001. Diameter: 28 mm.

Reference	Description	Barcode
129390	Ø 28 mm	3338020083091



SHAVING FORK WITH HANDLE

Metal fork with 120 cm handle. Intended for box stalls with wood shavings. Width of the fork: 35 cm.

Reference	Description	Barcode
129480100	120 cm	3338020068739



MANURE FORK, 4 TEETH

Fork 4 teeth ideal for manure. With ash handle 135 cm. Height of the teeth: 22 cm. Width of the teeth: 31 cm. Anti-corrosion protection, the fork is **laquered**.

Reference	Description	Barcode	
129480600	Gold lacquering	4002408411910	
129480300	Silver lacquering	4014803310675	



HAY FORK, 3 TEETH




Hay fork with 3 teeth and ash handle 135 cm long. Anti-corrosion protection, the fork is **laquered**. Height and width of the fork head: 30 cm.


Reference	Description	Barcode
129480400	Gold lacquering	4014803310668
129480500	Silver lacquering	4014803310651



FORKS WITH SPRING SOCKET

Without shaft. ½ gold and ½ silver lacquered. Suitable shafts 129007008 and 129007010.

Reference	Description	Barcode	
129480510	26 x 20 cm - 3 teeth	4014803310026	
129480610	26 x 20 cm - 4 teeth	4014803310002	
129480620	26 x 20 cm - 6 teeth	4014803310453	





ALUMINUM HANDLE FOR FORK

Length 123 cm. Without shaft. Suitable shaft:129480201.

Reference	Description	Barcode
129480200	Polycarbonate	4014803340979



SHAVING FORK WITH EXTRA HIGH SIDE PARTS

No lateral falling down of muck. Without shaft. Suitable shaft:129480201.

- Solid plastic
- 17 prongs
- Prong length approx. 35 cm
- Fork width approx. 40 cm.

Reference	Description	Barcode
129480202	Shaving fork	4014803340993



ALUMINUM HANDLE FOR FORK

Length 123 cm. For ref 129480200 and 129480202.

Reference	Description	Barcode
129480201	Polycarbonate	4014803340986



SHAVING FORK "ORIGINAL SWEDISH"

Extrem durable, flexible, virtually unbreakable plastic with a high rate of polycarbonate. Extra angular prongs for easy gathering of shavings and manure. Without shaft.

- 18 prongs.
- Fork width approx. 40 cm.

Reference	Description	Barcode
129480102	Grey	4014803449238
129480106	Blue	4014803347114
129480108	Green	4014803449245
129480120	Pruple	4014803449252



SHAFT FOR SHAVING FORK "ORIGINAL SWEDISH"

Incl. bolts. Approx. Ø 26 mm. 115 cm long. Aluminium with plastic handle.

Reference	Description	Barcode
129480112	Grey	4014803449269
129480116	Blue	4014803347121
129480118	Green	4014803449276
129480121	Pruple	4014803449283



STABLEMATE

- Complete set with shovel and rake
- Ideal for partial resistant cleaning.

Reference	Description	Barcode
129480205	Complete	4014803341082
129480206	Shovel	4014803435668
129480207	Rake	4014803435651



EFFLUENT LADLE WITH SOCKET

Plastic. Without shaft. Suitable shaft: 129007013.

Reference	Description	Barcode
129007	Ø 23 mm	4007248165306



HAY RAKE

- Solid high quality plastic for a long durability.
- Approx. 64 cm wide.
- Delivery without shafts.
- Suitable shaft: 129007003.


Reference	Description	Barcode
129481	16 teeth	5411069161000



SCOOP IN GALVANIZED SHEET METAL 1,5 L

Grain scoop in galvanized sheet metal. Plastic sleeve.

Reference	Description	Barcode
129010100	Small model 1,5 L	3338020011889
129010150	Middle model 2 L	3338020011896



PLASTIC SHOVEL

Plastic feeding shovel. Easy to use and to clean. Non toxic: 1,5 kg.

Reference	Description	Barcode
129011002	Grey	4014803312464





PLASTIC FEED SCOOP

Colour: White Material: Plastic Size: 1 L Form: small feed plastic scoop. Non-toxic.

Reference	Description	Barcode
129012	1 L	3338020053872
129012015	1,5 L	3338020059157
129012020	2 L	3338020059164



ROUND ALUMINIUM SCOOP

Thanks to this high-quality aluminum round loading shovel, you can easily feed your animals. Its aluminum construction offers an incomparable resistance as well as a lightness that you will appreciate! The round aluminum shovel is also available in 1,6 and 2,5 kg. Material: Aluminum. Round shape: Small.

Reference	Description	Barcode
129010003	0,750 kg	4014803301895
129010004	1,6 kg	4014803301901
129010006	2,5 kg	3700393964947



FLAT ALUMINIUM SCOOP

Flat feeding scoop in aluminium. Sustainable quality.

Reference	Description	Barcode
129010001	1 kg	4014803301369
129010002	1,6 kg	4014803301376
129010005	2,5 kg	3700393923906



ALUMINIUMS GRAINS SHOVEL

Ideal for grain. Supplied with handle.

Reference	Description	Barcode
129015	Handle 1,30 m	3338020000074



SHOVEL "HOLSTEINER"



Without shaft. Powder coated steel. Suitable shafts: 129007004, 129007006 and 129007007.

Reference	Description	Barcode
129015100	27 x 25 cm	4014803311757



ALUMINIUM SHOVEL

Material thickness: 2 mm. Suitable shafts 129007004, 129007006 and 129007007.

Reference	Description	Barcode	
129015300	Without handle 38 x 38 cm	4014803311696	
129015400	With handle 38 x 38 cm	4014803310538	
129015500	Without handle 34 x 33 cm	4014803311726	



Go
page 166
for the whole
range of
shafts

ALUMINIUM SHOVEL

Material thickness: 2,5 mm. Suitable shafts 129007004, 129007006 and 129007007.

Reference	Description	Barcode	
129015600	38 x 38 cm	4014803341501	



FEEDING CUP 1,5 L




- Easy measuring of feed quantity with inner scale.
- Food safe polypropylene.
- Shatter-proof premium plastic.
- Perfect for bagged feed - the short handle avoids cracks.

Reference	Description	Barcode
129016	Red	4014803347152




FARM EQUIPMENT| Scrapers



STRAIGHT SCRAPER

Bib material: Caoutchouc. Length: 60 cm. Bracket material: Zingue.


Reference	Description	Barcode
129005	60 cm	3338020038343
129006	Rubber for straight scraper, 60 cm	3338020039456



CURVED DUNG SCRAPERS

Rubber band. The rubber band and the handle brace are replaceable. Stick not included. Zinc plated.

Reference	Description	Barcode
129001	75 cm	3338020035021
129003	55 cm	3338020036714



SMP DUNG SCRAPER

Ejection squeegee, reinforced model. Use for the maintenance of waiting areas, curtains. Galvanized. Delivered without sleeve.


Reference	Description	Barcode
129008	75 cm	3338020077106
129009	55 cm	3338020077120



GALVANIZED PRO-LINE CURVED SCRAPER 65 CM

Curved scraper made of galvanized. The rubber band and the handle attachment are removable. Delivered without handle. 65 cm. **Limited stock.**

Reference	Description	Barcode
129005300	65 cm	3700393921506



ECO-LINE STRAIGHT SCRAPER 55 CM

Straight scraper in Galvanized steel. **Limited stock.**

Reference	Description	Barcode
129005800	55 cm	3700393929878

STAINLESS STEEL STRAIGHT SCRAPER

Delivered with 2 rubbers. Ideal after washing the floor. **Limited stock..**

Reference	Description	Barcode
129005400	40 cm	3700393921469
129005410	55 cm	3700393921476



PRO-LINE STAINLESS STEEL STRAIGHT SCRAPER 65 CM

Stainless steel straight scraper. **Limited stock.**

Reference	Description	Barcode
129005500	65 cm	3700393921490



PULL SCRAPER GREEN 35 CM

Green, lacquered steel. Useful for keeping holding areas and sawdust covered grounds clean. Stick not included.

Reference	Description	Barcode
129009100	35 cm	3338020085682



WOODEN HANDLE FOR SCRAPERS 1,30 M

Wood handle for scrapers. Diameter: 30 mm. Length: 1,30 m.


Reference	Description	Barcode
129007001	1,30 m	3338020065301



STAINLESS STEEL FLOOR SQUEEGEE

Removes all chaff and dust without lifting. The soil dries out faster. Lightweight and easy to wash. Length: 44 cm.

Reference	Description	Barcode
129271	44 cm	5410616144411
129272	60 cm	5410616145913





SHAFTS 1400 X 24 MM

Reference	Description	Barcode
129007002	Ø 24 mm	4014803311665



SHAFTS 1500 X 28 MM

Reference	Description	Barcode
129007003	1500 x 28 mm	4014803310347



SHAFTS

Reference	Description	Barcode
129007004	1300 x 41 mm	4014803312402
129007005	1300 x 32 mm	4014803310316



SHAFTS 1100 X 41 MM

Reference	Description	Barcode
129007006	1100 x 41 mm	4014803310330



SHAFTS 1300 X 41 MM

Reference	Description	Barcode
129007007	1300 x 41 mm	4014803310583



SHAFTS 1350 X 36 MM

Reference	Description	Barcode
129007008	1350 x 36 mm	4014803310057



SHAFTS 1350 X 36 MM

Reference	Description	Barcode
129007009	1350 x 36 mm	4014803310033



SHAFTS 1350 X 36 MM

Reference	Description	Barcode
129007010	1350 x 36 mm	4014803310590



SHAFTS 1200 X 36 MM

Reference	Description	Barcode
129007011	1200 x 36 mm	4014803310125



SHAFTS 1700 X 32 MM

Reference	Description	Barcode
129007012	1700 x 32 mm	4014803311429



SHAFTS 1800 X 40 MM

Reference	Description	Barcode
129007013	1800 x 40 mm	4014803310606

CRESYL® BACTERICIDAL DISINFECTANT FUNGICIDE

CRESYL is an effective disinfectant based on phenolic oil and cresol oil. The product is ideal to clean and for disinfecting cattle barns, rabbit hutches, hen houses and all transport equipment. The dilution rates is 3% (3 liters of Cresyl for 100L of water) 1 liter.

Reference	Description	Barcode	
000601001	Little model - 1 L	3172358322206	
000601005	Big model - 5 L	3172358322213	



SPRAYER "SOFT COMFORT GRIP"

Sprayer gun head "Soft Comfort Grip" with zinc insert and sic nozzle. Case made of zinc mold with "Thermoguard" rubber protection. Has a very good grip, even with wet hands.

Reference	Description	Barcode
123390	By unit	3700393927997



MULTI-USE SPRAYER

Adjustable jet with brass nozzle. Anatomical shape, shockproof.

Reference	Description	Barcode
123400	By unit	3338020085163





CATTLE COUNTER

KAMER

For an evaluation of the number of living animals. 4 rows. Metal. Manual.

Reference	Description	Barcode
129041	Metal	3338020073108



FIRST ELECTRONIC SCALE

KAMER

This Kamer First electronic load cell is ideal for making a precise weighing up to 30 % 25 kg. Its digital screen, you will get an easy & amp. Read and you will be sure never to make any mistakes. This electronics is a remarkable precision, Its graduation of 10 g. The weight can be measured in kg or in pounds. This electronic load cell has a very handy ergonomic handhold that allows you to hold it firmly when weighing. Not allowed for commercial transactions. Load cell type: electronic. Color: black and green.

Reference	Description	Barcode
129051025	25 kg graduation: 20 g	3700393907463
129051050	50 kg graduation: 20 g	3700393903946
129051100	100 kg graduation: 20 g	3700393903953
129051150	150 kg graduation: 20 g	3700393903960



200 kg

DIGITAL CRANE SCALE 200 KG

KAMER

Not allowed for commercial transactions. New model with more advanced electronics. Versatile, reliable, accurate and easy to use. New large LCD display for better visibility (visual distance over 10m). Removable hook.

Reference	Description	Barcode
129051200	200 kg	3700393914041



300 kg

DIGITAL SCALE

KAMER

Peson KAMER Digital display Color Assorted Prohibited for commercial transactions. The new KAMER crane scale is robust, precise and highly reliable. The large and bright led display allows easy reading. Shockproof and vibration resistant construction makes the weighting fast and stable. Raising, weighting, and registering data are done at once. Your best partner for construction, agriculture, warehouse, factory, dock or storage. Not for commercial use.

Reference	Description	Barcode
129053030	300 kg graduation: 100 g	3700393940040
129053100	1000 kg graduation: 500 g	3700393909467



1 ton

STANDARD SPRING SCALES

KAMER

Spring balance type: Dynamometric KAMER. Not allowed for commercial transactions.

Reference	Description	Barcode
129055010	Graduation precision: 50 g/kilos number: 10 kg	3338020043521
129055025	Graduation precision: 100 g/kilos number: 25 kg	3338020043538
129055050	Graduation precision: 250 g/kilos number: 50 kg	3338020043545
129055100	Graduation precision: 500 g/kilos number: 100 kg	3338020043552
129055250	Graduation precision: 1000 g/kilos number: 250 kg	3338020043569



KITCHEN SCALE 150 KG

KAMER

Kitchen scale, not allowed for commercial transactions. High precision sensor system- Large LCD backlit display. Different weighing units (kg, lb, b / oz)- External calibration- tare function- Capacity: 150 kg. Low battery and overload indication- Remote display (on the wall, desk ...). Allows weighing large packages without hiding the display. Stainless steel platform. Power: 1,5 V x 4 AA battery or 110 V adapter (included). Does not stop automatically. Built-in clock (press the ON / TIME button to see the time).

- Minimum weight: 300 g.
- Graduation by 50 g.

Reference	Description	Barcode
129052150	150 kg - graduation by 50 g	3700393914065



RAIN GAUGE

The rain gauge must be placed in an open area and inserted in the ground vertically.

Reference	Description	Barcode
129030	Rain gauge	3760024810937





MAXI MINI DIGITAL THERMOMETER DUAL DISPLAY

Instructions The MAX-MIN thermometer simply records the maximum and minimum temperatures obtained during a period. Fix the thermometer in a vertical position, away from heat and direct sunlight. Press «C/F» to select the measurement unit. Specifications:

- Digital display: MAX/MIN temperature recorded -40+50°C / -40+120°F.
- Plastic body. Protection roof. AAA battery.


Reference	Description	Barcode
129021250	White	3700393939365



MINI MAXI THERMOMETER HYGROMETER

Indoor or outdoor thermometer with digital display of temperatures. Temperature °C / °F. With mini-max. Wall hook. Works with 2 x 1,5 V AAA batteries provided. Dimensions: 80 x 132 x 30 mm. Weight: 86 g (without batteries).

Reference	Description	Barcode
129021200	White	4009816018977
129021208	Green	3700393929823



WALL THERMOMETER

Reference	Description	Barcode
129023	15 cm	3338020000005
129025002	25 cm	3760024811934
129022	40 cm	3760024811187



DIGITAL THERMOMETER EXTRA LONG PROBE WITH HANDLE

Digital thermometer extra long probe with handle, special for tanks, hay, cheese, ground, temperature control in inaccessible areas. Stainless steel probe # 340 suitable for food contact.

Characteristics:

- Fixed probe very long : 1,45m. -50°C to +200°C / -58°F to +392°F.
- Resolution: 0,1°. Accuracy: ±1°C / ±2°F. Big digit. Stainless steel probe # 340 (suitable for food contact: 1450 mm - Å 10 mm. Tip Protection. 1 battery LR03 AAA.

Reference	Description	Barcode
129021560	Height: 145 cm	3700393919466

LED FLASHLIGHT EXPLORER SMALL MODEL

Hotline
Electric Fencing

EXPLORER flashlight: the multi-function accessory to have at home! Long autonomy: about 5-8 hours of main light, 4 hours of working light. Customized lighting with **3 lightning levels**: low, high and work light. Convenient: easy USB charging and nomadic. Easily transportable thanks to its ergonomic handle. Use sunlight to charge the lamp. The red LED on the back of the torch will indicate that the torch is charging. Charging time will depend on the power of the sun. The LED will turn green when the fixture is charged. Dual-beam LED flashlight with flexible housing. LED lifetime $\pm 100,000$ hours. Maximum distance: 200 meters. Power: 3 watts. Supplied with USB charger. Warranty: 1 year.

Reference	Description	Barcode	
126110	Small model	5021385010243	



FIND OUR
VIDEO ON
YOUTUBE

RECHARGEABLE FLASHLIGHT EXPLORER LARGE MODEL

Hotline
Electric Fencing




EXPLORER flashlight: the multi-function accessory to have at home! Long autonomy: about 15 hours. Custom lighting with **4 lightning levels**: low, high, flashing and work light. Practical: easy USB charging and nomadic. Easily transportable thanks to its ergonomic handle. Dual-beam LED torch with flexible housing. 10 watt high-power LED. Supplied with a mains charger and a belt. 1 year warranty.

Reference	Description	Barcode	
126120	Large model	5021385009803	



SPECIAL ADHESIVE TAPE FOR FILMS

For repairing damaged films (for example round bales, square bales and flat films). 10 cm wide and 10 m long. Extremely high adhesive power. Highly UV-resistant. Useful also on wet films.

Reference	Description	Barcode	
129280001	White	4250574101313	
129280002	Black	4250574101320	
129280008	Green	4250574101337	



HARVEST BASKET 15 L

Galvanized steel. In welded mesh. Handles in wood. Capacity 15 L.

Reference	Description	Barcode
300015	15 L	3700393912573





TRIGGER HOOK, ROUND ROTATING

Round Nickel-plated steel. By pair.

Reference	Description	Barcode
130700500	Round - 20 mm	3338020012633
130700521	Round - 30 mm	3338020012640
130700530	Square - 20 mm	3338020012657



TRIGGER HOOK, ROUND ROTATING RECTANGULAR

Reference	Description	Barcode
130700531	Nickel-plated iron	3700393922596



TRIGGER HOOK, ROUND ROTATING OVAL

Reference	Description	Barcode
130700532	Oval - 20 mm - Nickel-plated iron	3700393922602



TRIGGER HOOK, ROUND ROTATING OVAL

By 10.

Reference	Description	Barcode
130700533	Galvanized	3700393922626


















SNAP HOOK OF PANIC, FIXED ROUND EYE

By unit.

Reference	Description	Barcode
130700536	20 mm	3338020052967
130700537	25 mm	3338020052974

SNAP HOOK

Galvanized.

Reference	Description	Barcode	
130700548	50 x 5 mm	3700393923418	
130700549	50 x 5 mm	3700393923425	
130700550	60 x 6 mm	3700393923562	
130700552	60 x 6 mm	3700393923395	
130700553	70 x 7 mm	3700393923449	
130700554	70 x 7 mm	3700393923432	
130700555	80 x 8 mm	3700393923456	
130700556	80 x 8 mm	3700393923463	
130700557	90 x 9 mm	3700393923470	
130700558	90 x 9 mm	3700393923524	
130700559	10 x 10 mm	3700393923494	
130700560	10 x 10 mm	3700393923487	
130700562	120 x 11 mm	3700393923500	
130700568	120 x 11 mm	3700393923517	
130700569	140 x 12 mm	3700393923579	



SWIVEL HOOK

Nickel-plated steel. By pair.

Reference	Description	Barcode
130700539	22 x 22 mm	3338020012701



CARABINER, 29 MM

Reference	Description	Barcode
130700535	29 mm	3700393916977



D RING UNIVERSAL TRIGGER HOOK

D-ring 3". By piece.

Reference	Description	Barcode
130700547	12 cm / 5 inches	3338020063307



FARM EQUIPMENT| Hooks



O RING UNIVERSAL TRIGGER HOOK

O-ring safety trigger hook.

Reference	Description	Barcode
130700551	12 cm / 5 inches	3338020063345



QUICK LINK

Galvanized. By piece.


Reference	Description	Barcode
130700563	5 cm	3338020065882
130700564	6 cm	3338020065899
130700565	7 cm	3338020065905
130700566	8 cm	3338020065912
130700567	10 cm	3700393922671 



ATTACHMENT RING TO SCREW

With ring to screwing. Galvanized steel. Plate: 50 mm x 50 mm x 4 mm. Ring: Inside diameter: 50 mm. Thickness: 8 mm.

Reference	Description	Barcode
130700620	5 cm	3338020053001



FIXED ATTACHMENT RING

5 cm plate to screwing. 2,5 cm bulk ring (20 mm x 14 mm). Hot dip galvanized.

Reference	Description	Barcode
130700622	5 cm	3338020053018






EYE BOLT

Galvanized. By 10.

Reference	Description	Barcode
130700623	Iron thread - 100 mm	3700393922718 
130700624	Iron thread - 140 mm	3700393922916 
130700626	Wooden thread - 70 mm	3700393922862 

LYNCH PINS

Galvanized. By 10.


Reference	Description	Barcode	
130700510	6 mm	3700393922534	
130700511	8 mm	3700393922541	
130700512	10 mm	3700393922565	



TRIGGER HOOK PLATE

For example, to attach a bucket to a wall. 5 cm. Galvanized.

Reference	Description	Barcode
130700675	5 cm	3338020052981



EYE BOLT

Galvanised. By unit.

Reference	Description	Barcode
130700621	50 x 50 mm	3700393922695



SHACKLES

Galvanized. Straight version. By 10.

Reference	Description	Barcode
117712	1/4" Ø 66 mm	3700393922398
117713	5/16" Ø 8 mm	3700393922404
117714	3/8" Ø 10 mm	3700393922411
117715	1/2" Ø 12 mm	3700393922428



HONDA QUICK RELEASE HOOK

Reference	Description	Barcode
121117102	By unit	3338020064137





PRESSURE SPRAYER "VENUS SUPER 360"»

- Practically and multifunctional.
- Modern und unique design.
- Safety valve for perfect pressure control.
- Articulated spray tip for hardly accessible places.
- Ergonomic hand grip.
- **360° system**, works in any position even upside down.
- Transparent scale on the tank for filling level control.
- Made of high impact plastic.
- Durable base ring for stabilizing and protecting the sprayer.
- 3 years tank guarantee.

Reference	Description	Barcode
129902001	1 L	5904447001321
129902015	1,5 L	5904447001338
129902020	2 L	5904447001345



KNAPSACK SPRAYER "NEPTUNE SUPER"

- Practically, reliable and multifunctional during long work.
- Modern und unique design.
- **Handle with gauge working pressure under permanent control.**
- Glass fiber telescopic lance, adjustable from 60 up to 120 cm.
- Practical for right und left-handers.
- Handle and lance can be placed in an upright position at the side of the tank.
- Easy tank filling.
- Ergonomic formed tank and padded suspenders.
- Transparent scale on the tank for filling level control.
- Made of high impact plastic.
- 6 years tank guarantee.

Reference	Description	Barcode
129900	15 L	5904447001543



COMPRESSION SPRAYER "ORION SUPER"

- Practically, reliable and multifunctional sprayers.
- For professionell farming, hobby farming, home and garden.
- Safety valve for perfect pressure control.
- Glass fiber telescopic lance, adjustable from 60 up to 120 cm.
- **Handy funnel for easy tank filling.**
- Ergonomic belt.
- Transparent scale on the tank for filling level control.
- Made of high impact plastic.
- Durable base ring for stabilizing and protecting the sprayer.
- With additional base ring feed to help pumping the sprayer.
- 5 years tank guarantee.

Reference	Description	Barcode
129901	6 L	5904447001383



TRIGGER SPRAYER "MERCURY SUPER 360"

- Practically and multifunctional.
- Regulable nozzle for perfect spray control.
- **Double action trigger: 1 x squeeze = 2 x release jet (easy spray function).**
- Ergonomic hand grip.
- **360° system**, works in any position even upside down.
- Transparent scale on the tank for filling level control.
- Made of high impact plastic.
- Durable base ring for stabilizing and protecting the sprayer.

Reference	Description	Barcode
129903	1 L	5904447001369



UKA



MILK AND MEAT PROCESSING

- 178 Milk processing
- 181 Meat processing
- 185 Accessories
- 186 Tomato presses





MILKY has over 25 years experience in the milk processing market. As producers of both the Milky cream separators and Milky butter churns, they have become one of the most appreciated brands worldwide. Their Milky cream separators, butter churns and pasteurizers are continuously developed by their research and development team to meet the needs of the customers who can rely on their quality worldwide. Leading technology, constant innovation, the highest precision in processing and the use of high-quality materials are all invaluable in the production of their products. A long life span, unproblematic working and easy operation of their products are self-evident. They have developed a wide range of products for milk, butter, yogurt and cheese processing. Everything you need in direct milk processing on the farm.



CREAM SEPARATOR AR 140 ECO



The cream separator MILKY AR 140 ECO allows the separation of small and medium quantities of milk. It is very easy to handle. We recommend the use of this cream skimmer for semi-professionals, in particular for breeders wishing to start processing milk on the farms. The ideal solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. Materials: The body is made of plastic. The milk and cream outlets, the container holder and the milk container are made of polished, food-grade aluminum. The upper bowl and the discs in the upper bowl are also food grade.

Reference	Description	Barcode
150600020	Aluminium - 40 x 24 x 42 cm - 230 V Power: 60 W - RPM : 8500	9004195006091



BUTTER CHURN

The manual 10 L, electric 10 L and electric 32 L MILKY butter churns are ideal for small productions. of homemade butters. These machines are intended for semi-professionals, professionals, as well as for farmers wishing to start milk processing on farms. They are the perfect solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. They allow an optimal yield of between 32 % and 42% butter. It consists of:

- a 10 litre or 32 litre cream container depending on the model.
- a removable stainless steel mixer.

Reference	Description	Barcode
150700020	MANUAL 10 L Technical data: <ul style="list-style-type: none"> • Dimensions: 40 x 24 x 42 cm • Power: 60 W • Performance: 130-140 liters / hour • RPM: 8500 • Cream production: between 8 % and 12 % 	9004195600091
150700010	ELECTRICAL 10L Technical data: <ul style="list-style-type: none"> • Tank volume: 10 L • Working time per cycle: 20-35 min. • Filling capacity from 1,5 to 3,8 L • 4 speeds: 30 - 60 - 90 - 150 rpm • Power: 550 W • Dimensions: 39 x 33 x 31.5 cm • Materials: plastic cover and stainless steel body 	9004195132080
150700030	ELECTRICAL 32 L Technical data: <ul style="list-style-type: none"> • Tank volume: 32 L • Working time per cycle: 20-35 min. • Filling capacity from 6 to 13 L • Power: 250/370 W • Dimensions: 70 x 32 x 46 cm • 2 speeds: 70 and 140 rpm • Materials: plastic cover and stainless steel body 	9004195132707



10 L



10 L



32 L





15 L



30 L



50 L



50 L



Delivered without table.

PASTEURIZER



The pasteurizers MILKY 15 L, 30 L, 50 L and 50 L with mixer allow the pasteurization of milk and juices, as well as the production of cheese, yoghurt and other dairy products. Can also be used for heating calf's milk (colostrum). for feeding, honey liquidation, honey wax production, etc. These machines are intended for semi-professionals as well as to farmers wishing to start milk processing on farms. They are the ideal solution for smallholders of dairy cows, goats or sheep, but also for hobbyfarming. The pasteurizer works on the model of a water bath. All pasteurizers consist of a removable filling tank, a double wall heated to the desired temperature, an inlet with a pipe for filling the double wall with cold water for cooling the milk, an outlet with a pipe for draining off the hot water, a thermometer on the lid, the lid lock for maintaining the heat and a control display (setting the water temperature + pasteurization heating time). The 50L pasteurizer with mixer also consists of:

- a mixer.
- a time setting.
- a stable mixer support for the table version (wheels for stable support).

Reference	Description	Barcode
150800010	15 L Technical data: <ul style="list-style-type: none"> • Power: 230 W • Tank volume: 15 L • Filling capacity: 2 L-14 L • Temperature setting: 4-100° C • Time setting: 1 - 999 min • Maximum temperature: 90° • Dimensions: 32 x 32 x 52 cm • Weight: 6 kg • Stainless steel 	9004195133049
150800020	30 L Technical data: <ul style="list-style-type: none"> • Power: 230 W • Tank volume: 30 L • Min. filling capacity: 5 L-29 L • Temperature setting: 4-100° C • Time setting: 1 - 999 min • Maximum temperature: 90° • Dimensions: 48 x 48 x 55 cm • Weight: 12 kg • Stainless Steel 	9004195133124
150800030	50 L Technical data: <ul style="list-style-type: none"> • Power: 230 W • Tank volume: 50 L • Filling capacity min: 25 L-45 L • Temperature setting: 4-100° C • Time setting: 1 - 999 min • Maximum temperature: 90° • Dimensions: 76 x 76 x 78 cm • Weight: 32 kg • Stainless steel • Mixer 	9004195133605
150800040	50 L with mixer Technical data: <ul style="list-style-type: none"> • Power: 400 W • Tank volume: 50 L • Capacity min - max: 25 L - 45 L • Temperature setting: 5-94° C • Time setting: 1 - 999 min • Maximum temperature: 94° C • Dimensions: 76 x 76 x 78 cm • Weight: 31 kg • Stainless steel • Mixer 	9004195133094



MEAT MINCER



Semi-professional meat mincers REBER are intended for professionals who want robust and quality equipment for the processing of their minced meat and the production of home-made fillings. From farmers to meat professionals (butchers, charcutiers and caterers), we offer you a complete range of meat processing on the farm. The meat grinders have a hourly production from 30 to 160 kg and are guaranteed for 2 years. REBER brand of 100 % Italian manufacture. Guarantee of quality. All the meat mincers consist of an induction motor with continuous operation, an oil bath gearbox with a Long Life type oil suitable for contact with food, AISI 430 stainless steel fairing, body, propeller and a nut made of food certified tinned cast iron, a top plate made of stainless steel AISI 304, a steel plate, a knife made of C55 steel as standard and a pulse reversal switch.

Reference	Description	Barcode
150100001	Meat mincer REBER N5 - 400 W <ul style="list-style-type: none"> • Dimensions: 35 x 17 cm • Height: 26,5 cm • Weight: 9 kg • Hourly production: 30/50 kg • Grill hole: 6 mm 	8013152950262
150100002	Meat mincer REBER N12 - 500 W <ul style="list-style-type: none"> • Dimensions: 54 x 22 cm • Height: 32 cm • Weight: 16,3 kg • Hourly production: 50/90 kg • Grill hole: 6 mm • 2 funnels provided for gutting 	8013152950156
150100003	Meat mincer REBER N22 Classic - 600 W <ul style="list-style-type: none"> • Dimensions: 51 x 23 cm • Height: 33 cm • Weight: 31,3 kg • Hourly production: 70/120 kg • Grill hole: 8 mm 	8013152950057
150100004	Meat mincer REBER N32 - 1200 W <ul style="list-style-type: none"> • Dimensions: 58 x 25,5 cm, • Height: 36 cm • Weight: 29,3 kg • Hourly production: 100-160 kg, • Grill hole: 10 mm 	8013152950453



Our
different
grill sizes are
available on
page 186

UKAL'S

TIP

It is advisable to change the engine oil every 3 years.



STAINLESS STEEL SAUSAGE FILLING MACHINES



The sausage filling machines have a stainless steel tube, a square bar steel rack to guarantee a major power take-off surface, a nylon 6,6 piston support, a cover, a piston and a plastic gasket for food use. We offer vertical or horizontal REBER plungers with capacities from 3 to 15 kg. All sausage filling machines have 2 speeds and are supplied with 4 funnels: 19, 25, 30 and 40.

Reference	Description	Barcode
150200001	Sausage filling machines REBER 2 speeds 5 kg PRO <ul style="list-style-type: none"> • Capacity: 5 L • Dimensions: 57,5 x 33,5 cm • Height: 20,5 cm • Weight: 10,5 kg 	8013152895006
150200002	Sausage filling machines REBER 2 speeds 8 kg PRO <ul style="list-style-type: none"> • Capacity: 7 L • Dimensions: 67 x 33,5 cm • Height: 20,5 cm • Weight: 11,9 kg 	8013152895105
150200003	Sausage filling machines REBER 2 speeds 10 kg PRO <ul style="list-style-type: none"> • Capacity: 10 L • Dimensions: 74 x 41 cm • Height: 22 cm • Weight: 19,4 kg 	8013152895310
150200004	Sausage filling machines REBER 2 speeds 12 kg PRO <ul style="list-style-type: none"> • Capacity: 12 L • Dimensions: 83 x 40 cm • Height: 23 cm • Weight: 21 kg 	8013152895419
150201001	Stainless steel sausage filling machines REBER 2 speeds 5 kg PRO <ul style="list-style-type: none"> • Capacity: 5 L • Dimensions: 57,5 x 33,5 cm • Height: 20,5 cm • Weight: 10,4 kg 	8013152896065
150201002	Stainless steel sausage filling machines REBER 2 speeds 8 kg PRO <ul style="list-style-type: none"> • Capacity: 7 L • Dimensions: 67 x 33,5 cm • Height: 20,5 cm • Weight: 11,9 kg 	8013152896164
150201003	Stainless steel sausage filling machines REBER 2 speeds 10 kg PRO <ul style="list-style-type: none"> • Capacity: 10 L • Dimensions: 74 x 41 cm • Height: 22 cm • Weight: 19,4 kg 	8013152896317
150201004	Stainless steel sausage filling machines REBER 2 speeds 15 kg PRO <ul style="list-style-type: none"> • Capacity: 15 L • Dimensions: 86 x 26 cm • Height: 29 cm • Weight: 25 kg 	8013152896508
150202001	Stainless steel sausage filling machines REBER 2 speeds 3 kg PRO vertical <ul style="list-style-type: none"> • Capacity: 3 L • Dimensions: 28 x 24 cm • Height: 60 cm • Weight: 8,5 kg 	8013152896201
150202002	Stainless steel sausage filling machines REBER 2 speeds 5 kg PRO vertical <ul style="list-style-type: none"> • Capacity: 5 L • Dimensions: 40 x 31 cm • Height: 70 cm • Weight: 14 kg 	8013152897024

UKAL'S

TIP

It is imperative to clean and dry the components immediately after use to avoid damaging the equipment. It is important to regularly grease the tank seal with oil (sunflower oil) and especially not to clean them with aggressive detergents.

FOOD SLICER



The ham slicers REBER, with 20 or 25 cm blades, are designed for professionals who want robust and quality equipment for cutting their meat, sausages and fish. From breeders to professionals in the meat industry (butchers, pork charcutiers and caterers), we offer you a complete range of meat processing. The ham slicers are guaranteed for 2 years. REBER brand of 100% Italian manufacture. Guarantee of quality. They have a die-cast aluminium base varnished with steel effect, a professional tempered and fitted 200 m steel blade with fixed protective ring, a movable partition made of molten aluminium with steel tips, a blade protector, a tray and a wall made of molten aluminium with a simple cleaning system, a blade shaft mounted on double ball bearing, a ventilated 140W professional motor, a safety button, a cutting thickness adjustment, a double ball bearing, a ventilated 140 W professional motor, a safety button, a cutting thickness adjustment. From 0 to 16 mm.

Reference	Description	Barcode
150300001	REBER food slicer 20 cm blade <ul style="list-style-type: none"> • Motor power: 140 W • Dimensions: 46,5 x 34,5 cm • Height: 29,5 cm • Weight: 10 kg • Cutting thickness adjustment from 0 to 16 mm • Removable sharpener NOT INCLUDED available on request 	8013152020019
150300002	REBER food slicer 25cm blade with sharpener <ul style="list-style-type: none"> • Motor power: 140 W • Dimensions: 53 x 48 cm • Height: 37,5 cm • Weight 13 kg • Cutting thickness adjustment from 0 to 16 mm • Fixed sharpener INCLUDED 	8013152025038



UKAL'S

TIP

Do not disassemble the blade for cleaning the ham slicer. Clean your equipment easily with a cloth and alcohol.





VACUUM MACHINES AUTOMATIC

REBER automatic vacuum packing machines are ideal for automatically vacuum packing food. We recommend these machines for family, semi-professional or professional use. From farmers to meat professionals (butchers, charcutiers and caterers), we offer you a complete range of meat processing on the farm. The vacuum packing machines are easy to use, operate without stopping and waiting for cooling and are guaranteed for 2 years. All machines are supplied with 20 bags of 20 x 30 cm. They are equipped with an energy saving system. **For optimal vacuum packing, we strongly recommend the use of REBER bags. We do not guarantee the quality of the vacuum if bags of other brands are used.**

Reference	Description	Barcode
150400001	Vacuum packing machine REBER automatic SALVASPESA PLUS <ul style="list-style-type: none"> • Colour: white • Dimensions: 37,5 x 17,5 x 11,5 cm. • Weight: 3 kg • Power: 180 W • Empty: -830 mbar • Suction: 18 lt/min • Sealing bar: 32 cm 	8013152934606
150400002	Vacuum machine REBER automatic FAMILY DE LUXE <ul style="list-style-type: none"> • Colour: silver • Dimensions: 43,5 x 15,5 x 11 cm • Weight: 3 kg • Power: 190 W • Empty: -830 mbar • Suction: 18 lt/min • Sealing bar: 32 cm. Supplied with suction hose for box 	8013152970116
150400003	Vacuum packing machine REBER INOX 30 cm (not illustrated) <ul style="list-style-type: none"> • Colour: silver • Dimensions: 37 x 27 x 11 cm • Weight: 6,5 kg • Power: 280 W. • Empty: -90 0mbar • Suction: 40 lt/min • Sealing bar: 32 cm. Supplied with a Hose connection for containers 	8013152970970
150400004	Vacuum packing machine REBER INOX 40 cm <ul style="list-style-type: none"> • Colour: silver • Dimensions: 47 x 27 x 12 cm • Power: 335 W • Weight: 7,8 kg • Empty: -900 mbar • Suction: 40 lt/min. Supplied with a Hose connection for containers. • Sealing bar: 43 cm 	8013152971694



VACUUM BAGS AND ROLLS



Vacuum bags and rolls REBER are ideal for optimal vacuum packaging for the preservation of your food fresh. They are resistant and airtight. We recommend these bags and rolls for professionals. From breeders to meat professionals (butchers, pork charcutiers and caterers), we offer you a complete range of meat processing. The vacuum bags and rolls are easy to use. REBER brand of 100% Italian manufacture.

Guarantee of quality. REBER bags are tested for vacuum cooking up to a temperature of 100°C for a maximum of 4 hours. We recommend cooking at 60°C for 24 hours.

REBER triple-layer bags have all these qualities: 2 inner polyethylene layers suitable for contact with food, 1 outer layer of polyamide which guarantees airtightness against air penetration, 2 layers of polyethylene. These layers make the bag more resistant to punctures and tears and prevent the penetration of moisture, reduce the risk of leakage and the formation of frost and ice crystals in the freezer. Finally, the special indentations on the surface promote the exit and leakage of air and allow the creation of a true vacuum.

Reference	Description	Barcode
150500015	100 embossed pockets 15 x 25 cm	8013152674205
150500020	100 embossed pockets 20 x 30 cm	8013152672300
150500025	100 embossed pockets 25 x 35 cm	8013152672416
150500030	100 embossed pockets 30 x 40 cm	8013152673505
150510020	2 rolls 20 x 600 cm	8013152672607
150510030	2 rolls 30 x 600 cm	8013152672508
150520005	50 embossed pockets 40 x 50 cm - 105 microns	8013152672591
150520006	50 embossed pockets 40 x 60 cm - 105 microns	8013152672430



ELECTRONIC FOOD THERMOMETER



Electronic cooking thermometer for monitoring the temperature of meat, cheese etc. For hot or frozen food. Memory and digital temperature display. Also suitable for monitoring the temperature of air conditioning or soil. It can be boiled.

Technical data:

- Waterproof.
- Comes with battery.
- Scale range in Celsius: -50°C to +200°C.
- Scale range in Fahrenheit: -58°F to +392°F.
- With min. and max. action.
- Length: 20 cm.

Reference	Description	Barcode
129027	20 cm	3700393922107 





GRILLS FOR MEAT MINCER REBER

You will find all our mincer grids: 4,5 mm, 6 mm, 8 mm, 10 mm, 12 mm. Depending on the desired result (minced meat, sausages, pâtés). These grills are made of steel, which gives them a clean cut of the meat.

Reference	Description	Barcode
9REB4007A/4	Grill 4,5 mm - Meat mincer N°5 REBER	8013152050405
9REB4007A/8	Grill 8 mm - Meat mincer N°5 REBER	8013152050801
9REB4007A/10	Grill 10 mm - Meat mincer N°5 REBER	8013152051006
9REB4007A/12	Grill 12 mm - Meat mincer N°5 REBER	8013152051204
9REB4312A/4	Grill 4,5 mm - Meat mincer N°12 REBER	8013152120412
9REB4312A/8	Grill 8 mm - Meat mincer N°12 REBER	8013152120818
9REB4312A/10	Grill 10 mm - Meat mincer N°12 REBER	8013152121013
9REB4312A/12	Grill 12 mm - Meat mincer N°12 REBER	8013152121211
9REB4312A/1	Grill Losanga 3 holes - Meat mincer N°12 REBER	8013152431211
9REB4714A/4	Grill 4,5 mm - Meat mincer N°22 REBER	8013152220419
9REB4714A/6	Grill 6 mm - Meat mincer N°22 REBER	8013152220617
9REB4714A/10	Grill 10 mm - Meat mincer N°22 REBER	8013152221010
9REB4714A/12	Grill 12 mm - Meat mincer N°22 REBER	8013152221218
9REB4714A/1	Grill Losanga 3 holes - Meat mincer N°22 REBER	8013152471415
9REB4750A/4	Grill 4,5 mm - Meat mincer N°32 REBER	8013152320409
9REB4750A/6	Grill 6 mm - Meat mincer N°32 REBER	8013152320607
9REB4750A/8	Grill 8 mm - Meat mincer N°32 REBER	8013152320805
9REB4750A/12	Grill 12 mm - Meat mincer N°32 REBER	8013152321208

UKAL'S

TIP

It is recommended to clean the grill and dry it immediately before storing it. Once washed, you can store it in greasy paper.



NEW

TOMATO PRESSES WITHOUT MOTOR



Make delicious tomato sauces and purées, fruit juices and jams at home. Easily remove seeds from tomatoes and other fruit. Nylon body and worm screw. Treated with food grade resin. Supplied with hopper, splash guard, stainless steel strainer and filter and plastic pusher. Well made, durable item. Easy to clean. 2 years warranty. **Delivered without motor.**

Reference	Description	Barcode
150150001	Tomato press n°3 without motor REBER	8013152871000
150150002	Tomato press n°5 without motor REBER	8013152870003



INDEX

A

Adhesive hoof tape	45
Adhesive tape for films	171
Ankle straps for cows	109
Anti kick bar	32, 33
Applicator for calf weaners	29
Applicator for eartags	108
Applicator for pig stapples	86
Applicator for rings	75
Applicator for rubber rings	75
Artery forceps	10

B

Battery 85 Ah for meadow pump	145
Beech hoof tar	47
Bells	64, 65, 80, 81
Blades	92
Blanket for calves	8
Block for harness	113
Blocks for hoof care	43
Bloodless castrator	28, 74
Bolus gun	23
Boot cleaner	140
Boots remover	140
Brooms	157, 158
Brushes	18, 60, 61, 62, 63
Buckets	11, 14, 15, 19, 59, 148
Bull holder	30, 31
Bull rings	31, 32
Butter churn	179

C

Calf rearer	15
Calving gloves	134, 135
Calving gown	137
Calving jack	7, 8
Calving ropes	7, 8
Cameras	150, 151, 152
Cane	32
Cannula for syringes	122
Cannulas for hoof glue	44
Carabiner	173
Carder	63
Catch hook	76
Catheter	51
Chain	13
Clipper heads	101
Clipper oil	102
Clippers	91, 93, 99, 100
Cohesive flexible bandage	46
Collars for calf	37
Collars for cow	37, 38, 65
Collars for sheep	81, 109
Colostrum bags	18, 71
Colostrum scale	16
Combs	96, 97, 98
Control cover	57
Cool spray for comb 500 ml	102
Counter	168
Cow brush	63
Cow lift	8, 9
Crane scale	168

Cream separator	178
Cresyl® bactericidal disinfectant fungicide	167
Curry comb	62
Cutter	96

D

D ring universal trigger hook	173
Dairy apron	138
Dairy brush	60
Dairy sleeves	139
Dehorner	24, 25, 26, 73
Dehorning paste	27
Dehorning pen	26
Dehorning saw wire	27
Dehorning saw wire handles	27
Demotec	43
Detergent	139
Dip cup	49
Dipper	58
Disk filters	56
Disposable overalls	137
Disposable overboots	137
DL disc	40
Dosing cup	50
Double tissues	48
Drenching guns	121, 126
Drinking bowls	147, 148
Dummies	12
Dust mask	136
Dutch bowl	19
Dutch type cow strap	38

E

Ear notcher	114
Eartags	106, 108
Effluent ladle with socket	161
Eutra	54
Ewespoon	68
Eye bolts	174, 175

F

Feeders	155
Feeding cups	163
Fish oil with 50 % cod liver oil	84
Flashlight	171
Food slicer	183
Food thermometer	185
Forks	159, 160

G

Gas cartridge for dehorner	24, 25, 48
Gloves	135
Glue	44
Grills for meat mincer Reber	186
Guide paddle	88

H

Hair remover - thermic depilator	48
Hairnet	136
Halter	35, 36, 37, 38, 77
Hand sheep clippers	72
Handles	158, 160
Handpiece for professional shearing plants	94
Harness for rams	113
Harvest basket 15 L	171
Hay racks	156, 161
Head gate for sheep/cattle	76

Head lift	29
Hobble	34
Honda quick release hook	175
Hoof care portico	46
Hoof checker	42
Hoof cutter	39
Hoof discs	40
Hoof knives	41, 42, 79
Hoof mat	46, 140
Hoof rasp	39
Hoof scraper	38
Hoof shears	78
Hook	174

I

Identification strap digits	110
Infrared protector	130
Intravenous set	128
Introducer for magnets	23
IR protector	130, 131

K

Kitchen scale	169
Knee pad	28, 74
Lamb feeder	69, 70
Leads	35
Leg splint for calves	45
Light bulb	131
Lubricating gel	9
Luda Farm	151, 153

L

Lynch pins	175
------------	-----

M

Machine Cam mobility HD	152
Manger	154, 155
Marker	108
Marking fluid	114
Marking harness	113
Marking numbers	114
Marking Spray	111, 112
Mastitis detection kit	51
Meadow pump	145
Meat mincer	181
Milk can	58, 59
Milk heater	20, 21
Milk tank brush	60
Milk thermometer in plastic cage	20
Milk warmer	20
Milk whisk	21
Milking cup	50
Milking grease	53, 54
Milking pail	58
Milking tube	55
Multi bolus gun	23
Muzzle	19, 20

N

Needles	127
---------	-----

O

Oil for milking machine	57
-------------------------	----

P

Pasteurizer for colostrum bags	18, 180
Pasture drinker	145

NOTES



UKAL

THE WORLD OF LIVESTOCK

UKAL ÉLEVAGE

Parc économique de la Sauer
2 rue de l'Étang
CS 50244 Eschbach
67892 Niederbronn-les-Bains
France
Tel: +33 3 88 07 40 15
ukalel@ukal.com
www.ukal-elevage.com

POLAND ROLOS

Ul. Henryka Sienkiewicza 2
Wyszków
PL 07-200
Polska
rolos@horizont.com.pl
Tel: + 48 29 742 33 39
www.horizont.com.pl

AFTER SALES SERVICES

sav@ukal.com
Tel: 03 88 90 73 93

UKAL INTERNATIONAL

Tél: +33 3 88 07 40 16
Fax: +33 3 88 07 40 14
export@ukal.com

SLOVENIA HORIZONT CLAIR D.O.O. TRGOVSKO PODJETJE D.O.O.

Zbilje 4 H
1215 SL - Medvode
Slovenien
Tel: +386 (0) 1 3617 606
Fax: +386 (0) 1 3617 607
info@clair.si
www.clair.si

GERMANY HORIZONT ANIMAL CARE

Homberger Weg 4-6
34497 Korbach
Germany
Tel: +49 (0) 5631/565-100
agrar@horizont.com
www.agrar.horizont.com

UNITED KINGDOM HOTLINE ELECTRIC FENCING

Wharf Road
Newton Abbot
Devon TQ12 2DA
United Kingdom
Tel: +44 (0) 1626 33 11 88
Fax: +44 (0) 1626 33 18 10
sales@hotline-fencing.co.uk
hotline.horizont.com

UKAL CANADA INC.

7525 rue Pion
J2R 1R8
St Hyacinthe
Québec / Canada
Tel: (450) 796-1414
Fax: (450) 796-1415
Sans frais : 1 800 665 8389
info@ukal.ca



Printed on paper from sustainably managed forests and controlled sources.
Out of respect for the environment, this document is printed with vegetable-based inks.



UKAL.com

